PROFESSIONAL POWER TOOLS

metabo®

work. don't play.

UK PRODUCT RANGE 2013/14

metabo
5.2 Ah

NEW! World's first 18v 5.2Ah battery technology
Up to 75% longer run time

metabo ultra M Technology

ULTRAlong
ULTRAsafe
ULTRAcompact

3 Years warranty Li-POWER

Angle Grinders 68–77
Angle Grinder Accessories 82–83
Band saws / Accessories 130–131
Bench Grinders / Accessories 80–81
Circular Saws / Accessories 90–91
Circular Saw Cordless 23
Compressors 139–143
Cordless 8–40
- *Intro to Cordless* 4–7
- *10.8 Volt* 8–11
- *14.4 Volt* 13
- *18 Volt* 13–34 / 87
- *28/36 Volt* 38–39
- *Cordless Kits & Carcasses* 21/32–34
- *Batteries, Chargers, Drill/Bit sets* 40–41

Die Grinders 84–87
Die Grinder Accessories 88–89
Dust Extractors 134
Glue Gun / Router 92
Hot Air / Heat Guns 108–111
Impact drills / Accessories 42–45
Jigsaws / Accessories 93–97
Mag Drills 52–54
Metal Cutting Abrasive Chop Saw 78
MetaLoc Storage Cases 35–37
Mitre / Crosscut Saws 112–120
Mitre Saw Stands 121–123
Multi-Function SDS Drills 56–61
Paint Planer 98
Planer 98
Planer Thicknessers / Accessories 132–133
Polishers 78
Pumps 135–139
Reciprocating Saw 94
Reciprocating Saw Cordless 23
Rotary Only Drills / Accessories 48–51
Sanders / Accessories 99–103
SDS Max Breakers 65
SDS Max Hammers 64
SDS Max Accessories 66–67
Site Saws 124–125
Table Saws 126–127
Saw Blades & Accessories 128–129
Vacuums 104–107
Wall Chasers 79

SYMBOLS KEY

MVT METABO VIBRATION TECHNOLOGY	LOW VIBRATION AUTOBALANCER	VTC	IMPULS	CODE! SECURITY SYSTEM	INDUCTION	DUST PROTECTION
Vibration dampening handle	Autobalancing (lower vibration)	Constant speed under heavy load	Unique Impuls function	CODE! Electronic immobiliser	Smooth and quiet running motor	Dust protection system
ACTIVE VIBRATION CONTROL	3 GEARS	VC	PROTECT SAFETY SWITCH	ROTATING BACK HANDLE	SUPERB TWIN-PORT EXTRACTION!	AUTOCLEAN
Vibration dampening system	3 Function machine	Constant speed under moderate load	Dead-mans paddle safety switch	Rotating back handle	Two-point dust extraction system	Automatic filter cleaning system
STOP SAFETY CLUTCH	4 GEARS	CARRY CASE	ELECTRONIC SINGLE CELL PROTECTION ESCP	MARATHON MOTOR	QUICK BLADE CHANGE	METALOC
Torque limiting slip clutch	4 Function machine	Comes with a carry case	Protects battery and machine	Metabo long life marathon motor	Quick blade change without tools	MetaLoc Systainers

QR CODES

Use your iPhone or Android phone to scan the barcodes displayed next to the products. They will provide you with a video link showing useful features, benefits, hints and tips.

OUR GREATEST SUCCESS IS ENSURING THAT YOU CAN PRODUCE YOUR BEST WORK.

3
Years
warranty
Li-POWER

Metabo offers a

3 YEAR WARRANTY

ON ALL MACHINES, ALL CHUCKS, ALL CHARGERS &

ALL BATTERIES!

SIMPLY REGISTER YOUR MACHINE ONLINE WITHIN 4 WEEKS OF PURCHASE TO QUALIFY*

www.metabo.com/xxl

*Warranty only covers part failure due to faulty assembly or manufacture. It does not cover wear and tear or miss-use. All machines come with a 1 year warranty as standard.

ULTRA M TECHNOLOGY

Innovations for more power.
The Ultra-M Technology stands for the ideal synchronisation and perfect communication between machine, battery pack and charger. Such efficencies give you many working advantages .

OVERVIEW

Intelligent battery management. All relevant information is stored on the microchip of the battery pack. This microchip communicates with the electronics of the machine and the charger and ensures an efficient and gentle charging process as well as ideal energy usage when working – for maximum power and service life!
Electronic Single Cell Protection (ESCP). Protects each and every battery cell from discharging completely and from overcharging – for extremely long battery life.
Patented AIR COOLED charging technology. The battery pack is cooled by a fan in the charger – for shorter charging and longer service life.
Secure investment. With Ultra-M Technology we offer a large selection of high-quality , optimised products that are compatible for today and tomorrow. This means for you a secure investment in a sustainable battery system.

BATTERY CONCEPT

Metabo's electronic single cell protection system (ESCP) is not like any other. Instead of looking at the general health of battery pack as a whole, the Metabo system constantly monitors each individual cells condition and status whilst working and charging. This means that no cell is ever left behind before it is at 100% health and ready to go. Metabo only use the highest grade lithium-ion cells available, with the highest power density ratings in their respective class.

All the following batteries employ the advanced Metabo ESCP system, with overcharge, deep discharge, overheat and overload protection. The cell pack is float mounted for aided shock resistance. LED battery charge level indicator, with dust proof switch. Air ducts for use with air-cooled charger for quicker charging and longer battery life.


"READY BOYS?"
"I'm ready, is everyone else ready to go?"
"Ready when you are!"
"Almost there, just 5 more minutes of charging left "
"Wait 2 secs I just need to cool down a bit longer"

ELECTRONIC SINGLE CELL PROTECTION
ESCP

5.2Ah

More flexible than power from the socket.

1
2
3
4
5
5.2 Ah
18 V Li-Power Extreme

① **75% greater endurance**
Compared to the 3.0 Ah battery pack you can work up to 75% longer without having to recharge! Often this is enough for more than a working day.

② **Same size, same weight**
The new 5.2 Ah battery pack did not become a single gram heavier nor a millimetre larger — more endurance with the same comfort.

③ **Resistance against cold and heat**
A fully charged battery pack delivers 100% power from – 15 ° to + 50 ° Celsius. Work is possible even in extreme temperatures.

④ **100% compatibility**
The 5.2 Ah battery pack is compatible with all current and future Metabo 18 Volt machines and chargers. Give even more power to your Metabo machines!

⑤ **More freedom**
We are the first power tool manufacturer worldwide to present to you a battery pack of 5.2 Ah. Use our battery competence for even more freedom and independence from socket outlets!

3 Years warranty Li-POWER

18 V



Cordless Drill/Screwdriver
BS 18 LTX-X3 Quick

Cordless Impact Wrench
SSW 18 LT

Cordless Impact Driver
SSD 18 LT

Cordless Rotary Drill
BHA 18 LTX

Cordless Circular Saw
KSA 18 LTX

Cordless Sabre Saw
ASE 18 LTX

Cordless Jig-Saw
STA 18 LTX 140

Cordless Jig-Saw
STA 18 LTX

Cordless Portable Lamp
ULA 14.4 – 18

Cordless Site Light
BSA 14.4 – 18 LED

Cordless Site Radio
RC 14.4 – 18

Cordless Burnishing Machine
S 18 LTX 115

Cordless Fillet Weld Grinder
KNS 18 LTX 150

Cordless Pipe Belt Sander
RB 18 LTX 60

Cordless Band File
BF 18 LTX 90

Cordless Angle Grinder
W 18 LTX 125 Inox

Cordless Angle Grinder
W 18 LTX 115

Cordless Angle Grinder
W 18 LTX 125

Cordless Die Grinder
GA 18 LTX

Cordless Die Grinder
GA 18 LTX G

Cordless Combi/Drill
SB 18 LT

Cordless Combi/Drill
SB 18 LTX Impuls

Cordless Drill/Screwdriver
BS 18 LT

Cordless Drill/Screwdriver
BS 18 LT Quick

Cordless Drill/Screwdriver
BS 18 LTX Impuls

Cordless Drill/Screwdriver
BS 18 LTX Quick

5.2 Ah

75% more productivity when it matters

8 x 80 screws into softwood on one battery charge using BS 18 LTX Quick



10.8 V

Cordless drill/screwdriver
PowerMaxx BS

Cordless impact driver
PowerMaxx SSD

Cordless cartridge gun
PowerMaxx CG

Cordless worksite radio
PowerMaxx RC

Cordless portable lamp
PowerMaxx LED

Cordless sabre saw
PowerMaxx ASE

PowerMaxx BS PRO 10.8V

With a two stage gear box delivering up to 28 Nm of hard toque and a max speed of 1,300 rpm the PowerMaxx BS Pro is one of the most powerful drill/drivers on the market today. What really makes this machine special is the quick change angle attachment allowing you to gain access to awkward spaces otherwise thought inaccessible. The removable 10 mm chuck will allow you to drill up to an impressive 22 mm in soft wood. With powerful 10.8 V 4.0 Ah batteries come equipped with Metabo's electronic single cell protection system, overload protection and overheat motor shut-off.

FEATURES
10.8V Cordless drill/driver
2 x 4.0 Ah Li-ion Batteries
Speed at no load: 0 – 350 / 0 – 1,300 rpm
Torque (soft / hard): 14 / 28Nm
Drilling Ø in steel: 10 mm, wood: 22mm
Chuck capacity: 1 - 10mm
Right angle attachment, 15 Piece bit set, Chuck, Screwdriving attachment, LC 40 Charger
Weight: 0.9kg

	CARRY CASE	WITH METALOC I
Order Number	600092680	UK600092681
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£139.00** **£166.80**	**£159.00** **£190.80**



! *Will drive in up to 1,000 3x25 mm screws into softwood in one charge!*

"I think this tool will fit the bill for anyone looking in particular, for a compact powerful driver that will also perform well as a drill"

Keith Fenton, Woodworkers Institute

ELECTRONIC SINGLE CELL PROTECTION ESCP | 4.0Ah BATTERY | CARRY CASE | METALOC

Combo Set 2.1 10.8V

The kit you have all been shouting for has arrived! Containing the ever popular PowerMaxx BS Pro Drill/Driver with its unique removable chuck and quick change angle attachment for getting around all those awkward spaces. The kit also includes the compact yet powerful PowerMaxx SSD Impact Driver, 2 x 10.8V 1.5 Ah batteries and the LC 40 charger all in a MetaLoc case.

FEATURES
PowerMaxx BS Pro Drill/Driver
PowerMaxx SSD Impact Driver
2 x 1.5 Ah Li-ion Batteries
10 mm Chuck
Angle Attachment
LC 40 Charger
MetaLoc I

! *The angle attachment in this kit is completely unique for this class. with Metabo you will have access to places you never thought possible – a real problem solver!*



SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£192.00** **£230.40**
Order Number	685027000

! *Note: Socket shown on machine not supplied as standard*

1.5Ah BATTERY | ELECTRONIC SINGLE CELL PROTECTION ESCP | METALOC

Combo Set 3.1 10.8V

Ideal for plumbers, carpenters, joiners and installers this three piece combo sets contains the very popular BS Pro Drill/Driver + Angle attachment, PowerMaxx ASE and Power LED flashlight. 1 x 10.8v 1.5Ah battery and 1 x 10.8v 4.0Ah battery.

FEATURES
PowerMaxx BS Pro Drill/Driver
PowerMaxx ASE Recip saw
Power LED Flash Light
1 x 1.5 Ah & 1 x 4.0Ah Li-ion Batteries
10 mm Chuck
Angle Attachment
LC 40 Charger
MetaLoc III



SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£235.00** **£282.00**
Order Number	685028000

1.5Ah BATTERY | 4.0Ah BATTERY | ELECTRONIC SINGLE CELL PROTECTION ESCP | METALOC

Combo Set 4.1 10.8V

Ideal for any carpenters, joiners and installers this four piece combo sets contains the very popular PowerMaxx BS Pro Drill/Driver + Angle Attachment, PowerMaxx SSD, PowerMaxx ASE and Power LED flashlight. 2 x 10.8v 1.5Ah batteries and 1 x 10.8v 4.0Ah battery.

FEATURES
PowerMaxx BS Pro Drill/Driver
PowerMaxx SSD Impact Driver
PowerMaxx ASE Recip saw
Power LED Flash Light
2 x 1.5 Ah & 1 x 4.0Ah Li-ion maX Batteries
10 mm Chuck
Angle Attachment
LC 40 Charger
MetaLoc III



SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£325.00** **£390.00**
Order Number	685029000

1.5Ah BATTERY | 4.0Ah BATTERY | ELECTRONIC SINGLE CELL PROTECTION ESCP | METALOC

PowerMaxx ASE 10.8V

The latest addition to the ever popular Metabo 10.8V cordless range. This excellent compact recip saw boasts some World firsts! The PowerMaxx ASE will take both recip & jigsaw blades thanks to its quick blade change mechanism, has a tool-free adjustable depth stop to prevent damaging of hidden pipes/wiring in case of plungs cuts. Variable speed from 0-3,100 spm.

FEATURES
10.8v Cordless Recip saw
Capacity of battery pack 1.5Ah
Speed 3,100 spm
Stroke Length: 13mm
Blade types: Recip & Jigsaw
Tool-less blade change
Adjustable depth guide
Weight 1.2Kg



"Clearly this saw will do some general builders very nicely because it is a very useful small cut-off saw, particularly in restricted spaces. It is also likely to be used by heating and ventilating engineers, plumbers, kitchen installers and shopfitters."

Peter Brett, Toolbusiness.co.uk

	MACHINE	MACHINE + METALOC I	CARCASS
Order Number	602264500	UK602264501	602264850
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£129.00** **£154.80**	**£149.00** **£178.80**	**£92.00** **£110.40**

METALOC

ESCP

PowerMaxx CG 10.8V Caulk Gun

The latest addition to the ever popular Metabo 10.8V cordless range. For using cartridges and foil bags. High discharge pressure for powerful processing od all materials - even particulary viscous ones. Infinetly variable setting of the discharge speed for precision working. No dripping thanks to automatic retraction of the gear rack. Quick, easy chance between foil bags and cartridges. All metal gear for long service life and Metabo ESCP battery protection.

FEATURES
10.8V Cordless Caulk Gun
Capacity of battery pack 1.5 Ah
Discharge pressure 4.413 N/450 kg
Tooling dimension 600 mm + 400 mm
Suitable for cartridges, foil bags
Non-drip mechanism
Weight (including battery pack) 2.5 kg



	SET + 1 BATTERY	CARCASS
Order Number	UK602117000	602117850
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£239.00** **£286.80**	**£179.00** **£214.80**

! *Machine illustrated is available with either one battery + charger or as a body only option.*

1.5Ah BATTERY

ESCP

PowerMaxx RC 10.8V Radio & Charger

The latest addition to the ever popular Metabo 10.8V cordless range. The really useful feature about the Metabo RC Radio is that you can charge your 10.8V batteries directly from it, exactly like its bigger brother the RC 14.4-18, see pages 28-29. Compact and portable, this radio packs a big sound for its size – great for the workshop or construction site and hey, why not take it on the next camping trip? Complete with 5 FM and 5 AM radio presets the radio also comes with an Aux in cable so you can play your mp3, CD, ipod® or iphone®. The radio is also rain, shock and dust resistant with a protective roll cage.

FEATURES
10.8V Cordless Radio / Charger
Maximum run time of 8 hours with 1.5 Ah and 16 hours with 3 Ah
10.8V Li power battery platforms
Aux in for CD, MP3, iPod®, iPhone®
5 x FM and 5 x AM Presets
Comes supplied with mains lead and 2 x AAA batteries
LCD display with clock, equaliser, channel search & battery pack charge level

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£75.00** **£90.00**
Order Number	602113380

! *Radio & Battery Charger in one!*
Note: Does not come supplied with batteries – carcass only.
See page 40 for battery options

PowerMaxx SSD 10.8V

105 Nm and 3,000 bpm means with the PowerMaxx SSD Impact driver you will be able to effortlessly drive home screws/bolts all day long. In fact, one single 1.5Ah battery pack will allow you to drive in a recorded 236 5x25 mm screws. Dealing with larger timbers? No problem, one charge will enable you to drive in around 58 8x80 mm screws. The Metabo PowerImpact maX is compact, light & fast. Backed up with Metabo's electronic single cell protection system, overload protection and overheat motor shut-off. Like all Metabo cordless, piece of mind is given with our 3 year warranty on machine, chuck and even the batteries.

FEATURES
10.8V Cordless impact driver
Speed at no load: 0 – 2,300 rpm
Impact speed: 3,000 bpm
Max torque: 105Nm
Metric bolt: M4 - M12
Weight: 1kg

"Like all recent Metabo drills, this cordless machine has an electronic protection system, designed to prolong the life if the cells and motor. All in all, a versatile addition to any tool kit."
Derek Jones, Woodworkers Institute

	CARCASS
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£57.00** **£68.40**
Order Number	316048380

ESCP

PowerMaxx
LED 10.8v

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£39.00** **£46.80**
Order Number	600036000

COMPACT POWER

Li-Power Range

1.5Ah
BATTERY
metabo
Li-Power Compact
14.4V

Quick-action keyless chuck
1-13 mm

Overload protection

'QuickFire' One handed forward and reverse switch
for right or left handed use

Stylish Ergonomic Design
For comfortable secure use

Rubber coated handle
For comfortable grip

Rubber-coated bit holder

LED Work light
Lights up the darkest of working areas

Battery Charge Level Indicator (unique in its class)
Helps ensure you never run short of juice

(Pictured right BS14.4 Li)

Li PowerCompact Drill/Drivers & Combi Drill

The Li PowerCompact range has been designed to be extremely lightweight and comfortable. Perfect for light to medium duty work as a bench top machine or general purpose drill/driver, or impact driver. These machines come with a new motor and electronics concept, optimised cooling ventilation slots, electronic single cell protection (ESCP), a high powered LED work light.

With a 13mm Chuck!
With a 13mm Chuck!
With a 13mm Chuck!
1.5Ah
BATTERY
ESCP

! *Will drill at least 180 5 x 80 mm screws into soft wood in one battery charge*

! *Will drill at least 242 5 x 80 mm screws into soft wood in one battery charge*

SPECIFICATIONS	BS 14.4 Drill/Driver	BS 18 Drill/Driver	SB 18 Combi Drill
Type	BS 14.4 Li	BS 18 Li	SB 18 Li
Batteries	2 x 1.5Ah Li-ion batteries	2 x 1.5Ah Li-ion batteries	2 x 1.5Ah Li-ion batteries
Charger	SC 60 Plus Charger	SC 60 Plus Charger	ASC 30 Charger
Voltage	14.4 V	18 V	18 V
Capacity	1.5 Ah	1.5 Ah	1.5 Ah
Speed	0 – 450 / 0 – 1.600 rpm	0 – 450 / 0 – 1.650 rpm	0 - 450 / 0 - 1,600 rpm
Weight	1.4 kg	1.5 kg	1.8 kg
Torque (soft / hard)	20 / 40 Nm	24 / 48 Nm	24/48 Nm
Drilling diameter in metal	10 mm	10 mm	10 mm
Drilling diameter in wood	20 mm	20 mm	20 mm
Drilling diameter in masonry	-	-	10 mm
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£139.00** **£166.80**	**£149.00** **£178.80**	**£179.00** **£214.80**
Order Number	602105550	602116580	602190580

SSP - Suggested selling price ■ 110V Wattage may vary from those specified

NEW

4.0Ah
BATTERY

LT CLASS



2 speed gearbox
drilling/ screw driving applications

20 Torque settings
precise screw driving

Powerful
4 pole motor
delivering high torque

Rubber protectors
protects machine when laid down on its side

1. **Small and lightweight**
2. **High performance / torque**
3. **High overload capability**
4. **Perfect ergonomics**

Improved handle ergonomics
comfortable grip for fatigue-free working

Multi-functional electronic protection system
motor cut off / overheating / anti-kickback / battery discharge protection

Bit holder safe keeping of screwdriver bit

LED work light
illuminates dark spaces

Battery Charge Level Indicator
(on all 14.4-18V Li-ion machines)

ESCP (Electronic Single Cell Protection)
Ultra M Technology

Belt hook
ideal when climbing ladders/scaffolding

ELECTRONIC
SINGLE CELL
PROTECTION
ESCP

(Pictured SB 18 LT)

BS 18 LT & BS 18 LT Quick Drill/Drivers NEW!

The BS18 LT and BS18 LT Quick drill/drivers with 4.0Ah batteries are the latest addition to the Metabo 18v family. The LT machines with a powerful and durable 4 pole carbon brush motor deliver bags of speed and torque to suite most drilling applications, thanks to their light weight and ergonomic design these machines are ideally suited for anyone working in the building trade or renovation sector – ideally suited for interior applications. With Ultra M technology and a 3 year warranty these new drill drivers set a new standard in their class.

FEATURES
18V Cordless drill/drivers
2 x 4.0Ah Li Power Extreme batteries
Speed at load 0 - 450 / 0 - 1,600 rpm
Torque (soft/hard) 34/60 Nm
Two speed gearbox
Drilling Ø Steel - 13 mm, Wood - 38 mm
Chuck Capacity 1 - 13 mm
Weight 1.8 kg / 1.9 kg

	BS18 LT
SSP *(exc. VAT)* SSP *(inc. VAT)*	**£219.00** **£262.80**
Order Number	602102580

	BS18 LT Quick
SSP *(exc. VAT)* SSP *(inc. VAT)*	**£239.00** **£286.80**
Order Number	602104500

› Accessory Tip

		Order No	List *(exc. VAT)*
	Quick change keyless chuck "Quick" Max. opening: 1.5 – 13 mm	627240000	£73.73
	**Quick change bit holder "Quick"**	627241000	£42.86
	NEW! **Quick change angle adapter "Quick"**	627077000	£57.68
	HSS -G metal drill bit storage cassette / hexagon shaft 5-piece (3 / 4 / 5 / 6 / 8 mm)	627112000	£19.99
	NEW! **Storage cassette for wood drills CV / hexagon shaft** 5 pieces (3 / 4 / 5 / 6 / 8 mm)	627111000	£19.99

SB 18 LT Combi Drill NEW!

The SB18 LT Combi drill with 4.0Ah batteries is the latest addition to the Metabo 18v combi family. The LT machine with a powerful and durable 4 pole carbon brush motor delivers bags of speed and torque to suite most drilling applications, thanks to its light weight and ergonomic design this machine is ideally suited for anyone working in the building trade or renovation sector – ideally suited for interior applications. With Ultra M technology and a 3 year warranty this new combi sets a new standard in its class.

FEATURES
18V Cordless Combi drill
2 x 4.0Ah Li Power Extreme batteries
Maximum impact rate: 24,000 bpm
Speed at load 0 - 450 / 0 - 1,600 rpm
Torque (soft/hard) 34/60 Nm
Two speed gearbox
Drilling Ø in Steel - 13 mm, Wood - 38 mm, Concrete: 13mm
Chuck Capacity 1 - 13 mm
Weight 1.9 kg

SSP *(exc. VAT)* SSP *(inc. VAT)*	**£225.00** **£270.00**
Order Number	602103580

The new cordless impact wrenches

NEW

metabo
4.0 Ah
AIR COOLED
18 V Li-Power Extreme



*Determined on an automatic test bench with a test programme of 10 seconds in impact mode and then 30 seconds in idle mode. Metabo lasts 400% longer.

The NEW SSD 18 LT ¼" hex drive impact driver, is smaller, lighter and more durable than its predecessor making light work of driving large screws/augers into wood or driving hex head self taping screws into metal/concrete. Impact drivers offer both high speed rotation and high torque rotary impact motion. The two combined result in greatly increased speed and far less fatigue versus conventional drill/drivers, ideal for demanding applications. Other features include reduced cam out, minimal strain of the wrist and a natural "shock" effect for releasing stubborn screws/bolts.

The NEW SSW 18 LT Power Plus with ½" drive is smaller, lighter and more durable than its predecessor, making for a very high torque impact wrench designed for tightening or removing the most stubborn of rusty nuts or bolts. Comes with variable speed trigger and special 3 speed change switch which comes in particularly useful when dealing with smaller fasteners.

200 g less weight vs. old SSW. More comfortable working

Compact design for best ergonomics

Durable and powerful

- Extremely powerful motor with high overload capacity
- Robust high-performance impact system for particularly long service life



SSD 18 LTX		SSW 18 LTX	
2 x 4.0Ah batteries		2 x 4.0Ah Li batteries	
ASC30 Charger		ASC30 Charger	
Speed at No load 1,000 / 1,850 / 2,500 rpm		Speed at No load 900 / 1,650 / 2,300 rpm	
Max. Torque (setting 1/2/3) 75 / 120 / 150 Nm		Max. Torque (setting 1/2/3) 100 / 140 / 210 Nm	
Hex Drive 1/4"		Hex Drive 1/2"	
1.6 kg		1.6 kg	
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£289.00** **£346.80**	**SSP** *(exc. VAT)* **SSP** *(inc. VAT)*	**£289.00** **£346.80**
602196500		602195500	

› Accessory Tip

	Accessory Tip	Order No	Price
NEW! 	**Bit-Box Impact 49 mm** **7 Pce**: PZ2, PZ3, T15, T20, T25, T30, T40	628850000	SSP £24.99
NEW!	**Bit-Box Impact 29 mm** **8 Pce** PZ2, PZ3, T15, T20, T25, T30, T40, Bitholder	628849000	SSP £24.99
	Socket wrench Insert **1/2" for** **impact wrench**: 10 Pce Socket Set: 10, 11, 12, 13, 15, 17, 19, 21, 22, 24 mm	628831000	SSP £29.99
	Adapter 1/2" to 1/4" E6,3	628836000	List £18.07
	Adapter 1/4" E6,3 to 1/2" 72mm	628838000	List £6.48
	Hex Socket Wrench, impact-proof		
	1/4"	628839000	£5.58
	3/8"	628840000	£5.58
	6 mm	628841000	£5.58
	7 mm	628842000	£5.58
	8 mm	628843000	£5.58
	9 mm	628844000	£6.08
	10 mm	628845000	£6.08
	12 mm	628846000	£6.08
	13 mm	628847000	£6.70

EXTREME POWER

LTX Range



Hex Bit Holder in Spindle
Enables chuck free working, considerably reduces the length - a bonus for when you need to screwdrive into tight spaces

5.2Ah BATTERY

Very Comfortable Side Handle
Maximum comfort, minimum fatigue

Spanner Flat for Removing Gear Chucks
Allows you to change the chuck easily

43 mm Multi Use Collar
For 360° rotation of side handle. Can be fitted to a drill stand, Right Angle Attachment, PowerShear, Dust kit

Innovative Gear Speed Selection Switch
Optimally suited for one-handed operation; for right or left handed use

'QuickFire'
One handed forward and reverse switch for right or left handed use

LED Work light
Lights up the darkest of working areas

Battery Charge Level Indicator
(on all 14.4-18V Li-ion machines)

Unique Impuls Function
"Strength boost" on tricky tasks, such as spot-drilling smooth surfaces (tiles, pipe) or removing difficult screws

Stylish Ergonomic Design
For comfortable secure use

Innovative Battery Technology - NOW 5.2Ah
Very high quality lithium-ion battery cells for outstanding performance. AIR COOLED charging technology for a quicker charge time and a long battery pack service life

(BS 18 LTX Quick Pictured)

BS 18 LTX Quick Li PowerExtreme Drill/Driver

The BS 18 LTX Q PowerExtreme is the lightest and most powerful drill/driver in its class. The PowerExtreme battery pack coupled with a new innovative 4-pole motor delivers unbeatable power output. This muscle-machine is perfectly suited to the needs of carpenters and joiners who will appreciate the NEW 'Metabo Quick' change system. Distinguished by its ergonomic, compact design, other key features include the new innovative adjustable torque clutch system, now with both mechanical and electrical control, overheat motor cut off, the unique 'Impuls' function (boost pulse switch) for dealing with difficult screws. This is a tremendously strong machine designed to work as hard as you do.

FEATURES
18V Cordless Drill/Driver
2 x 18v Li Power Extreme batteries
Speed at no load (1st/2nd gear)
0-400/0-1400 rpm
Max torque (soft/hard) - 42/96Nm
Adjustable torque from - 1.5-13Nm
Drill bit Ø in, wood - 50mm | steel - 13mm | Concrete - n/a
Weight - 2.0kg

	4.0 Ah	5.2 Ah
Order Number	602109910	602109650
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£279.00** **£334.80**	**£309.00** **£370.80**



! *Remove the chuck to reveal a hex end bit holder for use as a screwdriver*

5.2Ah BATTERY | 4.0Ah BATTERY | ESCP

Standard Equipment LTX Quick Drill/Driver



QUICK Chuck 627240000

Bit Holder 627241000



Angle Attachment 627242000

! *Supplied only with 4.0Ah unit as standard*

Optional Accessory LTX Quick Drill/Driver

The Power X3 attachment provides 3 times the normal torque, driving screws up to Ø 12 x 600 mm in to soft wood without pilot holes or Ø 16 x 800 mm with pilot holes.

List *(exc. VAT)*	£235.79
Order Number	627253000

SB 18 LTX Li PowerExtreme Combi Drill

The SB 18 LTX Power Extreme with 5.2Ah batteries is the lightest and most powerful combi in its class. The two speed gear box with hammer action is coupled to the extreme power battery pack and innovative 4-pole motor which combined delivers unbeatable power output. This muscle-machine is perfectly suited for the needs of the construction industry. Distinguished by its ergonomic, compact design, other features include the innovative adjustable torque clutch system, the unique impuls function (boost pulse switch), LED work light, strong aluminium die cast gear housing and the hex end bit holder. This is a tremendously strong machine designed to work as hard as you do.

The LTX Power Extreme range is the lightest and most powerful machines on the market today within their respective class. These muscle-machines are perfectly suited for the needs of the construction industry. The two speed gear box is coupled to the extreme power battery pack and innovative 4-pole motor which combined delivers unbeatable power output. This makes them problem solvers even on the hardest of jobs - when drilling screws with diameters up to 10 mm, and when drilling holes into wood up to max. 50 mm. With a maximum torque of 100 Nm! Even the largest of screws can be handled without a problem!

FEATURES
18V Cordless Combi Drill
2 x 18v Li Power Extreme batteries
Max torque (soft/hard) - 44/100Nm
Adjustable torque from - 1.5-13Nm
Drill bit diameter in, wood - 50mm | steel - 13mm | Concrete - 16mm
Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
Maximum impact rate - 28,000bpm
Weight - 2.1kg

! 100 Nm Torque

	4.0 Ah	5.2 Ah
Order Number	602148680	602148650
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£259.00** **£310.80**	**£309.00** **£370.80**

! *Remove chuck and fit with right angle attachment 631078 to allow you to drill at right angles through joists for laying pipe work.*

4.0Ah BATTERY

5.2Ah BATTERY

ESCP

LTX2 Combo Set

PowerExtreme twin pack with 18V SB18 LTX combi and the new and improved SSD18 LT impact driver. The markets most powerful twin pack. A special package with a long list of unique features.

FEATURES
SB 18 LTX
New SSD 18 Carcass
2 x 18v 4Ah PowerExtreme batteries
ASC30 Charger
MetaLoc Carry Case

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£339.00** **£406.80**
Order Number	685034000

ESCP

METALOC

4.0Ah BATTERY

BHA 18 LTX Li PowerExtreme 2 Function SDS Hammer

The BHA 18 LTX SDS hammer is designed to be a fast, lightweight hole shooter. Best suited for drilling 5, 6, 8, 10, 12 mm holes 150 mm deep, perfect for installing fixtures and fittings. Features include; high speed pneumatic hammer mechanism, large comfortable grip area, shoulder strap, vibration dampening side handle and S-automatic safety clutch for machine and operator safety.

FEATURES
18V Cordless SDS Hammer Drill
2 x 18v Li Power Extreme batteries
ASC30 Charger
No load speed: 0 - 1,100 rpm
Max impact rate: 4,900 bpm
Max impact energy (EPTA): 1.8J / 131J/s
Drilling capacity in: Concrete 18 mm, Steel 10 mm, Wood 22 mm
Tri axis vibration reading 12 m/s^2 in accordance with EN60745-2-6
Weight: 3.2 kg



! *On a 5.2 Ah battery you can drill 200 6x40mm holes in concrete on 1 battery charge*

	4.0 Ah	5.2 Ah
Order Number	600228610	600228650
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	£319.00 £382.80	£359.00 £430.80

! *Very high blows per minute: 4,900 bpm! With a good level of hammer force: 1.8J!*

5.2Ah BATTERY

4.0Ah BATTERY

ESCP

KSA 18 LTX Li PowerExtreme Circular Saw

The KSA 18 LTX PowerExtreme circular saw distinguishes itself through precision and outright extreme performance. Ideal for joiners, carpenters and installers amongst others. Features include LED light for illuminating the cutting area, line-clear dust blow ports, 45° base bevel, side fence to aid parallel cuts and a quick stop blade brake for operator safety.
* Compatible with 1.5 m guide rail (631213) + adaptor (631019)

FEATURES
18V Cordless Circular Saw
2 x 4.0Ah Li PowerExtreme batteries
ASC30 Charger
No load speed: 2700 rpm
Adjustable cutting depth: 0 - 53.5 mm
Max. Cutting depth at 45/90° - 42/53.5 mm
Saw blade diameter: 165 mm
Includes a saw blade and parallel guide
Weight: 4.3 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£309.00** **£370.80**
Order Number	UK602268860

! *Will cut 62 meters of chip board 19 mm thick on one full 4.0 Ah battery.*

! *Compatible with 1.5 m guide rail (631213), adaptor (631019) also required*

4.0Ah BATTERY

ESCP

METALOC

ASE 18 LTX Li PowerExtreme Reciprocating Saw

The ASE 18 LTX PowerExtreme is designed for the toughest jobs. This high performance machine is commonly used for rough cuts in wood, plastic, metal pipe, wood with nails, aerated block, ideal for demolition and refurbishment work. Features include a 180° rotating blade for overhead use, a sturdy and simple "Quick" blade change system, robust rubber sheath over aluminium die-cast gear housing and world leading Metabo extreme battery packs.

FEATURES
18V Cordless Reciprocating Saw
2 x 4.0Ah Li PowerExtreme batteries
ASC30 Charger
Strokes at no load: 0 - 2700 /min
Saw blade stroke: 27 mm
Keyless saw blade change
Adjustable stop
Weight: 3.6 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£309.00** **£370.80**
Order Number	602269610

! *Will make 27 cuts through 100 x 120 mm softwood beam on one full 4.0 Ah battery.*

ESCP

4.0Ah BATTERY

Die-cast aluminium gearbox housing
Strong and robust design.

QUICK ejection system
Tool-less blade change.

LED light
Illuminates cutting area.

Pendulum stroke
Adjustable to 4 stages.

Inclinable base plate
for up to 45° cuts. With base plate shoe protector for scratch free cutting on sensitive surfaces.



Rubber coated handle
Ergonomically designed for a sturdy and comfortable grip.

Powerful battery pack
Compatible with LT / LTX battery platforms PowerPlus 4.0Ah / PowerExtreme 4.0Ah.

On/off blowing unit/line clear
For a clear view of the blade and cutting line.

4.0Ah BATTERY

metabo ultra M Technology

STA 18 LTX QUICK Li PowerExtreme Jigsaw

With our 18V family one battery fits all! Inaddition to outstanding battery performance, the STA 18 LTX is an extremely robust machine. One very special feature is the Metabo QUICK blade change system with a hands free blade ejection mechanism, great for removal of hot blades. Of course the jigsaw is compatible with the full range of mains operated jigsaw accessories.

FEATURES
18V Cordless Jigsaw
2 x 4.0Ah Li PowerExtreme batteries
ASC30 Charger
Strokes at no load: 0-2,700 rpm
Saw blade stroke: 25 mm
Pendulum stroke levels: 4
Cutting depth: Wood 135 mm, Nonferrous metal 35 mm, Sheet steel 10 mm
Weight: 2.8kg



" There is plenty of power available for making deep cuts into solid hardwood, and all this power ensures that the cut is perfectly true and doesn't run off at an angle, as so often happens with cheaper underpowered tools."

Alan Holtham, The Woodworker, July 2011

	CARRY CASE	WITH METALOC II
Order Number	602298610	UK602298611
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£309.00** **£370.80**	**£329.00** **£394.80**

!

We cut through 41 metres of 19 mm chipboard on one 4.0 Ah battery charge!

4.0Ah BATTERY

METALOC

Tool-less
Metabo "Quick" no tool blade change function with quick ejection system with extra shaving blower for a clear cutting line

Touch sensitive LED's
A unique movement sensor turns on the built-in work light illuminating your cutting line which allows a safe, accurate & visible start to your cut

Simple bevel cuts
Tool-less and infinitely variable base plate. Resting points are de-fined for the most common angles.



Automatic start up control
This function brings the machine up to speed gradually and accelerates to the full stroke rate when the saw blade enters the work piece ensuring you hit your line every time! With the addition of a blower function to dissipate shavings you can always see your cutting line

High safety standard
No-volt release switch prevents unintentionally starting the machine

Excellent cutting output
VTC electronics permit a constant speed under load – for quick cuts in softwood up to 140mm

4.0Ah BATTERY

metabo ultra M Technology

STA 18 LTX 140 QUICK Li PowerExtreme Jigsaw

The STA18 LTX 140 is the latest addition to the 18v family. This excellent body grip jigsaw boasts the smallest housing circumference in its class of only 195mm making for comfortable and fatigue free working. This jigsaw also sets a new safety standard by incorporating a no-volt release switch which prevents unintentional starting of the machine when replacing the battery, Excellent cutting output with Metabo VTC electronics for constant speed under load. Say goodbye to misplaced Allen keys and say hello to "Quick Release". Thanks to a quick release mechanism for the base plate there is no need to waste time trying to find that mislaid allen key - instead pull the quick release lever and you can adjust the bevel of the base plate in a matter of seconds, the same can be said for the "Quick Release" blade system, open the lever and the hot blade will be automatically ejected from the holder saving you time, money and burnt finger tips!

FEATURES
18V Cordless Jigsaw
2 x 4.0Ah Li PowerExtreme batteries
ASC30 Charger
Strokes at no load: 1,000-3000spm
Saw blade stroke: 25mm
Pendulum stroke levels: 4
Cutting depth: Wood 140mm, Nonferrous metal 35mm, Sheet Steel 10mm
Weight: 2.8kg

	CARRY CASE	WITH METALOC II
Order Number	601405500	UK601405001
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£309.00** **£370.80**	**£329.00** **£394.80**

4.0Ah BATTERY

METALOC

EXTREME POWER

LASTS LONGER

At Metabo we pride ourselves on the quality and performance of our angle grinders. We are extremely happy to be able to present to you what we think is the best cordless angle grinder on the market today, the new W 18 LTX. So powerful, that you can actually use it like an angle grinder. Confused?

Cordless grinders of old were only really good for one thing, cutting for short periods of time. With the Metabo W 18 LTX we believe you can now start using your cordless angle grinder like you would actually use your normal corded grinder - simple really.

› Accessory Tip	Order No	List (exc. VAT)
Flexiarapid 0.8 mm slit disc 115 mm	616208000	£2.13
Flexiarapid 0.8 mm slit disc 125 mm	616209000	£2.34
Novorapid 1.0 mm slit disc 115 mm	616492000	£1.34
Novorapid 1.0 mm slit disc 125 mm	616493000	£1.94
Combinator 1.9 mm grinding & cutting disc 115 mm	616500000	£3.10
Combinator 1.9 mm grinding & cutting disc 125 mm	616501000	£3.41



No. of cuts in Ø 12 mm bar stock
(No. of straight cuts in one battery charge)

Test data - October 2010



Unique Thermal overload cut out
Thermal sensor directly on the motor. If the grinder gets too hot it will slow down and a red LED warning light will come on. When the grinder is cool again, the machine will rev back up to full speed. This helps prolong machine service life.

Easy Access Carbon Brushes
Self service, auto-stop carbon brushes.

Battery Charge Level Indicator
Helps you never run short of battery power.

Very robust and wear-resistant motor

Very slim motor housing
for ideal handling

Unique Detachable dust-filter
helps protect the motor against harmful abrasive particles.

Quick Change disc guard (Twist-proof)
Quickly change guard position via thumb lever. No tools required.

Metabo ESCP battery protection system

Unique Rotatable battery pack
Helps you to gain access to tight, awkward spaces.

Quick disc change
Metabo Quick nut for tool free disc change.

Ergonomic switch position
for easy operation.

Overload cut out
If the grinder is put under too high a load it will stop. To make the grinder start again, turn it off then on. This helps prolong machine service life.

W 18 LTX Li PowerExtreme Grinder

The W 18 LTX is so powerful, that you can actually use it like an angle grinder. Confused? Cordless grinders of old were only really good for one thing, cutting for short periods of time. With the new Metabo W 18 LTX we believe you can now start using your cordless angle grinder like you would actually use your normal corded grinder - simple really. The grinding discs mentioned on the previous page are suitable for work on steel as well as on stainless steel.

FEATURES
18V Cordless Grinder
2 x 18v Li Power Extreme batteries
ASC30 Charger
Grinding wheel: 115 mm or 125 mm
No load speed: 8,000 rpm
Spindle thread: M14
VIBRATION READING ONLY: 115 mm - 4.0 m/s^2 / 125 mm - 4.5 m/s^2
Weight: 2.4 kg

! *Available in 115 mm or 125 mm*

! *For longer battery life use the Metabo Combinator 1.9 mm discs when grinding, or the Novorapid 1.0 mm when cutting*

5.2Ah BATTERY

4.0Ah BATTERY

ESCP

	4.0Ah 115mm	4.0Ah 125mm	5.2Ah 115mm	5.2Ah 125mm
SSP (exc. VAT) SSP (inc. VAT)	£309.00 £370.80	£309.00 £370.80	£349.00 £418.80	£349.00 £418.80
Order Number	UK602174610	602174610	UK6021746510	602174650

! *The W 18 LTX made 107 cuts on one 5.2 Ah battery pack in 12 mm bar steel. That's more cuts per battery pack than any other pro grinder on the market today.*

SSP - Suggested selling price ■ 110V Wattage may vary from those specified

metabo
work. don't play.

RC 14.4–18 Li Power Cordless Worksite Radio & Charger

Radio and battery charger in one! The RC 14.4-18 produces a big, bold sound from its large front end driver, perfect for on-site use or in the workshop. Splash proof, dust proof and shock proof, this cordless radio and charger allows you to insert all 14.4V and 18V Li Power 'Compact,' 'Plus' and 'Extreme' battery platforms for up to 24 hours run-time*. This radio also acts as a battery charger when connected to the mains. Other features include 5 x FM and 5 x AM presets, alarm, LED light, AUX in jack, 3.6-4.8V DC out for mobile phone charging, AUX in and device storage with jack lead, 240V power take off and a 9-14V DC in so you can go mobile and run the radio off your car, caravan or boat power supply!
*24 hours when used with Metabo 18V 4.0 Ah LTX PowerExtreme batteries.

Listen to your own music as well as AM and FM radio stations. The media output with AUX cable has been designed to fit with MP3, CD and iPod ® players making this a great all-round sound system. At the rear of the radio there is also a 'store & play' security compartment for all your media devices!

The RC 14.4-18 will run off all Metabo Li Power 'Compact', 'Plus' & 'Extreme' battery platforms making this the perfect companion for your cordless machines. The cordless radio has an inbuilt ASC 30 charger so you can charge your Metabo 'slide' batteries when connected to the mains.

FEATURES
14.4V - 18V Li power battery platforms
Up to 24 hours run time (with 18V 5.2 Ah battery)
Aux in for CD, MP3, iPod®, iPhone®
5 x AM and 5 x FM Presets
3.6-4.8V DC out
9-14V DC in
240V Power take off

! *Need a battery? See page 40*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£139.00** **£166.80**
Order Number	602106380

! *NOTE: This machine does not come supplied with batteries.*

! *Radio and battery charger in 1!*

CORDLESS SITE LIGHT

BSA 14.4–18 LED

Light up the dark! The 18 LED's of our powerful and robust cordless site light provides you with uniform illumination over a large working area, ideal for working in rooms with no natural day light or on construction sites where there is limited power supply.

metabo
metabo
5.2 Ah
18 V Li-Power

BSA 14.4–18 LED Cordless Site Light NEW!

- Powerful cordless site light with 18 LED’s for extensive and even illumination of the workplace, also suitable for surface processing. Can be suspended from a wall or on a tripod
- The Metabo cordless system: can be operated with all Li-Power Compact, Plus, Extreme battery packs with 14.4 and 18 volts
- Very bright and pleasant light, with two illumination settings (max. 1,800 Lumen)
- Extremely long-lasting illumination of up to 7 hours per battery charge (5.2Ah)
- Minimum heat generation compared to a common halogen bulb, the LED light only gets warm to the touch therefore safe handling even during long hours of operation



	BSA body only	BSA + Tripod Package
Order Number	602111850	UK690728000
SSP *(exc. VAT)* SSP *(inc. VAT)*	£145.00 £174.00	£175.00 £210.00

! *Delivered without battery and without charger*

! *Optional extras: Site Tripod*

BSA Tripod

- Stable on uneven ground
- Fully adjustable
- High quality
- Portable
- Robust



	Tripod only
Order Number	623729000
SSP *(exc. VAT)* SSP *(inc. VAT)*	£59.00 £70.80

18V 2 Piece Combo Sets NEW!

4.0Ah BATTERY

COMBO SET 2.1.1 18V

- Cordless drill/screwdriver BS 18 LT
- Cordless impact driver SSD 18 LT
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685030000	£299.00	£358.80

COMBO SET 2.1.2 18V

- Cordless drill/screwdriver BS 18 LT
- Cordless impact wrench SSW 18 LT
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685031000	£299.00	£358.80

COMBO SET 2.4.1 18V

- Cordless drill/screwdriver BS 18 LT
- Cordless angle grinder W 18 LTX 125
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685038000	£299.00	£358.80

COMBO SET 2.1.3 18V

- Cordless impact drill SB 18 LT
- Cordless impact driver SSD 18 LT
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685032000	£299.00	£358.80

COMBO SET 2.1.4 18V

- Cordless impact drill SB 18 LT
- Cordless impact wrench SSW 18 LT
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685033000	£299.00	£358.80

COMBO SET 2.2.1 18V

- Cordless impact drill SB 18 LT
- Cordless jig-saw STA 18 LTX
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685035000	£299.00	£358.80

COMBO SET 2.2.2 18V

- Cordless impact drill SB 18 LT
- Cordless jigsaw STA 18 LTX 140
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685036000	£299.00	£358.80

COMBO SET 2.3.1 18V

- BS 18 LT Quick & BHA 18 LTX
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah) & "AIR COOLED" charger ASC 30-36 V
- Quick change keyless chuck "Quick"
- Quick change bit holder "Quick"
- Quick change angle adapter "Quick" in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685037000	£379.00	£454.80

COMBO SET 2.4.2 18V

- Cordless impact drill SB 18 LT
- Cordless angle grinder W 18 LTX 125
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685039000	£299.00	£358.80

COMBO SET 2.5.1 18V

- Cordless angle grinder W 18 LTX 125
- Cordless die grinder GA 18 LTX
- 2 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V in MetaLoc III

	SSP exc. VAT	SSP inc. VAT
685040000	£379.00	£454.80

18V 4 Piece Combo Sets NEW!

COMBO SET 4.1.1 18V

- Cordless impact drill SB 18 LT
- Cordless impact wrench SSD 18 LT
- Cordless jig-saw STA 18 LTX
- Cordless portable lamp ULA 14.4 -18
- 3 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36

	SSP exc. VAT	SSP inc. VAT
UK685041000	£482.50	£579.00

COMBO SET 4.2.1 18V

- Cordless impact drill SB 18 LT
- Cordless impact driver SSD 18 LT
- Cordless circular saw KSA 18 LTX
- Cordless portable lamp ULA 14.4 -18
- 3 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 V

	SSP exc. VAT	SSP inc. VAT
UK685043000	£482.50	£579.00

4.0Ah BATTERY

18V 6 Piece Combo Sets NEW!

COMBO SET 6.1.1 18V

- Cordless impact drill SB 18 LT
- Cordless impact driver SSD 18 LT
- Cordless jig-saw STA 18 LTX
- Cordless portable lamp ULA 14.4 -18
- Cordless rotary hammer BHA 18 LTX
- Cordless angle grinder W 18 LTX 125
- 3 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 Vin MetaLoc

	SSP exc. VAT	SSP inc. VAT
UK685044000	£679.00	£814.80

COMBO SET 6.2.1 18V

- Cordless impact drill SB 18 LT
- Cordless impact driver SSD 18 LT
- Cordless jig-saw STA 18 LTX
- Cordless portable lamp ULA 14.4 -18
- Cordless Circular saw KSA 18 LTX
- Cordless angle grinder W 18 LTX 125
- 3 Ultra-M Extreme battery packs (18 V/4.0 Ah)
- "AIR COOLED" charger ASC 30-36 Vin MetaLoc

	SSP exc. VAT	SSP inc. VAT
UK685046000	£679.00	£814.80

4.0Ah BATTERY

The Metabo Pick & Mix system has been created to offer you absolute freedom to choose the machines and transportation system that best suits your individual needs. Buy nothing too much and nothing too little.

Pick+Mix

your individual freedom

1 Pick your Starter Kit

incl. 3 x Power-Extreme batteries, ASC30 charger and inlay 144224060

4.0 Ah STARTER KIT

6850490000 — SSP *exc. VAT* **£237.00**

incl. 3 x Power-Extreme batteries, ASC30 charger and inlay 144224060

5.2 Ah STARTER KIT

6850480000 — SSP *exc. VAT* **£267.00**

2 Add more batteries



1.5 Ah

625499000 — SSP *exc. VAT* **£58.00**

4.0 Ah

625527000 — SSP *exc. VAT* **£79.00**

5.2 Ah

625587000 — SSP *exc. VAT* **£89.00**

3 Pick your machine

KSA 18 LTX
Circular Saw
602268850 — SSP *exc. VAT* **£139.00**

BS 18 LTX QUICK
Drill/Driver
602109850 — SSP *exc. VAT* **£145.00**

SB 18 LTX
Combi
602148850 — SSP *exc. VAT* **£145.00**

W 18 LTX 115
Grinder
602170850 — SSP *exc. VAT* **£139.00**

W 18 LTX 125
Grinder
602174850 — SSP *exc. VAT* **£139.00**

STA 18 LTX
Jigsaw
602298850 — SSP *exc. VAT* **£139.00**

STA 18 LTX 140
Jigsaw
601405850 — SSP *exc. VAT* **£139.00**

GA 18 LTX
High Speed
600638850 — SSP *exc. VAT* **£159.00**



GA 18 LTX
High Torque
600639850 — SSP *exc. VAT* **£246.00**



SSD 18 LT
Impact Driver
602196850 — SSP *exc. VAT* **£139.00**

SSW 18 LT
Impact Wrench
602195850 — SSP *exc. VAT* **£139.00**

RC 14.4-18
Radio+Charger
602106380 — SSP *exc. VAT* **£139.00**

ULA 14.4–18
Work Lamp
602311000 — SSP *exc. VAT* **£30.00**

BSA 14.4-18*
LED
602111850 — SSP *exc. VAT* **£145.00**

BSA 14.4-18
LED+Tripod
UK690728000 — SSP *exc. VAT* **£175.00**



ASE 18 LTX**
Recip Saw
602269850 — SSP *exc. VAT* **£139.00**

inc. inlay

BS 18 LT
Drill/Driver
602102890 — SSP *exc. VAT* **£115.00**

inc. inlay

SB 18 LT Combi
Drill/Driver
602103890 — SSP *exc. VAT* **£115.00**

BS 18 LT QUICK
Drill/Driver
602104850 — SSP *exc. VAT* **£135.00**

BHA 18 LTX
Hammer Drill
600203850 — SSP *exc. VAT* **£164.00**

4 Pick your transportation

TOOLBAGS

Heavy-duty, toolbag with trolley wheels

Heavy-duty toolbag (small)

METALOC WITH INLAY

MetaLoc I

MetaLoc II



MetaLoc III

MetaLoc IV

Toolbags

638531000	Heavy Duty (with trolley wheels)	£34.00
638530000	Heavy Duty (Small)	£19.00

MetaLoc with Inlay

344454890	Metaloc III 18v fits BS, SB, SSD, SSW + 6 batteries & ASC30. Inlays: 144224010, 144224060	£42.90
344454930	Metaloc III 18v fits: BS, SB, STA, ULA, SSD, SSW, + 4 batteries, ASC30. Inlays: 144224020, 144224060	£42.90
344454900	Metaloc III 18v fits: BS, SB, BHA, SSD, SSW + 5 batteries & ASC30. Inlays: 144224040, 144224060	£42.90
344454910	Metaloc III 18v fits: BS, SB, W18, GA, SSD, SSW + 5 batteries & ASC30. Inlays: 144224050, 144224060	£42.90

MetaLoc with Inlay (continued)

344454980	Metaloc III 18v fits: BS, SB, W18, GA, SSD, SSW + 5 batteries & ASC30. Inlays: 144224050, 144224060	£42.90
344455120	Metaloc II 18v fits: STA, ULA + 2 batteries. Inlay: 144224020	£42.90
344454940	Metaloc IV 18v fits: KSA, UKA + 3 batteries & ASC30. Inlay: 144224030	£42.90
344455040	Metaloc III 18v fits: W18, STA, GA, ULA + 4 batteries. Inlays: 144224020, 144224050	£42.90
344455110	Metaloc II 18v fits: BHA + 2 batteries. Inlay: 144224040	£38.90

More flexibility? Why not buy an empty MetaLoc and add the inlays to meet your own set up requirements

Empty MetaLoc

626430000	MetaLoc I, 396 x 296 x 105 mm	£24.00
626431000	MetaLoc II, 396 x 296 x 157.5 mm	£29.00
626432000	MetaLoc III, 396 x 296 x 210 mm	£34.00
626433000	MetaLoc IV, 396 x 296 x 315 mm	£38.00

**BSA LED fits securely into MetaLoc III empty or MetaLoc II empty, but only when the lamp head is in transportation mode.*

***ASE 18 LTX does not fit into any MetaLoc.*

Inlays

144224010	SSD/SSW+BS/SB+3 batteries or SSD/SSW+ULA+2 batteries	£8.25
144224020	STA+2 batteries or STA+ULA	£8.25
144224030	KSA + ULA + 2 batteries + ASC30	£8.25
144224040	BHA + 2 batteries	£8.25
144224050	GA+W18+2 batteries or GA + ULA +2 batteries)	£8.25
144224060	3 batteries & ASC30 or 1 Machine (BS,SB,SSD,SSW) + 2 batteries & ASC30, ULA + 1 battery + ASC30	£8.25

! *Rules for making your own MetaLoc kits*

Rule 1

MetaLoc II: All inlays with exception of KSA will fit in MetaLoc II (1 inlay per box)

Rule 2

MetaLoc III: All combinations of 2 inlays with exception of KSA will fit in MetaLoc III (2 inlays per box): Inlays 144224060 & 144224020 must be at the bottom of the box

Rule 3

MetaLoc IV: It is possible to put 3 inlays on top of each other in MetaLoc IV but the inlay 144224060 or inlay 144224020 must be at the bottom and middle position of the MetaLoc

METALOC SYSTAINERS

Metaloc Systainers

The latest generation of Metabo systainers provides 7 differing stackable box options plus a platform mount for stacking units on top of Metabo's ASR2025 vacuum to include portable dust extraction. Incorporating a new T-Loc one handed latch for quick access whether in the middle of a stack or separate, these boxes offer compact and transportable storage as well as protection for your power tools. Available individually or as part of a range with tailor made inserts for Metabo machines this system provides a professional touch as well as a practical solution.

MetaLoc I, empty
396 x 296 x 105mm

	SSP exc. VAT	SSP inc. VAT
626430000	£24.00	£28.80

MetaLoc II, empty
396 x 296 x 157,5mm

	SSP exc. VAT	SSP inc. VAT
626431000	£29.00	£34.80

MetaLoc III, empty
396 x 296 x 210mm

	SSP exc. VAT	SSP inc. VAT
626432000	£34.00	£40.80

MetaLoc IV, empty
396 x 296 x 315mm

	SSP exc. VAT	SSP inc. VAT
626433000	£38.00	£45.60

MetaLoc I
with flexible partition

	SSP exc. VAT	SSP inc. VAT
626450000	£34.84	£41.81

MetaLoc II
with foam plastic insert

	SSP exc. VAT	SSP inc. VAT
626449000	£40.68	£49.03





Metadepot
for ASR 2025

NEW!

	SSP exc. VAT	SSP inc. VAT
631937000	£20.43	£24.52

MetaLoc I
with removable small part boxes

	SSP exc. VAT	SSP inc. VAT
626448000	£38.01	£45.61

KHA 36 LTX Cordless Combination Hammer *Inc. 3 Jaw Chuck* NEW!

The NEW KHA 36 LTX SDS+ is the latest generation cordless hammer from Metabo offering a compact L-Shape design, low weight and perfect balance. Featuring the Metabo trademark aluminium gear housing, Mechanical safety clutch and MVT (Metabo VibraTech) rear handle with large trigger. This machine delivers the best weight performance ratio in its class with 4Ah batteries to get the job done!

Metabo "Quick" chuck change
Quick change between SDS Plus hammer chuck and quick-action keyless chuck for drilling in wood and metal

Durable and robust
By virtue of improved cooling on the aluminium gear housing and innovative heat dispersion

Powerful
Up to 60% more holes than the competition

Low vibration only 13m/s^2

Safe working conditions
The unique anti-vibration system.
Metabo VibraTec (MVT) enables reduced vibrations and thus safer, more joint-friendly operation thanks to an integrated vibration damping system

Safety clutch
for ideal limitation of the sudden reverse torque

Excellent drilling performance
Powerful like a corded machine

Ergonomic
Ergonomic housing shape for chiselling tasks

! *Class 9 goods product: This machine is not packed suitable for air freight as delivered*

FEATURES
3 function gearbox: SDS, chisel and rotary only
2 x 36v 4.0Ah Li-ion batteries & ASC15 charger
Metabo S - Automatic Safety Clutch, for machine and operator safety
Variable speed (V) electronics for infinitely variable speed change
Speed at no load: 0 - 1.100 /min.
Impact rate of 4.500 bpm with 3.1 J blow force
Capacity in concrete 32 mm - steel 13 mm - wood 30 mm
Weight: 4.5kg

4.0Ah BATTERY
MVT METABO VIBRATION TECHNOLOGY
36v

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£509.00** **£610.80**
Order Number	600795580

	› Accessory Tip	Order No	List Price
	SDS-Plus Pro 4 Premium drill bit set: 7 pieces, quality SDS-plus Pro 4 Premium Ø 5 x 110 mm; 6 x 110 mm; 8 x 110 mm; 6 x 160 mm; 8 x 160 mm; 10 x 160 mm; 12 x 160 mm in robust plastic box	626245000	£57.14
	Tile chisel: offset, overall length 165 mm, cutting width 75 mm	631449000	£22.18
	Vacuum cleaner adapter for all common industrial and domestic vacuum cleaners No drill dust residue at walls and wallpapers. Suitable for drill bit diameter up to 14 mm	630829000	£19.99

BHA 36 LTX Li PowerExtreme 'Compact' 2 Function SDS Hammer

The BHA 36 LTX PowerExtreme SDS hammer is Metabo's first addition to the 36V lithium-ion class. It uses 1.5 Ah batteries positioning it in the 'compact class'. This cordless SDS has been designed to be light (only 3.0 kg), compact and fast. Best suited for drilling 5, 6, 8, 10, 12 mm holes (18 mm max in concrete), perfect for installing fixtures, fittings and anchors. Additional features include: a high speed pneumatic hammer mechanism delivering 4,900 bpm with a 1.8J blow force. Special high powered LTX 4-pole motor. A vibration reading of 12 m/s^2, an ASC 15 minute charge, a large comfortable grip area, shoulder strap and the Metabo S-automatic mechanical safety clutch for machine and operator safety.

FEATURES
36V Cordless Rotary Hammer
2 x 1.5Ah Li PowerExtreme batteries
No load speed: 0 - 1,200 rpm
Max impact rate: 5,000 bpm
Max impact energy (EPTA): 2.0J / 152J/s
Drilling capacity in: Concrete 18 mm, Steel 10 mm, Wood 22 mm
Tri axis vibration reading 12 m/s^2 in accordance with EN60745-2-6
Weight: 3.0 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£369.00** **£442.80**
Order Number	600206500

! *Will drill 100 6 x 40 mm holes into concrete on one battery charge.*

MVT METABO VIBRATION TECHNOLOGY
ESCP
36v

AHS 36 LTX Li PowerExtreme 'Compact' Hedge Trimmer

The AHS 36 LTX is the newest addition to our ever growing 36V range. The hedge trimmer utilises the Metabo PowerExtreme battery platform and renowned drive train system, delivering unbeatable cutting performance and run time. The machine is capable of cutting branches up to 18 mm thick, and has blade length of 530 mm. Run times average at around 50 minutes. Like our corded hedge trimmers Metabo only use the best laser cut diamond ground blades for quick, clean cuts time and time again.

FEATURES
36V Cordless Hedge Trimmer
1 x 1.5Ah Li PowerExtreme batteries
Run-Time: 50 mins
Maximum Cutting Capacity: 18 mm
Cutting length: 530 mm
Weight: 3.9 kg

! *Lightest in its class and longest run time in its class, (50 min) due to low friction blades.*
20% more run time!



Test data - August 2011

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£259.00** **£310.80**
Order Number	602177000

! *NOTE: This machine comes supplied with ONE battery only.*

ESCP
36v

Battery Packs Lithium-ion

10.8v

10.8V
1.5 Ah Li

625439000	**List** *(exc. VAT)* **£45.00**

10.8V
4.0 Ah Li

625585000	**List** *(exc. VAT)* **£80.94**

14.4v



14.4V 1.5 Ah Li PowerCompact

625498000	**List** *(exc. VAT)* **£74.54**

14.4V 4.0 Ah Li PowerExtreme

625526000	**SSP** *(exc. VAT)* **£74.00**

18v



18V 1.5 Ah Li PowerCompact

625499000	**List** *(exc. VAT)* **£58.00**

18V 4.0 Ah Li PowerExtreme

625527000	**SSP** *(exc. VAT)* **£79.99**

18V 5.2 Ah Li PowerExtreme

625587000	**SSP** *(exc. VAT)* **£89.00**

25.2 /28v

25.2 / 28V 3.0 Ah Li
KHA 24 Li-ion / MAG 28 LTX 32

625437000	**List** *(exc. VAT)* **£172.29**

36v

36V 1.5 Ah Li PowerExtreme
BHA 36 LTX / AHS 36 LTX only

625453000	**List** *(exc. VAT)* **£160.42**

36V 4.0 Ah Li PowerExtreme
KHA 36 LTX only

625528000	**SSP** *(exc. VAT)* **£169.00**

! *Class 9 goods product: This machine is not packed suitable for air freight as delivered*



"AIR COOLED" charging technology
Warm air in the battery pack is extracted by a high capacity fan in the charger. This cools down the battery pack, reduces the charging time and increases the service life.

Temperature monitoring system
The system constantly controls the temperature of the battery pack.

Intelligent battery management
The innovative processor ensures perfect interplay of all components and thus optimum use of the available energy.

Floating storage of the battery cells
Protects the cells from damage caused by blows or bumps and ensures a longer service life.

Capacity indication
Four LEDs show the capacity of the battery at the touch of a button.

ESCP Electronic Single Cell Protection: protects each and every cell from discharging completely while working, and from overcharging during the charging process.



ELECTRONIC SINGLE CELL PROTECTION ESCP

metabo ultra M Technology

AIR-COOLED technology

The patented principle is based on air cooling the battery during the charging process. The battery packs are gently cooled down to the required charging temperature by air flow, and are then constantly maintained at the optimum t° during the charging process.

Battery Chargers Air-Cooled

ASC 30 Diagnostic Charger
(for slide batteries)

List *(exc. VAT)* **£43.30**
240V - 627057000 110V - 627058000

ASC 15 Diagnostic Charger
(for slide batteries)

SSP *(exc. VAT)* **£59.00**
240V - 627293000

ASS 15 Charger
(KHA 24 and MAG 28)



List *(exc. VAT)* **£111.88**
627284000

LC 40 Charger
10.8V

List *(exc. VAT)* **£38.79**
627066000

Bit Sets

NEW!

	9 pce Bit Set	15 pce Bit Set	26 pce Bit Set	32 pce Bit Set	56 pce Bit Set	71 pce Bit Set
Screwdriver bits, 25mm	9 pce	14 pce	18 pce	30 pce	48 pce	60 pce
Screwdriver bits, 75mm	-	-	-	-	7 pcs	9 pcs
Phillips	PH1/PH2	PH1/PH2	PH1/PH2/PH3	PH1/PH2x2/PH3	PH1x3/PH2x4/PH3x4	PH1x4/PH2x7/PH3x4
Pozidriv	PZ1/PZ2	PZ1/PZ2	PZ1/PZ2/PZ3	PZ1/PZ2x2/PZ3	PZ1x4/PZ2x4/PZ3x3	PZ1x4/PZ2x7/PZ3x3
Slotted	SL5.5	SL4/SL6	SL4/SL5.5/SL6.5	SL3/SL4/SL5/SL6	SL4x2/SL5x2/SL6x3	SL4x4/SL6x4
Torx	-	T10/T15/T20/T25/T30	T10/T15/T20/T25/T30	T10/T15/T20/T25/T27/T30/T40	T10x2/T15x2/T20x3/T25x3/T27x2/T30x2/T40x2	T10x3/T15x3/T20x4/T25x4/T27x3/T30x3/T40x3
Hexagon	H4	H3/H4/H5	H3/H4/H5/H6	H3/H4/H5/H6	H3/H4/H5	H4x3/H5x3/H6x3
Torx Tamper	T20/T25	-	-	T10/T15/T20/T25/T27/T30/T40	T10/T15/T20/T25/T27/T30/T40	-
Spline Sockets	-	-	6,7,8,10,13mm	-	-	-
Extension	-	-	✓	-	-	✓
Adapter	-	-	1/4"	1/4"	-	-
Magnetic bit holder	✓	✓	✓	✓	✓	✓
List *(exc. VAT)*	£12.99	£17.12	£42.80	£24.61	£44.94	£53.50
Order number	630419000	630427000	630426000	630445000	630421000	630425000

› Accessory Tip

		Order No	SSP *(exc. VAT)*
	25 Bits Classic Torx 20 / 25 mm: packaging unit 25 pieces	62550800	£12.99
	25 Bits Classic Torx 20 / 25 mm: packaging unit 25 pieces	62442300	£12.99
	Bit box Torx + Pozidriv: 10 pieces: 1 bit each: Pozidriv, sizes 1, 2, 3 (torsion bits), 1 Torx bit each, sizes TX 10, 15, 20, 25, 30 and 40; 1 "rapid in /easy out" bit holder	62539100	£15.99

Drill Sets

5 pce TC Tipped Masonry Drills
Ø 4 / 5 / 6 / 8 / 10 mm

627192000
List *(exc. VAT)* **£8.03**

5 pce CV Wood Drills with centring point
Ø 4 / 5 / 6 / 8 / 10 mm

627200000
List *(exc. VAT)* **£9.65**

6 pce HSS-CO Metal Drills
Ø 2 / 3 / 4 / 5 / 6 / 8 mm

627119000
List *(exc. VAT)* **£19.20**

SSP - Suggested selling price ■ 110V Wattage may vary from those specified

MAXIMUM FORCE

SBE IMPACT RANGE

The number of jobs you can do with an impact drill is vast. Whether you are drilling concrete or steel, driving screws or hole-saws, stirring plaster or paint, with a Metabo impact drill you can be confident you are working with unrivalled precision. This is ensured by an all metal 2-speed gear box with infinitely variable speed control.

For the daily jobs of the engineer or the on site contractor all Metabo impact drills are equipped with a robust aluminium gear housing and a powerful, long life Metabo Marathon motor.
The new sleek, ergonomic design ensures you receive a well balanced, comfortable machine. A mechanical safety clutch is fitted as standard to the 710 W and above machines.

In addition we have developed a cable ball joint to help protect against twisting and aid ease of movement on the job site. All these advantages prove: You can always expect more from the company who put the impact drill into worldwide mass-production back in 1957. The robust 2-speed gear box and the variable speed control unit turn the new Metabo impact drills into the universal partner for demanding drilling jobs in wood and metal.

Go for our 1,000 watt models to handle tough jobs such as driving large assy screws into timber frames or large diameter holesaws through plywood.

At Metabo we sometimes do things a little different. We do not always just follow the crowd and some would say we are known for 'going our own way'. The SBE 900 Impuls is such an example. A completely unique impact drill on the market with a 900 Watt motor, delivering an impressive 59,000 bpm, a high no-load speed of 31,000 rpm and an impressive torque rating of 38 Nm.

Vario-Tacho-Constamatic (VTC / VC)
full-wave electronics for infinitely variable speed control. Set your required speed and let the electronics maintain that speed, even under heavy loading. (VC on SBE 900.)

Variable Impuls dial - (Pulse boost function.)
(*SBE 900 Impuls only.*)
Fantastic for thread tapping, removing difficult/rusted fixings, drilling into polished steel pipe, drilling into tiles.



Robust Metabo Marathon Motor
for extra long service life.

Extremely resilient gear housing
made of die-cast aluminium for optimal strength and motor cooling.

Forward and Reverse.
100% performance even in reverse rotation due to rotating carbon brush bridge.

Cable-protecting ball joint
for increased cable life and improved on-site freedom of movement.

Long twist proof support handle
helps you work safely. With secure 'lock & slide' function.

Metabo S-automatic torque limiting clutch:
to limit any sudden reverse torque that can occur if tools jam or get caught.

CONSTRUCTION IS OUR PASSION

Pictured above SBE 900 Impuls

SBE 601 Impact Drill NEW!

FEATURES
Rated input power: 600 Watt
No-load speed: 0–2,800 rpm
Torque: 11 Nm
Max. impact rate 50,000 bpm
Drill diameter in Concrete: 10 mm, Steel: 10 mm, Soft wood: 25 mm
Weight without mains cable: 1.7 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£64.00** **£76.80**
Order Number	240V - 600601510

This compact and lightweight impact drill is the latest addition to the Metabo family, with a single speed gearbox generating 600 watts of input power and 11 Nm of torque makes this ideal for small to medium drilling diameters in masonry, wood and metal. The Metabo SBE 601 comes with a rubber coated rear handle for a comfortable and secure grip, robust metal quick change chuck and variable speed thumb wheel for precision drilling.

SBE 760 Impact Drill NEW!

FEATURES
Rated input power: 760 Watt
No-load speed: 0–1,200/0–3,200 rpm
Torque: 24/9 Nm
Max. impact rate 58,000 bpm
Drill diameter in Concrete: 16 mm, Steel: 13/8 mm, Soft wood: 40/25 mm
Weight without mains cable: 2.3 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£85.00** **£102.00**
Order Number	110V - 600841610 240V - 600841590

A professional, entry-level drill, ideal for eyeline and overhead work thanks to its light-weight and ergonomic design. Supplied with the Metabo S-automatic safety clutch for user and machine safety and a variable speed thumb dial.

! *110v model comes with a Geared chuck / 240v comes with a keyless chuck!*

SBE 701 SP Impact Drill

FEATURES
Rated input power: 710 Watt
No-load speed: 0–1,000/0–3,100 rpm
Torque: 28/12 Nm
Max. impact rate 59,000 bpm
Drill diameter in Concrete: 20 mm, Steel: 13/8 mm, Soft wood: 40/25 mm
Quick-action keyless chuck futuro Plus
Tri axis vibration reading 18 m/s² in accordance with EN60745-2-1
Weight without mains cable: 2.5 kg

Comes with essential features such as: 59,000 bpm for fast hole shooting, strong aluminium die cast gear housing with mechanical safety clutch, two-speed gear box and impact or rotary only modes, variable speed trigger and long life Marathon Motor with auto-stop carbon brushes. With 43 mm collar so can be used in pillar drill stands.

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£129.00** **£154.80**
Order Number	110V - 600862880 240V - 600862870

SBE 900 IMPULS Impact Drill

The SBE 900 Impuls delivering fast impacts of 59,000 bpm, a high no-load speed of 3,100 rpm and an impressive torque rating of 38 Nm. With its unique impuls technology the SBE 900 Impuls is able to cover 90% of jobs on the worksite. Features include: VC electronics for speed stabilisation under moderate loading. A strong aluminium die cast gear housing with mechanical safety clutch for machine and operator safety. A two speed gear box and impact or rotary only modes. A pro end Futuro Plus S2 double sleeve keyless chuck. A variable speed trigger with speed dial for precise speed selection. Metabo long life Marathon Motor with auto-stop carbon brushes. With 43 mm collar so can be used in pillar drill stands.

FEATURES
Rated input power: 900 Watt
No-load speed: 0–1,000/0–3,100 rpm
Torque: 38/14 Nm
Max. impact rate 59,000 bpm
Drill diameter in Concrete: 20 mm, Steel: 13/8 mm, Soft wood: 40/25 mm
Tri axis vibration reading 18 m/s² in accordance with EN60745-2-1
Weight without mains cable: 2.7 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£147.00** **£176.40**
Order Number	110V - 600865610 240V - 600865590

! *Use the variable impuls dial - pulse function, for thread tapping, removing difficult/rusted fixings, drilling into polished steel pipe, drilling into tiles.*

SBE 1100 PLUS Impact Drill

The SBE 1100 Plus is Metabo's top of the range impact drill with a 1,100 Watt motor. With more torque and more blows per minute, the SBE 1100 Plus outperforms all other machines in the current 1,000 Watt class, even those with up to 1,300 Watt motors. Features include: VTC electronics for speed stabilisation under heavy loading. Overload protection, re-start protection, carbon brush wear indicator. A strong aluminium die cast gear housing with mechanical safety clutch for machine and operator safety. A two speed gear box and impact or rotary only modes. A pro end Futuro Top double sleeve keyless chuck. A variable speed trigger with speed dial for precise speed selection. Metabo long life Marathon Motor with auto-stop carbon brushes. With 43 mm collar so can be used in pillar drill stands.

FEATURES
Rated input power: 1,100 Watt
No-load speed: 0–900/0–2,800 rpm
Torque: 44/16 Nm
Max. impact rate 53,000 bpm
Drill diameter in Concrete: 20 mm, Steel: 16/8 mm, Soft wood: 40/25 mm
Quick-action keyless chuck futuro top
Tri axis vibration reading 18 m/s² in accordance with EN60745-2-1
Weight without mains cable: 2.8 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£174.00** **£208.80**
Order Number	110V - 600867610 240V - 600867590

! *Very high 44 Nm of torque. Great for tough jobs! Drive augers, assy screws, large hole-saws or even stir plaster with this machine.*

BDE 1100 High Torque Rotary Drill *with optional 3/5 pcs diamond core set*

The BDE 1100 is a high torque rotary drill with a 1,100W motor which kicks out an impressive 55 Nm of torque. With a variable speed trigger to ensure the right speed for the job and mechanical safety clutch for machine and operator safety. The BDE 1100 is designed for use with high torque dependant accessories.

The Metabo rotary drill range is designed and built to meet the needs of the industrial world. Be it for applications in wood, metal, plastic, liquids, ceramic or masonry Metabo has a drill in the range to suit.

Rotary only drills are usually considered as specialist machines, however Metabo's vast range can cover a whole host of applications. This class are in their element for high tolerance drilling in wood, plastic and metal. Small high speed models come into their own for those repetitive small jobs where as high torque models are ideal for use with diamond cores, torque screws, augers and paddles etc.

FEATURES
Rated input power 1,100W
Speeds at no load 0-640/0-1.200 rpm
Torque 55/22 Nm
Collar diameter 43 mm
Spindle thread 5/8"-16 UNF
Chuck capacity 3-16 mm
Drill Ø: Steel 16/10 mm, wood 40/25 mm
Weight (excluding mains lead) 3.8 kg

! *55 Nm of soft driving torque will help drive some of the largest bits available.*

! *Tests have shown that Metabo diamond cores are amongst the fastest and longest lasting cores on the market today. With 9 mm serrated diamond-impregnated tooth segments for rapid cuts. Outer core spirals, for fast cuts, aid dust clearance.*

	MACHINE + 5 PIECE KIT	MACHINE + 3 PIECE KIT	MACHINE ONLY
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	£380.00 £456.00	£319.00 £382.80	£275.00 £330.00
Order Number	110V - UK600806391 240V - UK600806381	110V - UK600806392 240V - UK600806382	110V - 600806390 240V - 600806380

WBE 700 Angle Drill

High powered 705W Angle Drill with 10mm geared chuck and variable speed thumb wheel for pre-selection of speed. The WBE 700 is particularly useful for drilling holes in floor and roofing joists in preparation for laying wiring looms or copper/PVC pipe.

FEATURES
Rated input power 705W
Speeds at no load 850 - 2.050 rpm
Speed at rated load 1.500 rpm
Torque 8 Nm
Spindle thread 1/2"-20 UNF
Chuck capacity 1-10 mm
Drill diameter: Steel 10 mm, softwood 25 mm
Weight (excluding mains lead) 1.8 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	£186.00 £223.20
Order Number	240V - 600512000

! *Market leading 705W motor ideal for joist work. Cordless alternative available. See page 13*

RWE 1100 Stirrer *Inc. Paddle*

High powered machine Ideal for stirring and mixing plaster, paint etc. Safety clutch for machine and operator safety. Full range of Metabo accessories with M14 thread available. With variable speed soft start trigger for pre-selection of speed. Includes paddle: 631964000.

FEATURES
Rated input power 1,100W
Speeds at no load 0-700 rpm
Speed at rated load 480 rpm
Torque 45 Nm
Maximum stirring paddle Ø 160 mm
Collar diameter 43 mm
Bit retainer M14 female thread
Includes free 130 mm paddle with bottom to top mixing effect
Quick change adapter shown on machine not supplied as standard
Weight (excluding mains lead) 3.4 kg

631953000	130 mm top-bottom paddle	**SSP** *(exc. VAT)* £48.83
631954000	160 mm top-bottom paddle	**SSP** *(exc. VAT)* £58.48
631964000	130 mm bottom-top paddle	**SSP** *(exc. VAT)* £48.83
631965000	160 mm bottom-top paddle	**SSP** *(exc. VAT)* £58.48
631966000	Quick adapter	**SSP** *(exc. VAT)* £25.16

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	£215.00 £258.00
Order Number	240V - UK601111380

CONSTRUCTION
IS OUR
PASSION

COMPACT POWER

ROTARY SERIES

Rotary only drills come into there own when precision drilling is required. Because the spindle is solidly mounted inside a bearing there is no free float. This guarantees a very smooth running accuracy, especially perfect for metal drilling.

In the Metabo range they are typically high powered, high torque machines, capable of dealing with tough applications.

> **!** *By fitting the right angle attachment (631078000) you can change your drill into a high powered angle drill with 13 mm chuck capacity. Ideal for drilling between joists when laying piping or wiring looms.*

Metabo Angle Attachment, fits any drill with a 43 mm collar.

Part Number: 631078000
List: £139.70 exc. VAT


Compact and short in length!
Only 295 mm long!
High torque
Up to 75 Nm.
Special gearbox
Triple reduced for maximum torque.
Safety clutch
For machine and operator safety.
Long additional handle
For added support when dealing with high load applications.
Light and compact
Only 2.3 kg.

Pictured above BE 75-16

BE 6 Bench Top Drill *With Metal Geared Chuck*

You told us that you wanted it smaller, lighter, better suited for one-handed use and more affordable – we have ticked all the boxes! The BE 6 also comes with the benefit of a more powerful motor, up 50 Watts to a 450 W unit. With a 10 mm all metal geared chuck this bench top drill is perfectly suited for accurate high speed drilling work in metal or aluminium up to Ø 6 mm.

FEATURES
Rated input power 450W
Speeds at no load 0-4,000 rpm
Speed at rated load 2.200 rpm
Torque 7 Nm
Drill Ø : Steel 6 mm, Wood 12 mm
Weight (excluding mains lead) 1.1 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£59.00** **£70.80**
Order Number	240V - 600132000 110V - 600132420

BE 75-16 Compact High Torque Rotary Drill

The BE 75-16 is the replacement of the popular BE 622. This machine steps up a gear delivering an impressive 75 Nm of torque, 40 Nm more than its predecessor. This enters the machine into a new realm, allowing you to tackle high load applications normally thought unsuitable for such a compact machine. Driving long assy screws, torque screws, augers bits, forstner bits, hole saws, or simply stirring plaster. This drill can do it. Comes with variable speed trigger, long torque handle and S-automatic mechanical clutch for machine and operator safety.

FEATURES
Rated input power 750W
Speeds at no load 0-660 /min
Torque 75 Nm
Collar diameter 43 mm
Chuck capacity 1.5-13 mm
Drill Ø: Steel 16 mm, wood 50 mm
Weight (excluding mains lead) 2.3 kg

	MACHINE IN CARDBOARD BOX	MACHINE, METALOC I & ANGLE ATTACHMENT
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£186.00** **£223.20**	**£249.00** **£298.80**
Order Number	110V - 600580390 240V - 600580000	110V - UK600581000 240V - UK600581390

> **!** *Huge 75 Nm output, and only 295 mm in length*

METALOC

Carbide-tipped Concrete Drill Bits "PRO"

- High-grade, robust concrete drill bit according to DIN 8039 with carbide plate 130°, especially heatresistant, very long tool life, with special groove for quick boring dust discharge
- Also suitable for light hammer drills with a three-jaw chuck
- Surface: blank with black grooves
- Suitable for drilling in concrete, masonry, natural and artificial stone

Diameter mm	Overall length mm	Working length mm	Packing unit	Order No.	List (exc. VAT)
4	75	40	1	627224000	£2.77
5	85	40	1	627225000	£2.77
5	150	105	1	627421000	£3.92
5.5	85	50	1	627226000	£2.86
6	100	55	1	627227000	£2.77
6	150	105	1	627423000	£4.24
6.5	100	55	1	627228000	£2.91
7	100	55	1	627229000	£3.23
8	120	70	1	627230000	£3.50
8	200	135	1	627426000	£5.95
9	120	70	1	627389000	£4.33
10	120	70	1	627391000	£4.66
10	200	135	1	627427000	£8.31
11	150	90	1	627392000	£6.60
12	150	90	1	627393000	£6.00
12	200	135	1	627428000	£9.23
13	150	90	1	627394000	£9.41
14	150	90	1	627395000	£9.10
14	200	135	1	627429000	£11.17
15	150	90	1	627396000	£11.31
16	150	90	1	627399000	£13.43
18	160	95	1	627409000	£17.44
20	160	95	1	627410000	£19.06

Features

High grade, robust concrete drill bit, with carbide plate, 130° specially heat resistant, very long service life with special groove for rapid swarf removal, surface blank with black grooves.

Application

For drilling granite, concrete, masonry, natural and artificial stone. Suitable for any light Impact drills with 3-Jaw chuck

Metal Drill Bits

HSS-R 19
piece metal

62715100

List *(exc. VAT)*
£12.46



HSS-G 19
piece metal

62715300

List *(exc. VAT)*
£23.59

HSS-G 25
piece metal

62715400

List *(exc. VAT)*
£44.00

HSS-TiN 19
piece metal

62715600

List *(exc. VAT)*
£24.41



HSS-CO 19
piece metal

62715700

List *(exc. VAT)*
£54.36

HSS-R 25
piece metal

62715200

List *(exc. VAT)*
£24.36

Wood Drill Bits

- Similar to DIN 7487
- Wood spiral drill bit made of high-grade steel, hardened, with centring point
- For use in hard and soft wood, plywood, chipboards, etc.

Diameter mm	Overall length mm	Working length mm	Packing unit	Order No.	List (exc. VAT)
3	61	33	1	627986000	£1.01
4	75	43	1	627987000	£1.01
5	86	52	1	627988000	£1.01
6	93	57	1	627989000	£1.11
7	109	69	1	627990000	£1.25
8	117	75	1	627991000	£1.43
9	120	81	1	627992000	£1.70
10	133	87	1	627993000	£1.94
11	142	89	1	627994000	£2.67
12	151	96	1	627995000	£3.14
13	151	96	1	627996000	£3.56
14	151	96	1	627997000	£3.88
15	160	100	1	627998000	£4.57
16	160	100	1	627999000	£5.22
18	180	130	1	627339000	£5.22
20	200	140	1	627340000	£5.32

WORLD FIRST!

CORDLESS MAG CORE DRILL

HSS CORE CUTTER "RAPID CUT"

Uniquely economical!

30% faster drilling speed giving 50% more holes per battery pack than standard cores thanks to special Metabo thin walled cores. Up to 15 x Ø18 mm holes, 50 mm deep possible per battery pack in standard steel. Number of holes dependant on hardness of metal, diameter of cutter and depth of bore.

MASTERS OF METAL

NEW!
RAPID CUT!

Integrated coolant tank

Optimal cooling for horizontal and vertical drilling work.

Storage for the second battery pack:

The extra battery pack is always on hand, particularly advantageous when working at great heights (on ladders, scaffolding etc).

Adjustable permanent magnetic force:

The hold force from the permanent magnet is completely independent from the battery supply. With hold force display, the magnet is easily adjustable allowing you to position the drill perfectly to your centering point.



Powerful Gearbox:

Mechanical two-speed oil-immersed gearbox for optimum torque and long service life.

Locking option for the drill slide at the touch of a button:

prevents the drill motor from running downwards when changing cores/drill bits/taps etc.

MK tool chuck:

For additional fitment of tools like HSS spiral drills, countersink bits and tapping cutters.

MAG 28 LTX 32 Li PowerExtreme Cordless Magnetic Core Drill

Worlds first! The MAG 28 LTX 32 is totally unique to Metabo. An absolute world first that clearly highlights our expertise at creating problem solving solutions through innovation for the needs of industry. With the MAG 28 LTX 32 you are no longer restricted by a cable allowing you complete freedom of position absolutely anywhere! The strong permanent magnet allows for safe working in either horizontal or vertical positions, even when working overhead. The proven LTX motor with a two speed gear box, with forward drive combined with overload protection ensures absolutely perfect holes. Whether you are working on wind turbines, bridges, stadiums, within a ships hull or on powerlines the Mag 28 LTX 32 offers you a safe, precise, mobile solution for steel workers everywhere.

FEATURES
25.2 / 28V Cordless MAG Drill
2 x 3.0Ah Li PowerExtreme batteries
ASS15 min Charger
No load speed: 380 / 680 rpm
Max drilling depth: 50 mm
Max stroke of magnetic stand: 160 mm
Tool holder: morse taper MK 2, Weldon Shaft 19 mm (3/4")
Drillø: Core drill 32 mm, Twist drill 13 mm
Magnetic foot dimensions: 70 x 190 mm
Height (bottom/top): 455 / 615 mm
Weight (inc. battery) 14.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£1,499.00** **£1,798.80**
Order Number	600334500

Up to 15 x Ø18 mm holes, 50 mm deep possible per battery pack in standard steel.

Comes with v-sole plate allowing you to core through pipe which are min Ø90 mm.

MAG 32 Magnetic Core Drill

The MAG 32 uses a 1,010W motor to enable cuts up to Ø 32 mm using HSS or TC core cutters. A tough motor and gearbox design deliveries a no load speed of 700 rpm and a 160 mm stroke. This single speed machine has clockwise only rotation. The MAG 32 is a compact unit, ideal for mobile drilling operations.

FEATURES
Rated input power: 1,010 W
No load speed: 700 rpm
Max. drilling depth: 50 mm
Max stroke: 160 mm
Thread cutting: n/a
MAG base dimensions: 84 x 168 mm
Bit retainer: Weldon Shaft 19 mm (3/4")
Max. drilling Ø - Core drill bits: 32 mm Spiral drill bits: 13 mm
Weight: 11 kg



SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£649.00** **£778.80**
Order Number	110V - 600330610 240V - 600330500

! *Need cordless? See page 53*

! *To fit a drill chuck to this machine you will need Weldon 19 mm to ½" UNF adaptor (626611). This machine comes fitted with a 19 mm Weldon shaft so you can mount your HSS or TC core cutters direct onto the arbour.*

MAG 50 Magnetic Core Drill

The MAG 50 uses a 1,200W motor to enable cuts up to Ø 50 mm using HSS or TC core cutters. Through a two-speed oil filled gearbox a speed range of between 100-250 rpm and 200-450 rpm can be chosen. Lower speeds are required for use with larger diameter cores. The working range of the MAG 50 makes it the machine of choice for the majority of on / off-site jobs.

FEATURES
Rated input power: 1,200 W
No load speed: 1.gear: 100-250 rpm 2. gear: 200 - 450
Max. drilling depth: 50 mm
Max stroke: 160 mm
Thread cutting: M 16
MAG base dimensions: 84 x 168 mm
Bit retainer: Morse taper MK 2, Weldon shaft 19 mm (3/4")
Max. drilling Ø - Core drill bits: 50 mm Spiral drill bits: 20 mm
Weight: 13 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£959.00** **£1,150.80**
Order Number	110V - 600331610 240V - 600331500

! *Need cordless? See page 53*

! *To fit a drill chuck to this machine you will need an MK2 to B12/B16/B18/J6 chuck arbor. For example MK2 to B16 arbor (635115) will fit geared chuck B16 (635050).*

metabo
KHE 2650

ROTARY HAMMERS

2, 3 & 4 FUNCTION
SDS+ & MAX

IMPRESSIVE POWER

HAMMER DRILL RANGE

HAMMER DRILL RANGE FROM METABO.

KHE 2850 FEATURED.

CONSTRUCTION IS OUR PASSION



Test data - April 2011

Whether you are working with SDS hammer mode, drilling steel or chiselling out channels, certain applications in the building trade can be tough work. At Metabo we say construction is our passion, our passion to make high performance machines that make work easier. With such high performance machines we know we can increase your productivity - we've tested it. A new gearbox design precisely mounted on a tough aluminium housing delivers new power transmission standards. **Take the new KHE 2850, tests have shown it to be up to 31% faster than comparable machines from other brands.**



Safety clutch
For machine and user safety

VTC electronics
For constant speed under heavy loads

Clockwise-anticlockwise switch over
with carbon brush bridge: for the same power in clockwise and anticlockwise rotation

Metabo QUICK chuck replacement
For fast and efficient change of application.

Power lock-on button
trouble free chiselling in continuous operation

Handle and depth stop
Ergonomically designed handle with new quickly adjustable drilling depth stop

Cable-protecting ball joint
for increased cable life and improved on-site freedom of movement

Function change over switch
3 Functions: hammer drilling, drilling without impact and chiselling - Position N for setting 30 chisel positions

Hammer mechanism
Precision mounted for high performance in an aluminium alloy housing

The NEW PlusBox is an additional compartment that attaches to the NEW Metabo carry cases. Useful for holding screws, bits, chisels, safety glasses, gloves, chucks and even your lunch! This is available as an accessory. Keep your eyes peeled for upcoming deals!

BHE 2243 2 Function SDS + Drill

The BHE 2243 with SDS Hammer and Rotary Only function is a light SDS hammer with an incredibly fast hammer action. Its primary function is for drilling holes in concrete from 5 to 12 mm in diameter, but it can cope comfortably with holes up to 22 mm in diameter. Features include high performance hammer action, strong aluminium gear box for increased reliability and service life, safety clutch for machine and operator safety, forward and reverse action with carbon brush change over and variable speed trigger. This machine comes with a fixed SDS chuck.

FEATURES
Rated input power 800W
No load speed 1150 rpm
Max impact rate 5,400 bpm
Max impact energy (EPTA): 2.3J / 166J/s
Drilling capacity in Concrete 22 mm, Steel 13 mm, Wood 30 mm
Tri axis vibration reading 13.5 m/s² in accordance with EN60745-2-6
Weight (excluding mains lead) 2.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£127.00** **£152.40**
Order Number	240V - 604480000

> **!** *All new Metabo 2011 SDS drills are tested to the new international recognised EPTA Joules testing standard. When comparing manufacture's joule ratings make sure they are tested to the new 2011 EPTA testing standard.*

KHE 2443 3 Function SDS + Drill

The KHE 2443 with SDS Hammer, Rotary Only and Chisel function is a light SDS combination hammer with an incredibly fast hammer action. Its primary function is for drilling holes in concrete from 5 to 14 mm in diameter, but it can cope comfortably with holes up to 24 mm in diameter. Features include high performance hammer action, strong aluminium gear box for increased reliability and service life, safety clutch for machine and operator safety, forward and reverse action with carbon brush change over and variable speed trigger. This machine comes with a fixed SDS chuck.

FEATURES
Rated input power 800W
No load speed 1150 rpm
Max impact rate 5,400 bpm
Max impact energy (EPTA): 2.3J / 166J/s
Drilling capacity in Concrete 24 mm, Steel 13 mm, Wood 30 mm
Tri axis vibration reading 14 m/s² in accordance with EN60745-2-6
Weight (excluding mains lead) 2.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£142.00** **£170.40**
Order Number	110V - 600597390 240V - 600597380

> **!** *Grease up the shank end of your SDS bits and inside the chuck to help ensure you always achieve maximum drilling performance from your drill. Metabo Grease available as an accessory, Part Number: 631800000*

3 GEARS

KHE 2444 3 Function SDS + Drills *Entry-level* NEW!

The KHE2444 is a professional entry-level 3 function SDS hammer drill with incredibly fast hammer action. Thanks to an all plastic gear housing the KHE2444 is lightweight making it ideal for long periods of chiseling, eye line and overhead drilling offering minimum user fatigue coupled with the Metabo S-automatic safety clutch for machine and operator safety.

FEATURES
Rate Input power: 800W
No Load speed: 1,230 rpm
Max impact rate: 5,400 bpm
Max impact energy (EPTA): 2.3J
Drilling capacity in Concrete 24 mm, Steel 13 mm, Wood 30 mm
Weight (excluding mains lead) 2.4 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£99.00** **£118.80**
Order Number	110V - 606154390 240V - 606154380

3 GEARS

KHE 2650 & KHE 2850 3 Function SDS + Drills *Inc. 3 Jaw Chuck*

The KHE 2650 with SDS Hammer, Rotary Only and Chisel function is a heavy duty SDS combination hammer with an incredibly fast hammer action. Its primary function is for drilling holes in concrete from 5 to 20 mm in diameter, but it can cope comfortably with holes up to 26 mm in diameter. Features include a high blow force hammer mechanism, a strong aluminium gear box for increased reliability and service life, safety clutch for machine and operator safety, forward and reverse action with carbon brush change over, VC electronics for constant speed under moderate loading, variable speed trigger. This machine comes with a quick release SDS chuck and a quick change keyless 3-jaw chuck.



KHE 2650	KHE 2850
Rated input power 850W	Rated input power 1,010W
No load speed 930 rpm	No load speed 945 rpm
Max impact rate 4,300 bpm	Max impact rate 4,400 bmp
Max impact energy (EPTA): 2.3J / 154J/s	Max impact energy (EPTA): 2.8J / 207J/s
Drilling capacity in Concrete 26 mm, Steel 13 mm, Wood 28 mm	Drilling capacity in Concrete 28 mm, Steel 13 mm, Wood 28 mm
Tri axis vibration reading 14 m/s² in accordance with EN60745-2-6	Tri axis vibration reading 14 m/s² in accordance with EN60745-2-6
Weight (excluding mains lead) 3.2 kg	Weight (excluding mains lead) 3.2 kg

	KHE 2650	KHE 2850
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£184.00** **£220.80**	**£199.00** **£238.80**
Order Number	110V - 600658390 240V - 600658000	110V - 600656390 240V - 600656000

4 FUNCTION SDS

MULTI HAMMER

ROTARY, HAMMER, CHISEL, CORE DRILL...

UHE 2850 4 Function SDS+Drill *Inc. 3 Jaw Chuck*

The UHE 2850 is a special multi SDS Hammer with a four function gearbox. With SDS Hammer, rotary only gear 1 (low speed, high torque) rotary only gear 2 (high speed, low torque) and chisel function this machine is a true multi-tasking work horse. Its primary function is for drilling holes in concrete from 5 to 22mm in diameter, but it can cope comfortably with holes up to 28mm in diameter. Features include a high blow force hammer mechanism, a strong aluminium gearbox for increased reliability and service life, safety clutch for machine and operator safety, forward and reverse action with carbon brush change over, VTC electronics for constant speed under heavy loading, thumbwheel for preselection of speed plus variable on the trigger, over-load and restart protection. This machine comes with a quick release SDS chuck and a quick change keyless 3-jaw chuck.

FEATURES
Rated input power 1,010W
No load speed 945rpm
Max impact rate 4,400 bpm
Max impact energy (EPTA): 2.8J / 207J/s
Drilling capacity in Concrete 28 mm, Steel 13 mm, Wood 28 mm
Tri axis vibration reading 14 m/s² in accordance with EN60745-2-6
Weight (excluding mains lead) 3.4 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	£225.00 £270.00
Order Number	110V - 600712420 240V - 600712000

4 GEARS

BEST WEIGHT PERFORMANCE RATIO IN ITS CLASS!



Improved cooling
due to large air vents on motor housing

Aluminium gear housing
robust and effective heat disputation

2 x chucks
SDS and 3 Jaw keyless

Compact L-shape design
lightweight and centrally balanced for comfortable working

MVT Metabo Vibration Technology

Large trigger switch
ergonomically designed for use of all fingers making for a more comfortable grip

Large control knob
easy selection of modes

Ball joint
increased cable life and improved on-site freedom of movement

Rotatable carbon brush ring
for 100% power in forward and reverse

KHE 3251 3kg SDS Hammer *Inc. 3 Jaw Chuck*

The KHE 3251 3kg SDS is the latest generation hammer from Metabo offering a compact L-Shape design, low weight and perfect balance. Featuring the Metabo trademark aluminium gear housing, vibration damped back handle with large trigger, rotatable carbon brush bridge for 100% power in forward and reverse, this machine delivers excellent power and speed to get the job done.

FEATURES
Rated input power 800W
No load speed 1150 rpm
Max impact rate 4,470 bpm
Max impact energy (EPTA): 3.1J
Drilling capacity in Concrete 32 mm, Steel 13 mm, Wood 35 mm
Tri axis vibration reading 13 m/s² in accordance with EN60745-2-6
Weight (excluding mains lead) 3.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	£259.00 £310.80
Order Number	110V - 600659420 240V - 600659000

3 GEARS

Carbide-tipped Hammer Drill Bits, SDS-plus, "PRO 4", *2 cutting edges*

- High quality carbiode: long service life, quicker, no problem when cutting into steel reinforcements
- The special cutting geometry on the chisel-shaped bit head ensures quick penetration into the toughest concrete and into granite. Easy centring
- The 4-spiral helix with its large geometry ensures quick delivery of bore dust, reduces friction in drill hole, improves the vibration behaviour.
- For use in concrete, masonry, natural stone

Diameter mm	Working length mm	Overall length mm	Packing unit	Order No.	List *(exc. VAT)*
4	50	110	1	631780000	£3.83
5	50	110	1	631820000	£3.09
5	100	160	1	631821000	£3.74
5.5	50	110	1	631822000	£3.32
5.5	100	160	1	631823000	£4.28
6	50	110	1	631824000	£3.09
6	100	160	1	631825000	£3.66
7	50	110	1	631829000	£3.56
7	100	160	1	631830000	£4.02
8	50	110	1	631832000	£3.64
8	100	160	1	631833000	£4.06
9	150	210	1	631836000	£6.23
10	50	110	1	631837000	£4.25
10	100	160	1	631838000	£4.66
10	200	260	1	631840000	£7.24
10	400	450	1	630519000	£14.58
11	100	160	1	631842000	£6.13
12	100	160	1	631844000	£5.86
12	150	210	1	631845000	£6.92
13	100	160	1	631847000	£7.61
14	100	160	1	631849000	£7.85
14	150	210	1	631850000	£8.90
15	200	260	1	631853000	£12.50
16	100	160	1	631854000	£9.65
16	150	210	1	631855000	£11.63
16	400	450	1	630531000	£20.77

Full range can be found in main accessory catalogue or online

Carbide-tipped Hammer Drill Bits, SDS-plus, "PRO 4 Premium", *4 cutting edges*

- The connection of the new, innovative, intelligent geometry with its uncompromised quality of detail ensures a long service life, precise drill holes and an unusually quiet run - even on the toughest loads
- The genuine 4-spiral helical geometry distributes the loads optimally on all spirals, thereby attaining low-vibration drilling characteristics. The four large-volume conveyor coils quickly remove the drill dust from the drill hole.
- The high-quality special steel makes the drill extremely robust and the resistance is further increased by the special surface treatment. It drills up to 50% more dowel-suitable drill holes than other drill hammer bits.
- For professional use in the hardest natural stones, concrete, brickwork.

Diameter mm	Working length mm	Overall length mm	Packing unit	Order No.	List *(exc. VAT)*
5	50	110	1	626200000	£7.48
5	100	160	1	626201000	£8.63
5.5	50	110	1	626201000	£7.61
5.5	100	160	1	626203000	£9.10
6	50	100	1	626204000	£7.48
6	100	160	1	626205000	£7.93
7	50	110	1	626213000	£9.79
7	100	160	1	626214000	£10.94
8	50	110	1	626215000	£8.63
8	100	160	1	626216000	£9.10
8	150	210	1	626217000	£11.08
10	50	110	1	626219000	£9.60
10	100	160	1	626220000	£10.29
12	100	160	1	626225000	£13.11
12	200	260	1	626227000	£19.56
14	100	160	1	626230000	£17.07
14	150	210	1	626231000	£21.56
16	100	160	1	626234000	£25.52
16	150	210	1	626235000	£26.00
18	200	250	1	631703000	£29.17
18	400	450	1	631704000	£39.32
20	200	250	1	631705000	£33.05
20	400	450	1	631706000	£43.38
22	400	450	1	631707000	£51.28
24	200	250	1	631708000	£49.06
24	400	450	1	631709000	£57.37
25	400	450	1	631710000	£63.37
28	400	450	1	631711000	£81.55
30	400	450	1	631712000	£92.35
32	400	450	1	631713000	£99.18

› Hammer Drill Bit Assortment

	Order No	SSP *(exc. VAT)*
SDS-plus drill bit / chisel set (5-piece) Consisting of 1 hammer drill bits of Ø 6, 8, 10 mm (1 each), 1 pointed chisel (6.31421) and 1 flat chisel (6.31420)	630477000	£34.89

JOULE RATINGS FOR METABO HAMMERS NOW IN ACCORDANCE WITH THE NEW 'EPTA' TESTING STANDARDS AS OF 01/01/2011

MHE 56 SDS MAX Chipping Hammer

The range of Metabo heavy duty SDS Max hammers have been designed to work in the most demanding of working environments day in day out. Be it for gas, water or air con installation, demolition work or general refurbishment work these machines have the power and features to get the job done without complication.

FEATURES
Rated input power 1,300W
Max impact rate 2,850 bpm
Max impact energy (EPTA): 8.5J / 402J/s
VTC Electronics, Brush wear display, Lock switch, cut-off carbon brushes
Magnesium die-cast gear housing
Weight (excluding mains lead) 5.7 kg

Tri-axis vibration reading 11.3m/s^2 in accordance with EN60745-2-6

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£449.00** **£538.80**
Order Number	110V - 600366390 240V - 600366000

KHE 56 SDS MAX Combination Hammer

Common features for the Metabo SDS Max range include: high performance hammer mechanisms, all metal gear boxes, tough ergonomic housing designs and Metabo's MVT active vibration dampening technology which helps keep vibration levels down to a minimum. All machines are backed up with Metabo's three year warranty if registered online within 4 weeks of purchase.

FEATURES
Rated input power 1,300W
Speed at rated load 0-450 rpm
Max impact rate 2,840 bpm
Max impact energy (EPTA): 8.5J / 402J/s
Drill Ø: SDS Bits: 45 mm / Core: 100 mm
Weight (excluding mains lead) 6.7 kg

Tri-axis vibration reading 11.5m/s^2 in accordance with EN60745-2-6

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£489.00** **£586.80**
Order Number	110V - 600340390 240V - 600340000

KHE 76 SDS MAX Combination Hammer

The KHE 76 is a high performance, hard-hitting SDS Max machine. Coupled with the latest vibration reduction technology, the key here is that this machine allows you to work quickly and safely*. Comes with a two function gear box for hammer drilling and chiselling. Suitable for medium to heavy-duty breaking.

FEATURES
Rated input power 1,500W
Speed at rated load 0-300 rpm
Max impact rate 2,735 bpm
Max impact energy (EPTA): 11.9J / 542J/s
Drill Ø: SDS Bits - 52 mm / Core - 150 mm
Weight (excluding mains lead) 8.4 kg

Tri-axis vibration reading 9.7m/s^2 in accordance with EN60745-2-6

*Please refer to HSE website for details
http://bit.ly/n1vVpz

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£639.00** **£766.80**
Order Number	110V - 600341390 240V - 600341000

MHE 96 SDS MAX Breaker

Metabo VibraTech (MVT) uses an integrated dampening system on the handles to help reduce vibration levels and therefore help lessen the impact on joints. The additional side handle can be positioned in three places. The adjustable front handle can be rotated 360°, in conjunction with the long, slim design this aids comfort and safety when working in a horizontal or upright position.

FEATURES
Rated input power 1,600W
Max impact rate 1,950 bpm
Max impact energy (EPTA): 20J / 658J/s
Brush wear display, Lock switch, cut-off carbon brushes,
Tri-axis vibration reading 11m/s^2 in accordance with EN60745-2-6
Weight (excluding mains lead) 11 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£599.00** **£718.80**
Order Number	110V - 600396390 240V - 600396000

KHE 96 SDS MAX Combination Breaker

The KHE 96 has all the features and benefits of the MHE 96 but with the added benefit of a two function gear box. This gives you the power of a dedicated breaker and a high capacity drill in one. In addition to the VibraTech handle, this machine also has an active vibration dampening system in the rear handle. Less vibration, less fatigue, more protection for the user.

FEATURES
Rated input power 1,700W
Speed at rated load 125-250 rpm
Max impact rate 1,950 bpm
Max impact energy (EPTA): 20J / 658J/s
Drill Ø SDS Bits-50 mm, Core-150 mm
Tri-axis vibration reading 12.4m/s^2 in accordance with EN60745-2-6
Weight (excluding mains lead) 11.8 kg

SSP *(exc. VAT)* SSP *(inc. VAT)*	**£679.00** **£814.80**
Order Number	110V - 600596390 240V - 600596000

Carbide-tipped Hammer Drill Bits, SDS-max, "PRO 4", *2 cutting edges*



- The innovative, unique carbide blade geometry and large, robust subsidiary blades arranged in optimum 4 x 90° symmetry prevent catching when meeting reinforcements and master even the toughest of application and the use of the most powerful hammer drills
- Wear marking on both sides of the main plate acts as an indicator allowing you to assess the measure of the dowel holes
- The patented core-strengthened sprial geometry offers an optimum between volume and break safety and brings more impact energy to the carbide tip. The short spiral inserts and the large volume tip ensure optimum drill meal removal
- A special procedure for surface compaction compacts the structure of the steel and makes the drill more resistant
- For use in concrete, masonry, natural stone

Diameter mm	Working length mm	Overall length mm	Packing unit	Order No.	List *(exc. VAT)*
12	200	340	1	623310000	£36.91
12	400	540	1	623311000	£47.20
12	550	740	1	623312000	£59.49
14	200	340	1	623313000	£41.67
14	400	540	1	623314000	£52.46
15	200	340	1	623315000	£46.94
15	400	400	1	623316000	£46.37
16	200	340	1	623317000	£49.30
16	400	540	1	623318000	£56.49
18	200	340	1	623319000	£46.26
18	400	540	1	623320000	£54.90
20	200	320	1	623321000	£47.66
20	400	520	1	623322000	£59.74
20	800	920	1	623323000	£81.00
22	200	320	1	623324000	£52.13
22	400	520	1	623325000	£61.42
22	800	920	1	623326000	£85.26
24	200	320	1	623327000	£58.14
24	400	520	1	623328000	£71.72
25	200	320	1	623329000	£56.81
25	400	520	1	623330000	£72.96
25	800	920	1	623331000	£102.42
28	250	520	1	623333000	£91.21
28	450	720	1	623334000	£93.07
30	550	520	1	623339000	£86.53
32	250	320	1	623340000	£69.78
32	450	520	1	623341000	£92.29
32	800	920	1	623342000	£121.01
35	450	520	1	623344000	£97.16
35	550	720	1	623345000	£104.19
38	450	520	1	623347000	£110.95
40	450	520	1	623349000	£133.11
40	800	720	1	623350000	£184.68
45	450	520	1	623337000	£201.14
52	450	520	1	623338000	£259.79

Carbide-tipped Hammer Drill Bits, SDS-max, "PRO 4 Premium", *4 cutting edges*



- The innovative, unique carbide blade geometry and large, robust subsidiary blades arranged in optimum 4 x 90° symmetry prevent catching when meeting reinforcements and master even the toughest of application and the use of the most powerful hammer drills
- Wear marking on both sides of the main plate acts as an indicator allowing you to assess the measure of the dowel holes
- 4-spiral helix geometry with optimum spiral core strength: Four evenly operating spiral ribs for pleasant operation and even low spiral wear. The optimised spiral core strength ensures high break safety and low vibration drilling behaviour
- Special procedure for surface compaction compacting the structure of the steel and makes the drill more resistant
- For professional use in reinforced concrete and hard natural stone

Diameter mm	Working length mm	Overall length mm	Packing unit	Order No.	List *(exc. VAT)*
16	200	340	1	623200000	£61.74
16	400	540	1	623201000	£70.82
18	200	340	1	623202000	£58.03
18	400	540	1	623203000	£68.75
20	200	320	1	623204000	£59.82
20	400	520	1	623205000	£74.94
22	400	520	1	623206000	£77.00
24	400	520	1	623207000	£89.92
25	400	520	1	623208000	£90.06
30	450	570	1	623209000	£108.49
32	450	570	1	623210000	£115.77

› Chisels with SDS-max shank end assortment

		Order No	SSP *(exc. VAT)*
	SDS-max chisel set (5-piece) Comprising 2 pointed chisels (6.23352), 2 flat chisels (6.23354) and 1 scaling chisel (6.23355)	630488000	£87.73
	**SDS-max chisel set (5-piece)** Comprising 3 pointed chisels (6.23352), 2 flat chisels (6.23354)	630489000	£75.65

› Accessory Tip

		Order No	SSP *(exc. VAT)*
	Special grease	631800000	£4.85

IN EVERY METABO THERE BEATS A HEART

Metabo Marathon Motor



Resin Coated Copper Windings
Making the motor more resistant to harmful dust / debris

Resin Coated Copper Windings
Protects the motor from harmful debris

Sonically Balanced Fan
Ensures optimum cooling for maximum power delivery

Resin Coated Contacts
Helps prevent short circuits

Armature Protection Grid
repeals harmful debris therefore increasing service life

Fine Balanced Motors
Smooth running, high efficiency

WORLD LEADING

Angle Grinders

People who use angle grinders everyday are all too familiar with equipment vibration and in many aspects are aware of its effect on their health. The Metabo Autobalance system now uses auto-balancing technology to help reduce the level of vibration users can be exposed to. From compact models up to large grinders, we now have the widest range of low vibration grinders on the market.



Armature protection Grid
Prolongs motor life

Encapsulated Switch
Prevents short circuits

Mechanical Break on WEPBA 14-125
brings the disc to stop in under 3 seconds

Metabo Marathon Motor
More power and 5 times longer life than standard motors

Optimised Air Outlets
For up to 10 - 15% better cooling

Auto-stop Carbon Brushes
Prolongs motor life

Metabo "Quick" System
For quick disc change without tools

Mechanical Safety Clutch
For machine and operator safety. Simple to maintain, economical to replace.

Optimised Ventilation Slots
For up to 10 - 15% better cooling

Resin Coated Copper Windings
Prolongs motor life

Ergonomic Design
For greater working comfort

Quick Change Disc Guard
For quick change without tools

Auto-balance Nut on WEA14-125
Reduces vibration from $6.5m/s^2$ to just $3.6m/s^2$! The system also helps to increase accessory life, improves finish and increases productivity.

Die-cast Aluminium Gear Housing
For optimum heat dissipation and long life

ANGLE GRINDER VIDEO

AUTO-BALANCER VIDEO

MARATHON MOTOR

LOW VIBRATION AUTOBALANCER

What is 'Dead-Mans'?

The machine turns off automatically when the hand is released from the switch. This helps protect the user and the working area from disc impact should the grinder be dropped. Especially important for those working in confined spaces, at height or in areas of high conductivity.

PROTECT SAFETY SWITCH

What size grinders are available with 'Dead-Mans'?

$4^{1/2}$", 5", 6", 7" & 9". Please ask your dealer for details on these specialist 5" and 6" models. Also inherent in each grinder is our infamous long life marathon motor for up to 5 times service life, safety clutch, auto-stop carbon brushes and resin protected switches.

Why have autobalancing technology?

Our auto-balancing technology ('A') in our WEPA models brings vibration figures down to an industry leading 3.6 m/s^2. This is not only great for protecting users against exposure to excessive hand-arm vibration, but is also proven to increase disc life and machine service life.

! *Metabo WEPA Grinders are only available through selected specialist distributors only*

Why have speed control?

We use three types of speed control units in our grinders. VC, TC & VTC.

- VC allows you to vary the speed of the grinder to suite the application whilst also helping to maintain speed under loading for safe and consistent performance during use. VC also has no volt release switch protection and soft start.
- TC helps maintain speed under heavy loading for safe and consistent performance during use. TC also has thermal overload protection, soft start and no-volt release switch protection.
- VTC allows you to vary the speed of the grinder to suite the application whilst also helping to maintain speed under heavy loading for safe and consistent performance during use. VTC also has thermal overload protection, soft start and no-volt release switch protection.

MASTERS OF METAL

Combined, Metabo have more tangible features and benefits in our grinders than any other power tool manufacturer in the market today!

That's why professionals choose Metabo!

W 720-115 $4^{1/2}$" Angle Grinder NEW!

With the W720 we believe we have created a new performance standard in the pro entry class with 40 watts more than its predecessor W680. The W720 comes with a slim housing design for ease of handling. A powerful motor equipped with auto-stop carbon brushes and a twist proof wheel guard. The W720 is simple by design yet high in performance at a very good quality standard.

FEATURES
Rated input power 720W
Grinding wheel 115 mm, $4^{1/2}$"
No load speed 11,000 rpm
Torque 1.6 Nm
Spindle thread M14
Tri-axis vibration reading 8.2m/s^2 in accordance with EN60745-2-3
Weight (excluding mains lead) 1.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£52.00** **£62.40**
Order Number	110V - 606725390 240V - 606725380

W 820-115 $4^{1/2}$"/125 5" Angle Grinder NEW!

With 40 watts more than its predecessor the W820 sets a new standard of performace in the pro entry class. The W820 comes with a slim housing design for ease of handling. A powerful motor equipped with auto-stop carbon brushes and a twist proof wheel guard. The W820 is simple by design yet high in performance at a very good quality standard.

FEATURES
Rated input power 820W
Grinding wheel 115mm-4 1/2" / 125mm-5"
No load speed 11,000/10,000rpm
Torque 1.6Nm
Spindle thread M14
Tri-axis vibration reading 8m/s^2 in accordance with EN60745-2-3
Weight (excl. mains lead) 1.6kg/1.7kg

! W820 is also available with a paddle **WP820** – ask your dealer for details

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£59.00** **£70.80**
Order Number W 820-**115**	110V - 606727390 240V - 606727380
Order Number W 820-**125**	110V - 606728390 240V - 606728000

W1080-115/125 5" Angle Grinder NEW!

With the New W1080 115 we believe we have created a new performance standard in the pro entry class. The W1080 115 comes with a slim housing design for ease of handling. A robust and powerful 1,080 watts motor with high overload capacity. The W 10-80 125 is simple by design yet high in performance at a very good quality standard.

FEATURES
Rated input power 1,080W
Grinding wheel 115/125 mm, 5"
No load speed 10,500 rpm
Torque 3.2 Nm
Speed at rated load 7.000/min

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£69.00** **£82.80**
Order Number W 1080-**115**	110V - 606721390 240V - 606721000
Order Number W 1080-**125**	110V - 606722390 240V - 606722380

W 8-115 $4^{1/2}$" Angle Grinder

The W8-115 is a popular 115 mm $4^{1/2}$" industrial quality angle grinder. Metabo is well known for its industrial quality angle grinders. These German built machines distinguish themselves from the crowd through the use of high quality, high performance components. Made to work day-in, day-out, in the most demanding of working environments these grinders will pay for themselves in high productivity and low downtime - guaranteed!
Other main features include, new improved ergonomics, high powered marathon motor, increased motor protection, increased fan flow rates giving better cooling and longer service life. Mechanical safety clutch, vibration dampening side handle.

FEATURES
Grinding disc diameter Ø 115 mm
Torque 2.2 Nm
No load speed 10,000 rpm
Rated input power 800 W
Spindle thread M14
Weight (without mains lead) 1,8 kg
Tri-axis vibration reading: 6 m/s^2 in accordance with EN 60745-2-3

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£72.00** **£86.40**
Order Number	110V - 600259390 240V - 600259380

! *Die cast aluminium gear housing increases the service life of the machine. The machine is more robust and dissipates heat faster.*

! *Metabo Safety Clutch*
The mechanical clutch slips when a disc jams protecting machine and user from sudden machine kick back.

WP 8-115/125 QUICK $4^{1/2}$" Angle Grinder *with dead-mans paddle*

The WP 8-115 Quick has all the features and benefits of the W 8-115, but now with a dead-mans paddle switch and the quick disc change nut. This is an industrial quality grinder in a popular UK disc size, designed to work in demanding working environments. The main features include: dead-mans paddle switch, quick disc change nut, safety clutch, cast aluminium gear housing, precision bearings, sintered gears, VibraTech side handle, armature protection grid, large sonically balanced fan, long life marathon motor, resin coated windings and auto-stop carbon brushes.

FEATURES
Grinding disc diameter Ø 115 mm
Torque 2.2 Nm
No load speed 10,000 rpm
Rated input power 800 W
Spindle thread M14
Weight (without mains lead) 1,8 kg
Tri-axis vibration reading: 6 m/s^2 in accordance with EN 60745-2-3

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£79.00** **£94.80**
Order Number WP 8-**115** Quick	110V - 600267390 240V - 600267000
Order Number WP 8-**125** Quick	110V - 600268390

! *What is "Dead-Mans"?*
The machine turns off automatically when the hand is released from the switch. This helps protect the user and the working area from disc impact should the grinder be dropped. Especially important for those working in confined spaces, at height or in areas of high conductivity.

W 11-125 QUICK 5" Angle Grinder

The W11-125 Quick is a 125 mm 5" industrial quality angle grinder with a powerful 1,100W motor. Also includes the Metabo Quick system for quick disc change without tools.

FEATURES
Rated input power 1,100W
Grinding wheel 125 mm, 5"
No load speed 10,000 rpm
Torque 3 Nm
Spindle thread M14 x 1.5
With Quick nut for quick blade change without tools
Tri-axis vibration reading: 7m/s^2 in accordance with EN60745-2-3
Weight (excluding mains lead) 2 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£99.00** **£118.80**
Order Number	110V - 600270390 240V - 600270000

! *Metabo Marathon Motor*
Epoxy resin powder coatings on the coil windings, armature protection grid, sealed bearings and wiring terminals and encapsulated carbon brush modules all help to make the motor completely impervious to harmful dust/debris, thus increasing efficiency and service life.

WA 11-125 QUICK 5" Angle Grinder *low vibration*

The WA11-125 Quick is a 125 mm 5" industrial quality angle grinder with a powerful 1,100W motor. Also includes the Metabo Auto Balancer, Quick system for quick disc change without tools. The WA11-125 uses the latest vibration reduction auto-balacing technology. This technology brings down the vibration magnitude to just 3.6m/s^2!!* The system also helps to increase accessory life, improves finish and increases productivity. The main features include, higher powered marathon motor, increased motor protection, increased fan flow rate giving better cooling and longer service life, new ergonomics and mechanical safety clutch and vibration dampening side handle fitted as standard.

FEATURES
Grinding disc diameter Ø 125 mm
Torque 3 Nm
No load speed 10,000 rpm
Rated input power 1,100 W
Spindle thread M14 x 1.5
Weight (without mains lead) 2 kg
With Quick nut for quick blade change without tools
Tri-axis vibration reading: 3.6m/s^2 in accordance with EN 60745-2-3

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£129.00** **£154.80**
Order Number	110V - 601101390

*Please refer to HSE website for details
http://bit.ly/n1vVpz

WE 14-125 QUICK 5" Angle Grinder *with variable speed dial*

The WE14-125 Quick is an extremely powerful 125 mm 5” industrial quality angle grinder with variable speed, VTC electronic speed stabilisation under heavy loading, VTC thermal overload protection, restart protection and the Metabo Quick system for quick disc change without tools.

FEATURES
Grinding disc diameter Ø 125 mm
Torque 3.3 Nm
No load speed 7,000-10,500 rpm
Rated input power 1,400 W
Spindle thread M14
Weight (without mains lead) 1.9 kg
With Quick nut for quick blade change without tools

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£124.00** **£148.80**
Order Number	110V - 600281390 240V - 600281000

! Tri-axis vibration reading: 6.5 m/s^2 in accordance with EN 60745-2-3

WEA 14-125 QUICK 5" Angle Grinder *with variable speed dial and low vibration*

The WEA14-125 with variable speed uses the latest vibration reduction auto-balacing technology. This technology brings down the already low reading of 6.5m/s^2 to just 3.6m/s^2!* The system also helps to increase accessory life, improves finish and increases productivity. *Please refer to HSE website for details http://bit.ly/n1vVpz

FEATURES
Grinding wheel Ø 125mm, 5""
Torque 3.3Nm
No load speed 7,000-10,500rpm
Rated input power 1,400W
Spindle thread M14
Weight (excluding mains lead) 1.9kg
With quick nut for quick blade change without tools

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£149.00** **£178.80**
Order Number	110V - 601105390 240V - 601105000

! Tri-axis reading 3.6m/s^2 in accordance with EN607 45-2-3

WEPA 14-125 QUICK 5" Angle Grinder *with low vibration and paddle switch*

The WEPA14-125 with dead-mans paddle and variable speed uses the latest vibration reduction auto-balacing technology. This technology brings down the already low reading of 6.5m/s^2 to just 3.6m/s^2!!*
*Please refer to HSE website for details http://bit.ly/n1vVpz

FEATURES
Grinding wheel Ø 125mm, 5"
Torque 3.3Nm
No load speed 7,000-10,500rpm
Rated input power 1,400W
Spindle thread M14
Weight (excluding mains lead) 1.9kg
With quick nut for quick blade change without tools

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£149.00** **£178.80**
Order Number	110V - 600304390 240V - 600304000

! Tri-axis vibration reading: 6.5 m/s^2 in accordance with EN 60745-2-3

WEPBA 14-125 QuickProtect 5" Angle Grinder *low vibration, break & paddle switch* NEW!

The WEPBA14-125 Quick Protect. With the current HAV regulations and HSE guidelines in mind Metabo have developed and manufactured a fully compliant angle grinder for the professional user. The WEPBA 14-125 with dead-mans paddle and a 2 second fast break makes this angle grinder one of the safest in the market, with variable speed and the use of the latest vibration reduction auto-balacing technology.

FEATURES
Grinding wheel Ø 125mm, 5"
Torque 3.3Nm
No load speed 7,000-10,500rpm
Rated input power 1,400W
Spindle thread M14
Weight (excluding mains lead) 2.6kg
With quick nut for quick blade change without tools

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£189.00** **£226.80**
Order Number	110V - 600166390 240V - 600166000

! Tri-axis reading 4.2m/s^2 in accordance with EN607 45-2-3

WE 14-150 QUICK 6" Angle Grinder *with variable speed dial*

The WE14-150 Quick is an extremely powerful 150 mm 6” industrial quality angle grinder with variable speed, VTC electronic speed stability under heavy loading, VTC thermal overload protection, restart protection and the Metabo Quick system for quick disc change without tools. Mechanical safety clutch and vibration dampening side handle fitted as standard.

FEATURES
Grinding disc diameter Ø 150 mm
Torque 3.5 Nm
No load speed 6,000-9,000 rpm
Rated input power 1,400 W
Spindle thread M14
Weight (without mains lead) 1.9 kg
With Quick nut for quick blade change without tools

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£129.00** **£154.80**
Order Number	110V - 600286390 240V - 600286000

! Tri-axis vibration reading: 6 m/s^2 in accordance with EN 60745-2-3

WEPA 14-150 QUICK 6" Angle Grinder *with low vibration and paddle switch*

The New WEPA14-150 Quick is an extremely powerful 150 mm 6” industrial quality angle grinder with dead-mans paddle, Auto balancer, variable speed, VTC electronic speed stabilisation under heavy loading, VTC thermal overload protection, restart protection and the Metabo Quick system for quick disc change without tools.

! WEPA14-150 is also available with a 2 second break **WEPBA14-150** – ask your dealer for details

FEATURES
Grinding disc diameter Ø 150 mm
Torque 3.5 Nm
No load speed 6,000-9,000 rpm
Rated input power 1,400 W
Spindle thread M14
Weight (without mains lead) 1.9 kg
With Quick nut for quick blade change without tools

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£159.00** **£190.80**
Order Number	110V - 600305390

! Tri-axis vibration reading: 3.6 m/s^2 in accordance with EN 60745-2-3

W 22-180 7" Low Vibration Grinder *With Dead-Mans Paddle*

The NEW W22-180 is extremely powerful 180 mm 7" industrial quality angle grinder. Features include, quick release lockable disc guard, removable release lever for fitment of dust cowls, industrial quality long life marathon motor, auto-stop carbon brushes, VibraTech dampening system to give a very low reading of just 4.8 m/s^2 and dead-mans safety paddle switch.

FEATURES
Rated input power 2,200W
Grinding wheel 180 mm, 7"
No load speed 8,500 rpm
Torque: 11 Nm
Spindle thread M14
Tri-axis vibration reading: 4.8 m/s^2 in accordance with EN60745-2-3
Weight (excluding mains lead) 5.7 kg

110 V does not come with plug

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£129.00** **£154.80**
Order Number	110V - 606456390 240V - 606456260

Long exposure limit value (ELV) of 8 hours 41 minutes

W 22-230 9" Grinder *With Overload Protection & Dead-Mans Paddle*

The W22-230 is an extremely powerful 230mm 9” industrial quality angle grinder. Features include, quick release lockable disc guard, removable release lever for fitment of dust cowls, industrial quality long life marathon motor, auto-stop carbon brushes, VibraTech dampening system to give a very low reading of just 4.8m/s^2 and dead-mans safety paddle switch.

FEATURES
Grinding wheel 230mm, 9"
Rated input power 2,200W
No load speed 6,600 rpm
Spindle thread M14
Tri-axis vibration reading: 4.8m/s^2 in accordance with EN60745-2-3
Weight (excluding mains lead) 5.8 kg

110 V does not come with plug

Rotate the back handle when performing cutting jobs for improved control, ease of use and overall safety.

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£130.00** **£156.00**
Order Number	110V - 606458390 240V - 606458380

Low vibration machine with a reading of just 4.8 m/s^2 giving a long exposure limit time of 8 hours, 41 minutes.

W 2000-230 9" Grinder *With Dead-Mans Paddle*

The W2000-230 uses much of the same components as the popular W21-230. Similar in design all be it with a slightly smaller motor the W20-230 offers a high quality standard at an affordable price. Additional features include auto-stop carbon brushes, a twist proof wheel guard and a dead-mans safety paddle switch.

FEATURES
Rated input power 2,000 watts
Grinding wheel 230mm 9”
No load speed: 6,600 rpm
Torque: 14 Nm
Spindle thread M14
Tri-axis vibration reading: 4.8 m/s^2 in accordance with EN60745-2-3
Weight (excluding mains lead) 5.7 kg



SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£95.00** **£114.00**
Order Number	110V - 606420390 240V - 606420380

110 V does not come with plug

WX 24-230 9" Grinder *With Soft Start, Overload Protection & Dead-Mans Paddle* NEW!

The New Wx 24-230 stands at the top of the UK large angle grinder portfolio. A powerful 2,400 watt motor powers this machine backed by smart electronics. Electronic overload protection protects you and the motor from excessive loading; prolonging the motor life and reducing the risk of injury. Soft start prevents circuit breaks at start up or under heavy loading. Safety stop electronics will stop the machine if it jams preventing kick back and risk of injury.

FEATURES
Rated input power: 2,400W
Grinding wheel: 230mm
No load speed 6,600 rpm
Torque: 17Nm
Spindle thread: M14
Tri-axis vibration reading 4.8m/s^2
Weight (excluding mains lead) 5.8 kg

Rotate the back handle when performing cutting jobs for improved control, ease of use and overall safety.

110 V does not come with plug

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£169.00** **£202.80**
Order Number	110V - 606449390 240V - 606449260

Low vibration machine with a reading of just 4.8 m/s^2 giving a long exposure limit time of 8 hours, 41 minutes.

CS 23-355 Metal Cutting Chop Saw *Inc. 1 Cutting Disc*

The CS 23 – 355 is a powerful 2,300W Metal cutting chop saw. Designed for use with abrasive wheels this machine will produce precise cuts in steel, nonferrous metals, iron and cast profiles. Coupled with high performance statistics this machine has been designed with ease of use and transportation in mind.

FEATURES
Rated input power 2,300W
Disc Diameter 355 mm
No load speed 4,000 rpm
Maximum opening of vice jaws 238 mm
Bit retainer, diameter 25.4 mm
Max cutting Ø Bar steel 65 mm, Pipes 125 mm. Shaped steels 115-130 mm
Dimensions of base plate 468 x 282mm
Weight 16.9 kg



SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£200.00** **£240.00**
Order Number	110V - 602335390 240V - 602335380

PE 12-175 Polisher *Inc. 150 mm Backing Pad*

The PE 12-175 is a high performance polisher with variable speed, speed stability, thermal cut out. Designed for the automotive and granite polishing industry.

FEATURES
Rated input power 1,200W
No load speed 700-2,200 rpm
Rated load speed 2,200 rpm
Torque 14 Nm
Spindle thread M14
Backing Pad up to Max. 175 mm
Weight (excluding mains lead) 2.4kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£159.00** **£190.80**
Order Number	240V - UK602175382

MFE 30 Wall Chaser *Inc 2 x Diamond discs*

MFE 30 Wall Chaser. Compact design, powerful motor and Metabo electronics for speed stability and overheat protection make this machine suitable for quick, clean cutting and wall chasing. LED overload protection, electronic soft start, S-automatic torque limiting clutch. Features dust extraction through handle. Two Diamond blades and metal carry case supplied as standard.

FEATURES
Rated input power 1,400W
Diameter of cutting disc 125 mm (5")
No load speed 8,200 rpm
Possible groove widths 10/17/23/30 mm
Cutting depth adjustable 0-30 mm
Highly recommended: Use with Metabo ASR 2025 (see pg 89) Vacuum cleaner and suction hose 630344000
Weight (without mains cable) 3.9 kg



	MACHINE ONLY	INC. ASR 2025 VACUUM CLEANER
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£339.00** **£406.80**	**£564.00** **£676.80**
Order Number	110V - UK601119391 240V - UK601119381	110V - UK601119392 240V - UK601119382

MFE 65 Wall Chaser *Inc 2 x Diamond discs & (Dead-mans Paddle - 110V only).*

The Metabo 65 mm wall chaser replaces the previous MFX 65 machine. An impressive machine with a 65 mm depth or cut and 41 mm width, great for laying electrical trunking, pipes or wire looms deep into the wall/floor. New features include a more powerful 24,000 Watt motor with smart electronics. Electronic overload protection protects you and the motor from excessive loading; prolonging motor life and reducing the risk of injury. Soft start prevents circuit breaks at start up or under heavy loading. Safety Stop electronics will stop the machine if it jams preventing kick-back and risk of injury.

FEATURES
Rated input power: 2,400W (240V) & 2,300W (110V)
Diameter of cutting disc 230 mm (9")
No load speed 6,500 rpm
Possible groove widths 3/9/17/29/33/37/41 mm
Cutting depth adjustable 20-65 mm
Highly recommended: Use with Metabo ASR 35 M (see pg 90 - 91)
Tri-axis vibration EN 60745-2-22: 10 m/s²
Weight (without mains cable) 8.2 kg

! *It is much safer to work in the pulling direction. Pull towards you or across you, do not push.*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£455.00** **£546.00**
Order Number	110V - 600365390 240V - 600365000

! *Note: 110V model also comes with a dead-mans paddle switch - not featured on 240V machine.*

! *Recommended for use with the new Metabo ASR 35 M-Class vacuum cleaner.*

Metabo bench grinders use a powerful, maintenance-free induction motor. They have large tool free adjustable spark protectors, tool free adjustable tool rests and unique wheel guard bayonet locks for fast & easy wheel change. Also comes with rear dust extraction port with 35 mm inside diameter; *Does not include DS 125 or DS 150.*

DS 125 Bench Grinder

FEATURES
Rated input power: 200 W
Max. speed: 2,980 rpm
Tilting movement: 0.9 Nm
Grinding discs (Ø x thickness x bore) 125 x 20 x 20 mm
Weight: 7.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£79.00** **£94.80**
Order Number	240V - 619125000

DS 150 Bench Grinder

FEATURES
Rated input power: 350 W
Max. speed: 2,980 rpm
Tilting movement: 1.1 Nm
Grinding discs (Ø x thickness x bore) 150 x 20 x 20 mm
Weight: 9.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£109.00** **£130.80**
Order Number	240V - 619150000

DS 175 Bench Grinder

FEATURES
Rated input power: 500 W
Max. speed: 2,980 rpm
Tilting movement: 2.3 Nm
Grinding discs (Ø x thickness x bore) 175 x 25 x 32 mm
Weight: 14.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£136.00** **£163.20**
Order Number	240V - 619175000

DS 200 Bench Grinder

FEATURES
Rated input power: 600 W
Max. speed: 2,980 rpm
Tilting movement: 2.6 Nm
Grinding discs (Ø x thickness x bore) 200 x 25 x 32 mm
Weight: 16.3 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£179.00** **£214.80**
Order Number	240V - 619200000

BS 175 Bench Grinder



FEATURES
Rated input power: 500 W
Max. speed: 2,980 rpm
Tilting movement: 2.3 Nm
Grinding discs (Ø x thickness x bore) 175 x 25 x 32 mm / 1,020 x 50 mm
Weight: 14.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£209.00** **£250.80**
Order Number	240V - 601750000

TNS 175 Bench Grinder



FEATURES
Rated input power: 500 W
Max. speed: 2,980 rpm
Tilting movement: 2.3 Nm
Grinding discs (Ø x thickness x bore) 175 x 25 x 32 mm / 200 x 40 x 20 mm
Weight: 14.9 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£159.00** **£190.80**
Order Number	240V - 611750000

DSD 200 Bench Grinder

FEATURES
Rated input power: 750 W
Max. speed: 2,980 rpm
Tilting movement: 6.2 Nm
Grinding discs (Ø x thickness x bore) 200 x 25 x 32 mm
Weight: 16 kg

The NEW DSD 200 400V has a wheel diameter of 200 mm. This machine is perfectly suited for demanding jobs in the garage or workshop. It uses a powerful, maintenance-free induction motor. It has large tool free adjustable spark protectors, tool free adjustable tool rests and unique wheel guard bayonet locks for fast & easy wheel change. Also comes with rear dust extraction port with 35 mm inside diameter.

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£199.00** **£238.80**
Order Number	400V - 619201000

! *Metabo induction motor is extremely quiet running, long lasting and maintenance free*

DSD 250 Bench Grinder

FEATURES
Rated input power: 900 W
Max. speed: 1,490 rpm
Tilting movement: 10 Nm
Grinding discs (Ø x thickness x bore) 250 x 40 x 51 mm
Weight: 33.3 kg

The NEW DSD 250 400V has a wheel diameter of 250 mm. This machine is perfectly suited for demanding jobs in the garage or workshop. It uses a powerful, maintenance-free induction motor. It has large tool free adjustable spark protectors, tool free adjustable tool rests and unique wheel guard bayonet locks for fast & easy wheel change. Also comes with rear dust extraction port with 35 mm inside diameter.

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£299.00** **£358.80**
Order Number	400V - 619250000

! *Metabo induction motor is extremely quiet running, long lasting and maintenance free*

Accessories Bench Grinders

Grinding discs (aluminium oxide)

For grinding tool set:

Fine grit (60N): Suitable for finish grinding of hardened and unhardened steel, e.g. spiral drills, screwdrivers, chisels, splitting tools, firmer chisels, carving tools

Rough grit (36P): Suitable for pre-grinding of hardened and unhardened steel, e.g screwdrivers, chisels, splitting tools

Diameter x thickness x bore [mm]	Grit and hardness	Suitable for	Item no	List *(exc. VAT)*
120 x 20 x 20	36 P	DSM 125	629088000	£17.59
120 x 20 x 20	60 N	DSM 125	629089000	£17.59
150 x 20 x 20	36 P	DSM 150	630632000	£22.72
150 x 20 x 20	60 N	DSM 150	630633000	£22.72

Cutting Discs

Full range can be found in main accessory catalogue or online

Novoflex – the "Basic Quality"



Medium strength disc. Benefits are an especially good price/performance ratio

- Hardness: medium-hard
- Universal use in metal processing
- Good cutting output with good tool life
- Max.working speed 80 m/s

Flexiamant – the "Standard Quality"



Universal disc for complete metal processing

- Hardness: medium
- High cutting output with good disc life
- Uniform in cutting output and disc life
- Max. working speed 80 m/s

Flexiamant Super – the "Premium Quality



Extremely high cutting output with long disc life by using special corundums

- Universal disc for complete metal processing
- Hardness: hard
- Best results on using powerful angle grinders
- Max. working speed 80 m/s

Quality Class	Diameter x thickness x bore hole mm	Version	Max. speed/min	Packing unit	Order No.	List *(exc. VAT)*
Quality class A 30 "Novoflex" steel						
A 30 Novoflex	100 x 2.5 x 16	—	15,300	25	616446000	£0.99
A 30 Novoflex	100 x 2.5 x 16	⌒	15,300	25	616447000	£0.99
A 30 Novoflex	115 x 2.5 x 22.23	—	13,300	25	616442000	£1.12
A 30 Novoflex	115 x 2.5 x 22.23	⌒	13,300	25	616454000	£1.08
A 30 Novoflex	115 x 3 x 22.23	⌒	13,300	25	616420000	£1.12
A 30 Novoflex	125 x 2.5 x 22.23	—	12,200	25	616444000	£1.26
A 30 Novoflex	125 x 2.5 x 22.23	⌒	12,200	25	616456000	£1.20
A 30 Novoflex	150 x 3 x 22.23	—	10,200	25	616448000	£1.68
A 30 Novoflex	180 x 3 x 22.23	—	8,500	25	616450000	£1.94
A 30 Novoflex	180 x 3 x 22.23	⌒	8,500	25	616457000	£1.94
A 30 Novoflex	230 x 3 x 22.23	—	6,600	25	616452000	£2.74
A 30 Novoflex	230 x 3 x 22.23	⌒	6,600	25	616477000	£2.72
Quality class A 30-R "Flexiamant" steel						
A 30-R	100 x 2.5 x 16	—	15,300	25	616742000	£1.47
A 30-R	115 x 2.5 x 16	⌒	13,300	25	616727000	£1.55
A 30-R	115 x 2.5 x 22.23	—	13,300	25	616770000	£1.52
A 30-R	125 x 2.5 x 22.23	⌒	12,200	25	616310000	£1.55
A 30-R	125 x 2.5 x 22.23	—	12,200	25	616732000	£1.55
A 30-R	150 x 2.5 x 22.23	—	10,200	25	616121000	£2.09
A 30-R	150 x 3 x 22.23	⌒	10,200	25	616313000	£2.19
A 30-R	180 x 3 x 22.23	—	8,500	25	616123000	£2.50
A 30-R	180 x 3 x 22.23	⌒	8,500	25	616300000	£3.54
A 30-R	230 x 3 x 22.23	—	6,600	25	616127000	£3.06
A 30-R	230 x 3 x 22.23	⌒	6,600	25	616302000	£3.06
Quality class A 36-T "Flexiamant Super" steel						
A 36-T	115 x 2 x 22.23	⌒	13,300	25	616115000	£1.81
A 36-T	115 x 2 x 22.23	—	13,300	25	616103000	£1.81
A 36-T	115 x 3 x 22.23	⌒	13,300	25	616111000	£1.68
A 36-T	125 x 2 x 22.23	⌒	12,200	25	616102000	£1.77
A 36-T	125 x 2 x 22.23	—	12,200	25	616119000	£1.77
A 36-T	150 x 2 x 22.23	—	10,200	25	616109000	£2.41
A 36-T	150 x 2 x 22.23	⌒	10,200	25	616107000	£2.18
A 36-T	180 x 2 x 22.23	⌒	8,500	25	616101000	£3.18
A 36-T	180 x 2 x 22.23	—	8,500	25	616104000	£2.92
A 36-T	230 x 2.5 x 22.23	⌒	6,600	25	616105000	£4.40
A 36-T	230 x 2.5 x 22.23	—	6,600	25	616100000	£4.40
Flexirapid Super Inox: WORKS 33% LONGER						
A 60-U	115 x 1 x 22.2	—	13,300	25	616216000	£1.54
A 60-U	115 x 1 x 22.2	⌒	13,300	25	616217000	£1.54
A 60-U	125 x 1 x 22.2	—	12,200	25	616220000	£1.66

Grinding Discs

Full range can be found in main accessory catalogue or online

Quality Class	Diameter x thickness x bore hole mm	Version	Max. speed/min	Packing unit	Order No.	List *(exc. VAT)*
Quality class A 24 "Novoflex" steel						
A 24 Novoflex	100 x 6 x 16	⌒	15.300	25	616429000	£1.42
A 24 Novoflex	115 x 6 x 22.23	⌒	13.300	25	616460000	£1.64
A 24 Novoflex	125 x 6 x 22.23	⌒	12.200	25	616462000	£1.94
A 24 Novoflex	150 x 6 x 22.23	⌒	10.200	25	616464000	£2.76
A 24 Novoflex	180 x 6 x 22.23	⌒	8.500	10	616465000	£2.89
A 24 Novoflex	230 x 6 x 22.23	⌒	6.600	10	616468000	£4.48
Quality class A 24-N "Flexiamant" steel						
A 24-N	100 x 6 x 16	⌒	15.300	25	616745000	£1.87
A 24-N	115 x 4 x 22.23	⌒	13.300	25	616736000	£1.68
A 24-N	115 x 6 x 22.23	⌒	13.300	25	616726000	£2.19
A 24-N	115 x 6.8 x 22.23	⌒	13.300	25	616725000	£2.15
A 24-N	125 x 4 x 22.23	⌒	12.200	25	616680000	£1.85
A 24-N	125 x 6 x 22.23	⌒	12.200	25	616730000	£2.15
A 24-N	150 x 6 x 22.23	⌒	10.200	25	616554000	£3.06
A 24-N	180 x 6 x 22.23	⌒	8.500	10	616560000	£3.41
A 24-N	180 x 6.8 x 22.23	⌒	8.500	10	616563000	£3.48
A 24-N	180 x 8 x 22.23	⌒	8.500	10	616561000	£4.53
A 24-N	230 x 6 x 22.23	⌒	6.600	10	616572000	£5.71
A 24-N	230 x 8 x 22.23	⌒	6.600	10	616573000	£7.10
Quality class A 24-T "Flexiamant Super" steel						
A 24-T	115 x 6 x 22.23	⌒	13.300	25	616275000	£2.07
A 24-T	125 x 6 x 22.23	⌒	12.200	25	616486000	£2.19
A 24-T	150 x 6 x 22.23	⌒	10.200	25	616487000	£3.06
A 24-T	180 x 6 x 22.23	⌒	8.500	10	616277000	£3.58
A 24-T	230 x 6 x 22.23	⌒	6.600	10	616279000	£5.43
Quality class A 36-O "Fleximant Super" Inox						
A 36-O	100 x 6 x 16	⌒	15.300	25	616735000	£1.81
A 36-O	115 x 6 x 22.23	⌒	13.300	25	616739000	£2.07
A 36-O	125 x 6 x 22.23	⌒	12.200	25	616747000	£2.19
A 36-O	150 x 6 x 22.23	⌒	10.200	25	616604000	£3.18
A 36-O	180 x 6 x 22.23	⌒	8.500	10	616610000	£3.88
A 36-O	230 x 6 x 22.23	⌒	6.600	10	616622000	£5.39

Grinding Discs for CS 23-335

Quality Class	Diameter x thickness x bore hole mm	Version	Max. speed/min	Packing unit	Order No.	List *(exc. VAT)*
Quality class A 30-R / A 36-S "Flexiamant Super" steel						
A 30-R	350 x 3 x 25.4	—	4.365	10	616327000	£8.23
A 36-S	350 x 3 x 25.4	—	4.365	10	616339000	£9.22
Quality class A 24-M "Flexiamant Super" steel						
A 24-M	350 x 3 x 25.4	—	4.365	10	616338000	£8.82
Quality class A 36-R "Flexiamant Super" inox						
A 36-R	350 x 3 x 25.4	—	4.365	10	616343000	£9.22

CORDED NEW!

Straight Grinders



Intelligent VC – Electronics:
- Soft start
- Constant speed under load
- Variable speed
- Overload protection
- Restart protection
- S-Automatic safety stop (Electronic)

Auto-Stop carbon brushes

USP Compact & light-weight design with planetary gears

Conically shaped spindle head fits into tighter spaces

Air vents at the rear: New airflow design / increased cooling to minimize burnout due to misuse

USP Slimmest grip diameter: 195mm – fatigue free working

Removable rubber sleeve
- Protects user from dissipating heat
- Protects user from cold when working outside or in cold environments



USP **Unique spindle lock**
One handed operation for changing tooling
not on GE710 Compact

MARATHON MOTOR

CORDLESS NEW!

Straight Grinders



- Electronic soft start
- Thermal overload protection
- Overload protection
- No-volt release switch

Rotatable battery pack: access to awkward spaces

Self service carbon brushes

Gear reduction on GA18LTX G for low speed, high torque applications

4Ah batteries

Charge level indicator

Conically shaped spindle head fits into tighter spaces

Dust Filter: prevents metal particles entering the motor – prolongs service life

Removable rubber sleeve
- Protects user from dissipating heat
- Protects user from cold when working outside or in cold environments

USP **Unique spindle lock**
One handed operation for changing tooling
not on GE710 Compact

4.0Ah BATTERY

GE 710 Compact Straight Grinder NEW!

The GE710 Compact is the latest generation of straight grinders from Metabo. This industrial quality straight grinder with its very slim and light weight design boast a raft of features including: variable speed electronics, restart protection, thermal overload protection, Metabo S-Automatic safety shutdown: if the tool jams, the power supply is disconnected immediately and auto stop carbon brushes to protect the motor.

FEATURES
No load speed 13,000-34,000 rpm
Rated input power 710 W
Output power 430 W
Collet bore of collet chuck 6 mm
Weight (without mains cable) 1.4 kg

! *High speed and low torque*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£139.00** **£166.80**
Order Number	240V - 600615000

GE 710 L Straight Grinder NEW!

The GE710 L is the latest generation of straight grinders from Metabo. This high speed industrial quality straight grinder with its very slim and light weight design boast a raft of features including: spindle lock for simple change of tools, removable protective rubber nose grip for comfortable and safe working, variable speed electronics, restart protection, thermal overload protection, Metabo S-Automatic safety shutdown: if the tool jams, the power supply is disconnected immediately and auto stop carbon brushes to protect the motor.

FEATURES
No load speed 10,000-30,500 rpm
Rated input power 710 W
Output power 430 W
Collet bore of collet chuck 6 mm
Weight (without mains cable) 1.6Kg

! *High speed and low torque*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£175.00** **£210.00**
Order Number	110V - 600616390 240V - 600616380

GE 950 L Straight Grinder NEW!

The GE900 L is the latest generation of straight grinders from Metabo. This high torque industrial quality straight grinder with its very slim and light weight design boast a raft of features, features include, Spindle lock for simple change of tools, removable protective rubber nose grip for comfortable and safe working, variable speed electronics, restart protection, thermal overload protection, Metabo S-Automatic safety shutdown: if the tool jams, the power supply is disconnected immediately and auto stop carbon brushes to protect the motor.

FEATURES
No load speed 2,500 -8,700rpm
Rated input power 950 W
Output power 510 W
Collet bore of collet chuck 6 mm
Weight (without mains cable) 1.7Kg

! *Low speed and high torque*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£199.00** **£238.80**
Order Number	110V - 600618390 240V - 600618000

GA 18 LTX Straight Grinder NEW! GA 18 LTX G Straight Grinder NEW!

This new high speed and high torque cordless straight grinders offer the latest in cordless technology, powered by 4.0Ah batteries and a robust wear resistant motor with electronic soft start, thermal overload protection and a no-volt release switch enables these straight grinders to perform in the most demanding of environments. Thanks to a unique spindle stop you can change accessories one handed, saving you time and money.

FEATURES	
Speed: 25,000	Spindle Lock, Soft Start
Volts: 18v 4.0Ah	Overload & Restart Protection
Max Collet: 8mm	Rotatable Battery Pack
Max Working : ø 50mm	ASC30 Charger

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£259.00** **£310.80**
Order Number	600638500

! **CORDLESS**

FEATURES	
Speed: 6,000 rpm	Spindle Lock, Soft Start
Volts: 18v 4.0Ah	Overload & Restart Protection
Max Collet: 8mm	Rotatable Battery Pack
Max Working : ø 50mm	ASC30 Charger

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£346.00** **£415.20**
Order Number	600639500

! **CORDLESS**

Straight Grinder Accessories



for general applications, best for inner contours



for surfaces, contours & radii



for contours and for deburring inner bores

for general applications



for narrow workpieces

for acute angles



for general applications

for hard to reach areas



for hard to reach areas, suited for model construction

for fine radii at sharp corners

Tungsten Carbide Rotary Burrs

Part No.	Head Ø mm	Working length	Overall length	Shaft Ø mm	List Price (exc. VAT)
Tungsten Carbide Rotary Burr, Cylinder with Endcut, Shape: B					
628341000	6	18	50	6	£10.99
628342000	8	19	64	6	£14.39
628343000	9.6	19	64	6	£15.49
628344000	12.7	25	70	6	£24.59
Tungsten Carbide Rotary Burr, Bull Nosed Cylinder, Shape: C					
628345000	6	18	50	6	£11.59
628346000	8	19	64	6	£14.25
628347000	9.6	19	64	6	£15.99
628348000	12.7	25	70	6	£24.59
Tungsten Carbide Rotary Burr, Ball, Shape: D					
628349000	6	4.7	50	6	£10.69
628350000	8	6	52	6	£11.49
628351000	9.6	8	54	6	£12.89
628352000	12.7	11	56	6	£17.29
Tungsten Carbide Rotary Burr, Ball Nosed Tree, Shape: F					
628353000	6	18	50	6	£12.19
628354000	8	20	65	6	£14.29
628355000	9.6	19	64	6	£15.39
628356000	12.7	25	70	6	£22.70
Tungsten Carbide Rotary Burr, Pointed Tree, Shape: G					
628357000	6	18	50	6	£12.15
628358000	8	19	64	6	£14.77
628359000	9.6	19	64	6	£16.39
628360000	12.7	25	70	6	£22.24
Tungsten Carbide Rotary Burr,Flame, Shape: H					
628361000	6	14	50	6	£12.15
628362000	8	19	64	6	£16.09
628363000	9.6	19	65	6	£27.99
628364000	12.7	32	77	6	£32.84
Tungsten Carbide Rotary Burr, Ball Nose Cone, Shape: L					
628401000	6	18	50	6	£12.45
628365000	8	18	64	6	£16.32
628366000	9.6	20	64	6	£19.60
628367000	12.7	32	71	6	£23.94
Tungsten Carbide Rotary Burr, Cone, Shape: M					
628368000	6	20	50	6	£12.45
628369000	8	18	64	6	£18.20
628370000	9.6	20	64	6	£19.64
628381000	12.7	22	71	6	£24.59
Tungsten Carbide Rotary Burr, Oval, Shape: E					
628372000	6	10	50	6	£13.07
628373000	8	15	60	6	£14.32
628402000	9.6	16	60	6	£15.66
628374000	12.7	22	67	6	£22.95
Tungsten Carbide Rotary Burr, Oval, aluminium, wood, plastic					
628375000	12.7	25	70	6	£30.28
628376000	12.7	11	56	6	£21.99
628377000	12.7	25	70	6	£29.99

Part No.	Head Ø mm	Working length	Overall length	Shaft Ø mm	List Price (exc. VAT)
Radiusburr					
628378000	12.8	25	70	6	£52.37

Mounted points

Part No.	Head Ø mm	Working length	Overall length	Shaft Ø mm	List Price (exc. VAT)
628330000	16	32	40	6	£2.91
628331000	25	25	40	6	£3.04
628332000	16	32	40	6	£4.57
628333000	25	25	40	6	£3.71
628334000	20	32	40	6	£4.04
628335000	5pce				£18.27
628336000	20	32	40	6	£3.84
628337000	25	32	40	6	£4.04
628338000	32	32	40	6	£4.50
628339000	40	20	40	6	£4.44
628340000	50	10	40	6	£4.44



Flap Sanding Discs

Part No.	ØxW	Max. speed /min	Shaft Ø	Grit	List Price (exc. VAT)
628379000	50 x 20	15.200	6	P 40	£5.14
631110000	50 x 20	15.200	6	P 60	£5.14
628380000	50 x 20	15.200	6	P 80	£5.14
628381000	60 x 20	12.700	6	P 40	£5.42
628382000	60 x 20	12.700	6	P 60	£5.42
628383000	60 x 20	12.700	6	P 80	£5.42
628384000	60 x 30	12.700	6	P 40	£5.90
631111000	60 x 30	12.700	6	P 60	£5.90
628385000	60 x 30	12.700	6	P 80	£5.90
628386000	60 x 30	12.700	6	P 120	£5.90
628387000	60 x 30	12.700	6	P 180	£5.90
628388000	60 x 30	12.700	6	P 240	£5.90
628389000	60 x 40	12.700	6	P 40	£6.79
631112000	60 x 40	12.700	6	P 60	£6.79
628390000	60 x 40	12.700	6	P 80	£6.79
628391000	80 x 30	9.500	6	P 40	£8.04
628392000	80 x 30	9.500	6	P 60	£8.04
628393000	80 x 30	9.500	6	P 80	£8.04
628394000	80 x 30	9.500	6	P 120	£8.04
628395000	80 x 40	9.500	6	P 40	£9.96
628396000	80 x 40	9.500	6	P 60	£9.96
628397000	80 x 40	9.500	6	P 80	£9.96
628398000	80 x 50	9.500	6	P 40	£11.21
628399000	80 x 50	9.500	6	P 60	£11.21
628400000	80 x 50	9.500	6	P 80	£11.21

Storage Cases

5 pce Plastic Box

contains:
628343000
628347000
628351000
628402000
628359000

628403000

List *(exc. VAT)*
£76.42

10 pce Plastic Box

contains:
628343000 628402000
628344000 628356000
628347000 628359000
628348000 628360000
628352000 628367000

628404000

List *(exc. VAT)*
£198.87

40 pce Counter Display

628405000

List *(exc. VAT)*
£668.58

Straight Grinder Clamp

This unique clamping fixture allows you to securely hold your grinder whilst working with a flexible shaft, placed on the worktop or hanging from the power supply this clamp gives you freedom to work. Thanks to the durable frame and hard rubber mounts this clamp is slip resistant, and protects delicate surfaces from scratches.

List *(exc. VAT)*	**£99.99**
Order Number	628329000

! *suitable for GE 710 Plus, GE 950 G Plus, GA 18 LTX, GA 18 LTX G*

› Flexible Shafts

		Order No	List (exc. VAT)
	Flexible shaft Suitable for speeds of 20,000–30,000 rpm, Bearing-mounted at both ends, Length:1.3m, Driving shaft: 6 mm, Collet size: 6 mm, Weight: 0.8kg	627609000	£197.34
	Flexible shaft (with 6 and 8mm collet) Suitable for speeds of 7,500–30,000 rpm, Bearing-mounted at both ends, Length:1.3m, Driving shaft: 8 mm, Collet size: 8 mm, Weight: 0.8kg	630980000	£176.09
	6 mm collet for flexible shaft 630980000	630977000	£19.72

KS 55 FS Circular Saw NEW!

A compact 1200 watt 160mm circular saw generating 5,600 rpm with a maximum depth of cut of 55mm. The KS55 FS has a robust diecast aluminium guard housing and base plate which ensures maximum cutting precision, tool free adjustment for bevel and depth of cut and a spindle lock for easy saw blade change. The base plate is compatible with guide rails without use of adaptors.

FEATURES
Maximum cutting depth at 90° 55 mm
Maximum cutting depth at 45° 39 mm
Cutting depth adjustable 0 - 54 mm
Saw blade diameter 160 mm
No load speed 5.600 rpm
Rated input power 1200 W
Weight (without mains cable) 4 kg
Maximum cutting depth at 45° 38 mm
Weight 3.4 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£149.00** **£178.80**
Order Number	240V - 600955700

Need cordless?
See page 23

METALOC

KS 66 Circular Saw

Popular, tough, high performance German-built circular saw with 66 mm depth of cut. Other features include: Metabo S-automatic torque limiting clutch, Spindle lock for easy blade change, sturdy aluminium die cast saw housing, fully closed guide plate for secure support, clearly visible cutting indicator for sawing after initial cut, safety lock switch to prevent unintentional start of the machine, bevel cuts possible up to 45°, auto-stop carbon brushes, precision guide rail available as accessory: 631250000.

FEATURES
Rated input power 1,400W
Saw blade diameter 190 mm
No load speed 4,200 rpm
Rated load speed 3,200 rpm
Cutting speed at rated load 28m/s
Cutting depth adjustable 0-66 mm
Maximum cutting depth at 90o 66 mm
Maximum cutting depth at 45o 47 mm
Weight 5.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£184.00** **£220.80**
Order Number	110V - UK600542390 240V - UK600542000



Need cordless?
See page 23

METALOC

Circular Saw Blades

WZ = Alternating bevel ground teeth

DZ/HZ = Roof-hollow tooth

FZ/TR = Flat trapezoid tooth

FZ/FA = Flat tooth/chamfered flat tooth

Pos rake angle / Neg rake angle, e.g. 5° neg

○◯○ 2NL = Secondary pin hole holder e.g. for new KGS PLUS machines

Metabo Blade Groups

Power Cut

- For fast, coarse and semi-fine cuts with continuous feed rates
- Good cutting results for straight cuts in solid wood
- Partly usable for construction wood with nails and concrete residue
- With coated wood or other composites only coarse cut quality is possible



Precision Cut

- Very wide range of uses in woodworking
- For very good, clean results with straight or cross cutting in softwood and hardwood
- Well suited for solid and plywoods, chipboards, untreated, coated or veneered, MDF, composite materials
- The circular saw must have a high performance motor

Multi Cut

- Universal use for demanding materials
- For the highest standards in cutting quality e.g. laminate, plastic, aluminium, copper and bronze materials
- Ideally suited for many applications in interior work
- Perfect cutting results, also when crosscutting in solid wood, coarse, coated or veneered chipboards, MDF
- The circular saw must have a very high performance motor
- Requires steady and relatively slow feed rates



Order No.	Description				Suitable for Machine	List Price *(exc. VAT)*
	Material	Diaxbore	Teeth	Type		
Power Cut						
344162850	HW/CT	165 x 16	18	WZ	KSAP18 / KSA18 LTX (replacement spare part)	£31.96
628002000	HW/CT	160 x 20	10	WZ	KS 55 FS, KS54 / KSE55 Vario Plus	£21.30
628005000	HW/CT	190 x 30	14	WZ	KS66 / KSE68 Plus	£20.82
628006000	HW/CT	190 x 30	16	FZ/FA	KS66 / KSE68 Plus	£29.95
Precision Cut						
628030000	HW/CT	160 x 20	24	WZ	KS 55 FS, KS54 / KSE55 Vario Plus	£34.71
628035000	HW/CT	190 x 30	48	WZ	KS66 / KSE68 Plus	£44.33
Multi Cut						
628071000	HW/CT	160 x 20	30	WZ	KS 55 FS, KS54 / KSE55 Plus & Vario Plus	£38.85
628072000	HW/CT	160 x 20	42	WZ	KS 55 FS, KS54 / KSE55 Plus & Vario Plus	£42.87
628075000	HW/CT	190 x 30	36	WZ	KS54 / KSE55 Plus & Vario Plus	£39.92
628077000	HW/CT	190 x 30	56	FZ/TR	KS54 / KSE55 Plus & Vario Plus	£50.53

KE 3000 Glue Gun

For gluing wood, plastics, carton, glass, ceramic, stone, textiles, cork, leather, metal etc. Also suitable for sealing, joining and for repairs with hot-melt type adhesive. Other features include: Mechanical glue feed, nozzle with heat guard, hot-melt type adhesive temperature stability, strap and supporting surface on housing for safe stop after use, anti-drip nozzle to help prevent the adhesive dripping.

FEATURES
Processing temperature 200°C
Diameter 11 mm
Length 200 mm
Maximum glue output 18g/min
Warm up time 6 mins
For hot melt type glue sticks
Weight (without mains cable) 0.25 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£20.00** **£24.00**
Order Number	240V - 618121000

OFE 1229 1/4" Router *with optional MetaLoc*

Professional OFE 1229 ¼" router with 1,200W motor and speed stability electronics for constant speed under load to aid smooth even finishes. Features include: Precision dial gauge for fine tuning the routing depth within 0.1 mm increments, three-level stop to preselect up to 3 different routing depths, sturdy two-column guide, robust plastic-covered aluminium die cast bearing flange, hardened and ground interchangeable collet chuck for precise concentricity of tools, spindle lock for easy router bit change, thumb wheel for preselection of speed, turn the machine on and off without releasing the handle, aluminium die cast base plate with coating for easy sliding, parallel guide/ripping fence guided in prisms, auto-stop carbon brushes, external dust extraction outlet.

FEATURES
Rated input power 1,200W
No load speed 5,000-25,500 rpm
Rated load speed 25,500 rpm
Maximum plunge depth 50 mm
Collet bore of collet 8 mm & 1/4"
Weight (without mains cable) 3.4 kg

> *"Engineering is superb on this German machine. A big 1200W motor, soft start, full-wave electronics an LED speed indicator and a massive turret are just some of the great features."*
>
> *Good Woodworking*

	MACHINE IN CARDBOARD BOX	MACHINE & METALOC IV
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£209.00** **£231.60**	**£244.00** **£292.80**
Order Number	601229000	UK601229383

METALOC

JIGSAWS

A CUT ABOVE THE REST

Automatic start up control
This function brings the machine up to speed gradually and accelerates to the full stroke rate when the saw blade enters the work piece ensuring you hit your line every time! With the addition of a blower function to dissipate shavings you can always see your cutting line

Excellent cutting output
VTC electronics permit a constant speed under load – for quick cuts in softwood up to 140mm

Slimmest grip
Ø in its class at only 195 mm

Tool-less
Metabo "Quick" no tool blade change function with quick ejection system with extra shaving blower for a clear cutting line

Simple bevel cuts
Tool-less and infinitely variable base plate. Resting points are defined for the most common angles.

PSE 1200 Reciprocating Saw

Heavy duty reciprocating/sabre saw. Suitable for cutting, wood, metals and plastics. With powerful 1,200W motor, variable speed trigger, strokes up 2,600 per minute and 28 mm in length. Two stage pendulum action for smooth or rapid cuts. All metal quick change saw blade mechanism.

FEATURES
Rated input power 1,200W
Strokes at no load 0-2,600 rpm
Torque: 15 Nm
Saw blade stroke 28 mm
Weight (excluding mains lead) 4 kg

> *"This have-a-go hero with all the latest features is backed up by a hardcore 1200w motor. it looks the pa rt and feels it too, weighty but very comfortable and portable too, sporting a four-way rotating handle and 180mm (7") saw blade for improved access into difficult areas."*
>
> *New Woodworking, Issue 71*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£195.00** **£226.80**
Order Number	601301000

! *Need cordless?*
See page 23

CARRY CASE

STEB 80 QUICK Jigsaw

The STEB 80 is a compact, lightweight jigsaw with a 80 mm depth of cut - available in 110V and 240V. Small and easy to use. The main features include; new quick blade release mechanism, 4 stage orbit settings, on/off chip blowing device offers free sight to the saw blade, variable speed control and dial, modern design with rubber coated 'D' handle for a comfortable, secure grip. Inc carry case.

On/off dust blow/line clear function

FEATURES
Maximum thickness of material in - Wood 80 mm - Nonferrous metals 25 mm - Sheet steel 8 mm
Levels of pendulum stroke 4
Bevel Left/Right - 45°
Strokes at no load 1,000-3,300 rpm
Rated input power 590 W
Weight (without mains cable) 2.0 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£108.00** **£129.60**
Order Number	110V - 601041610 240V - 601041590

! *Need cordless?*
See pages 24–25

QUICK BLADE CHANGE VTC CARRY CASE

STE 140 QUICK Jigsaw

This body grip jigsaw hosts a range of features including a "Quick" no tool saw blade change with automatic ejection, simple bevel cuts thanks to its "Quick" adjustable base plate, robust aluminium gear housing, base plate and quick blade release lever, ideal for any tough jobsite. Thanks to improved ergonomics this jigsaws has the slimmest grip diameter in its class at only 195mm. A powerful 750watt motor, including Metabo's VTC (constant speed) electronics and improved spring supported blade guide gives this jigsaws excellent cutting performance, even when under load.

FEATURES
Maximum thickness of material in - Wood 140 mm - Nonferrous metals 35 mm - Sheet steel 10 mm
Levels of pendulum stroke 3
Strokes at no load 1.000 - 3.100 /min
Rated input power 750 W
Output power 420 W
Weight (without mains cable) 2,5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£145.00** **£174.00**
Order Number	230V - 601403500

QUICK BLADE CHANGE CARRY CASE VTC

STEB 140 QUICK Jigsaw

This jigsaw hosts a range of features including a "Quick" no tool saw blade change with automatic ejection, simple bevel cuts thanks to its "Quick" adjustable base plate, robust aluminium gear housing, base plate and quick blade release lever, ideal for any tough jobsite. A powerful 750watt motor, including Metabo's VTC (constant speed) electronics and improved spring supported blade guide gives this jigsaws excellent cutting performance, even when under load.

FEATURES
Maximum thickness of material in - Wood 140 mm - Nonferrous metals 35 mm - Sheet steel 10 mm
Levels of pendulum stroke 3
Strokes at no load 1.000 - 3.100 rpm
Rated input power 750 W
Output power 420 W
Weight (without mains cable) 2,5 kg

MetaLoc II

	MACHINE & CARRY CASE	**MACHINE & METALOC II**
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£145.00** **£174.00**	**£175.00** **£210.00**
Order Number	110V - 601404610 230V - 601404590	110V - UK601404611 230V - UK601404591

QUICK BLADE CHANGE CARRY CASE VTC METALOC

Jigsaw Blades

Full range of Jigsaw blades can be found in the main accessory catalogue or online

Version	Material	Useable length	Tooth Pitch	Bosch Type	Units	Order No.	List Price
Softwood, plywood, plasics 1.5/5mm, especialy for clean curved cuts							
Clearance angle offset, pointed teeth	HCS	57	1.4mm	T101 AO	5	623651000	£5.62
Hardwood, softwood, chipboards, fibre boards, plastics 3-30mm, for clean cuts, saw blade with plunge tip							
Clearance angle offset, tooth ground	HCS	74	2.7mm/9 TPI	T101 B	5	623969000	£5.04
Hardwood, softwood, chipboards, fibre boards, plastics 3-30mm, for clean cuts							
Clearance angle, tooth ground reverse cutting	HCS	74	2.5mm	T101 BR	5	623650000	£6.16
Hardwood, softwood, chipboards, wood-core plywood 10-45mm, fibre boards 10-45mm for clean cuts							
Clearance angle offset, tooth ground	HCS	74	4.0mm	T101 D	5	623923000	£4.98
Hardwood, softwood, chipboards, wood-core plywood 5-50mm, for quick cuts, saw blade with plunge tip							
Ground, offset	HCS	74	4-5,2mm/6-5TPI	T144 D	5	623921000	£4.68
Hardwood, softwood, chipboards, wood-core plywood 5-50mm, especially for curved cuts							
Ground, offset	HCS	74	4.0mm	T244 D	5	623960000	£4.75
Aluminium 3-15mm, non ferrous metals 4-20mm, plastics, for quick cuts							
Milled, offset	HSS	74	3.0mm	T127 D	5	623639000	£5.11
Steel sheets 1-3mm, non ferrous metals, sandwich materials							
Milled, wavy	HSS	106	1.2mm	T318 A	5	623629000	£9.48
Steel sheets 2.5-6mm, non ferrous metals							
Milled, wavy	HSS	106	2.0mm	T318 B	5	623697000	£10.09
Gypsum carton, cement fibre board 5-80mm, fibreglass reinforced plastics 5-50mm							
Ground	HM	106	4.3mm	T341 HM	3	623671000	£43.30
Ceramic, glass, fibreglass, reinforced plastics, cast iron							
Coarse	Carbided	76	-	T130 RIFF	1	623657000	£3.93
Fine	Carbided	76	-	T150 RIFF	1	623658000	£3.93

23651 HCS
metabo

🟨 **yellow - wood**

🟦 **blue - metal**

⬛ **black - special application**

Sabre Saw Blades

Full range of Jigsaw blades can be found in the main accessory catalogue or online

Version	Material	Overall length mm	Thick-ness mm	Tooth Pitch	Bosch Type	Units	Order No.	List Price
Wood, wood with nails, metal inserts Ø 5-100mm, sheets, pipes, profiles 3-10mm								
Offset, milled	BiM	150	0.9	1.8-2.6mm/10-14 TPI	S922 VF	5	631492000	£12.19
Wood 15-190mm, firewood, removal of branches								
Side set, ground, carbide coated	HCS	240	1.5	5.0mm/5 TPI	S1531 L	2	631139000	£8.50
Wood, wood with nails, metal inserts Ø 5-175mm, sheets, pipes, profiles 3-10mm, plastics 3-175mm								
Offset, milled	BiM	200	0.9	2.5mm/10TPI	S1022 HF	5	631932000	£14.49
Sheets 1.5-4mm, profiles Ø 5-175mm, profiles 5-175 for flush cuts								
Offset, milled	BiM	225	0.9	1.4mm/18 TPI	S1122 EF	5	631493000	£18.98
Sheets 2-8mm, prifles 10-100mm								
Wavy, milled	BiM	150	0.9	1.8mm/14 TPI	S918 BF	2	631130000	£4.25
Sheets 0.7-3mm, profiles Ø 0.5-100mm, profiles 0.5-100 mm								
Offset, milled	BiM	150	0.9	1.4mm/18 TPI	S922 EF	5	631454000	£12.19
Sheets 3-8mm, pipes, profiles Ø 10-175mm, flush cuts								
Offset, milled	BiM	225	0.9	1.8mm/14 TPI	S1122 BF	5	631494000	£18.98
Cardboard, polystyrene, insulation material								
knife-blade ground	HCS	150	1	-	S713 AW	2	631144000	£9.04

Range of sabre saw blades especially for PowerMaxx ASE NEW!

Material	Overall length mm	Thickness mm	Tooth Pitch	Bosch Type	Units	Order No.	List Price
Wood, Metal							
BiM	100	0.9	4.2mm/6 TPI	-	5	628265000	£15.07
Wood, Metal							
BiM	100	0.9	1.41–1.81mm/14-18 TPI	-	5	628266000	£15.07
Metal							
BiM	100	0.9	2mm/14 TPI	-	5	628267000	£15.07
Metal							
BiM	100	0.9	1.41mm/18 TPI	-	5	628268000	£15.07
Plasterboard							
BiM	100	0.9	4.2mm/6 TPI	-	5	628264000	£15.07

HO 0882 Planer Kit *Inc MetaLoc III & Chip Bag*

Heavy duty planer with 3 mm depth of cut and 82 mm wide base. Includes Metabox III and chip collection bag. 'V' groove, milled in the front part of the planer place for easy 45° chamfering. Convertible left or right chip ejection outlets.

FEATURES
Rated input power 800W
No load speed 12,000 rpm
Rated load at speed 8,200 rpm
Planing width 82 mm
Adjustable planing depth 0-3 mm
Maximum rebate depth 23 mm
Length of planer base 290 mm
Weight (without mains cable) 3.3 kg

	MACHINE + METALOC III + CHIP BAG
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£169.00** **£202.80**
Order Number	110V - UK600882393 240V - UK600882383



METALOC

LF 724 Paint Remover

The LF 724 strips paint, varnish, and other coatings on flat wood surfaces. Unique on Market - Estimated 70% time saving over using conventional chemical/heat methods - Environmentally Friendly - 0-0.3 mm cutting depth. The S-automatic clutch protects machine and user should you run into a nail/screw etc. The machine has 4 reversible solid tungsten carbide blades and creates minimal dust during use.

FEATURES
Rated input power 710W
No load speed 10,000 rpm
Rated load at speed 7,200 rpm
Axial moulding/routing depth 0-0.3 mm
Radial moulding/routing depth 0.15 mm
Cutting edge cycle 80 mm
Lateral milling height 28 mm
Maximum rebate depth unlimited
Weight (without mains cable) 2.6 kg

"According to Metabo the LF 724 removes paint 70% faster than other methods. Although I can't vouch for that number, I can say that the tool removes paint much faster than you can remove it by heating and scraping - and there's no need to constantly clean and sharpen the scraper."
JLC Magazine

	MACHINE & CARRY CASE	MACHINE & METALOC I
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£199.00** **£238.80**	**£225.00** **£270.00**
Order Number	110V - 600724420 240V - 600724000	240V - UK600724001

METALOC

Body Grip Sanders

Body grip designs with high stock removal rate for hard to reach places. Suitable sanding wood, metals, plastics and plaster. Very suitable for sanding inner and outer curves. These are light and handy machines for convenient one-hand operation, Vario-speed (V) electronics, Thumb wheel for preselection of speed. DSE 300 also includes the Metabo Intec dust filter.

	SXE 400	DSE 300 Intec
Rated Input Power	220W	300W
Base plate	Ø 80 mm	93 x 93 x 93 mm
Orbital frequency at no load	5,000-10,000 rpm	14,000-22,000 rpm
Orbital frequency at rated load	6,000 rpm	18,000 rpm
Oscillating circuit	3mm	1.8mm
Weight (without mains cable)	1.2kg	1.3kg
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£84.00** **£100.80**	**£82.00** **£98.40**
Order Number	240V - 600405000	240V - 600311500

Palm Grip Sanders

These lightweight palm sanders are perfect for one handed use. They have a very good power to weight ratio making them perfect for getting the job done quickly in those tight, awkward places. Includes the Metabo Intec dust filter unit.

	FSR 200 Intec 1/4" Palm Sander	FSX 200 Intec Ø 125 Palm Sander	FMS 200 Intec Tri Palm Sander
Rated Input Power	200W	240W	200W
Base plate	144 x 102 mm	Ø 125 mm	100 x 147 mm
Orbital frequency at no load	26,000 rpm	11,000 rpm	26,000 rpm
Orbital frequency at rated load	22,000 rpm	9,500 rpm	22,000 rpm
Oscillating circuit	1.4 mm	2.7 mm	1.4 mm
Weight (without mains cable)	1.25 kg	1.3 kg	1.25 kg
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£63.00** **£75.60**	**£63.00** **£75.60**	**£63.00** **£75.60**
Order Number	240V - 600066500	240V - 609225500	240V - 600065500

UK'S FAVOURITE SANDER!

Suitable for waxing and polishing

Suitable for body repair work

Suitable for general curved and flat sanding applications

① **Variable speed thumb wheel:** For the adjustment and preselection of speed to suit various applications, e.g. low speed for polishing, high speed for sanding.

② **Removable additional handle:** For maximum support and stability whilst sanding / getting tight up against walls.

③ **Metabo "TurboBoost" switch:** This power reserve allows for increased performance and removal of even more stock material.

④ **Egonomic grip:** Rubber handling area for a comfortable palm or body grip.

⑤ **Duo orbit switch:** A unique feature to Metabo (patent protected). Small orbit for waxing / polishing, large orbit for rapid stock removal. 2.8 & 6.2 mm orbits. (SXE 450 only)

⑥ **Intec dust filter:** Integrated dust extraction filter provides a good level of dust capture. Best results achieved when connected to a vacuum.

⑦ **Dust extraction port Ø 35mm:** For external extraction of dust when connected to a vacuum, i.e. ASR 2025 (see page 88)

⑧ **Velco-based backing pad Ø 150 mm**: for the quick attachment of sanding sheets.

⑨ **Hexagonal spanner for changing sanding plate**: Practical storage for quick access.



SXE 425 TurboTec 125mm Random Orbit Disc Sander

Powerful light weight machine with Turbo Boost switch for a professional finish. Also includes the new Metabo Intec dust filter unit to help aid dust containment.

FEATURES
Rated input power 320W
Disc Diameter 125mm
Variable speed
Oscillating circuit 5mm
Intec dust filter unit
Turbo boost switch
Weight (without mains cable) 2kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	£129.00 £154.80
Order Number	240V - 600131000

! *To ensure the best possible health and safety protection, Metabo recommends that all sanders are used with a dedicated dust extraction machine such as the ASR 2025.*

SXE 450 TurboTec 150mm Random Orbit Disc Sander

The SXE450 turboTec is high powered, compact in size and very lightweight. It also comes with an Intec dust filter unit plus a turboBoost switch for maximum stock removal. Improved ergonomics, styling and gearing with a bearing system that reduces vibration by 25%!! The dual orbit setting allows you to change from 2.8mm for fine finishing to 6.2mm for rapid stock removal. SXE 450 TurboTec PRO PACK. Kit contains SXE 450 TurboTec sander, 1 x 25 pack mixed sanding discs, lambswool bonnet and polishing sponge, all in a MetaLoc.

FEATURES
Rated input power 350W
Disc Diameter 150 mm
Duo oscillating circuit 2.8/6.2 mm
Variable speed
Turbo boost switch
Weight (without mains cable) 2.2 kg
Included as standard: 3 perforated cling-fit t sanding sheets, Intec dust collection cartridge, removable additional handle, hexagonal spanner

PRO PACK

METALOC

	MACHINE IN CARDBOARD BOX	PRO PACK IN METALOC
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	£164.00 £196.80	£209.00 £250.80
Order Number	110V - 600129390 240V - 600129380	110V - UK600129383 240V - UK600129383

! *To ensure the best possible health and safety protection, Metabo recommends that all sanders are used with a dedicated dust extraction machine such as the ASR 2025.*

SRE 4350 TurboTec 1/3 Sheet Sander *with low vibration*

Professional 1/3 sheet sander with 350 watt motor & 2.2mm random order diameter. This professional sander comes into its own when working on large flat surfaces where a professional quality finish is required. Increased stock removal with the Metabo Turboboost switch plus variable speed to allow for finished results. Perfect for sanding into edges /corners. Improved ergonomics, styling and gearing with integrated dust extraction. New angled ball bearings gives this machine the lowest vibration on the market today.

FEATURES
Rated input power 350W
Base plate 92 x 190 mm
Orbital frequency at no load 8,400 - 22,000 rpm
No load speed 4,200 - 11,000 rpm
Oscillating circuit 2.2 mm
Scope of delivery - detachable handle, Intec - dustbox with filters
Weight (without mains cable) 2.5 kg

metabo
METALOC

	MACHINE IN CARDBOARD BOX	MACHINE & METALOC I
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£139.00** **£166.80**	**£164.00** **£196.80**
Order Number	240V - 611350000	240V - UK611350001

SRE 4351 TurboTec 1/2 Sheet Sander *with low vibration*

Professional 1/2 sheet sander with 350 watt motor & 2.2mm random order diameter. This professional sander comes into its own when working on large flat surfaces where a professional quality finish is required. Increased stock removal with the Metabo Turboboost switch plus variable speed to allow for finished results. Perfect for sanding into edges / corners. Improved ergonomics, styling and gearing with integrated dust extraction. New angled ball bearings gives this machine the lowest vibration on the market today.

FEATURES
Rated input power 350W
Base plate 112 x 236 mm
Orbital frequency at no load 8,400 - 22,000 rpm
No load speed 6,000 - 11,000 rpm
Oscillating circuit 2.2 mm
Scope of delivery - detachable handle, Intec - dustbox with filters
Weight (without mains cable) 2.7 kg

metabo
METALOC

	MACHINE IN CARDBOARD BOX	MACHINE & METALOC I
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£169.00** **£202.80**	**£189.00** **£226.80**
Order Number	110V - 611351390 240V - 611351380	110V - UK611351391 240V - UK611351381

Accessories Sanding

Sanding Sheets

Part No.	Description	List Price *(exc. VAT)*
625619000	10 Sanding sheets P40 115x103 mm - FSR200	£6.18
625620000	10 Sanding sheets P60 115x103 mm - FSR200	£6.18
625621000	10 Sanding sheets P80 115x103 mm - FSR200	£5.91
625623000	10 Sanding sheets P120 115x103 mm - FSR200	£5.91
625625000	10 Sanding sheets P240 115x103 mm - FSR200	£5.91
625603000	10 Sanding sheets P40 100x150 mm - FMS200	£6.72
625604000	10 Sanding sheets P60 100x150 mm - FMS200	£7.22
625605000	10 Sanding sheets P80 100x150 mm - FMS200	£6.79
625607000	10 Sanding sheets P120 100x150 mm - FMS200	£6.98
625609000	10 Sanding sheets P240 100x150 mm - FMS200	£6.13
625610000	10 assorted sanding sheets 100x150 mm - FMS200	£7.03

Sanding Discs

631584000	25 Sanding discs P40 Ø125 mm - SXE425 & FSX200	£13.00
631586000	25 Sanding discs P80 Ø125 mm - SXE425 & FSX200	£11.89
631587000	25 Sanding discs P120 Ø125 mm - SXE425 & FSX200	£11.33
631589000	25 Sanding discs P240 Ø125 mm - SXE425 & FSX200	£11.86
631583000	25 assorted sanding discs Ø125 mm - SXE425 & FSX200	£12.58
624019000	25 Cling-fit"sanding discs P40 Ø150 mm - SXE450	£21.30
624020000	25 Cling-fit"sanding discs P60 Ø150 mm - SXE450	£17.42
624021000	25 Cling-fit"sanding discs P80 Ø150 mm - SXE450	£15.71
624022000	25 Cling-fit"sanding discs P100 Ø150 mm - SXE450	£14.58
624023000	25 Cling-fit"sanding discs P120 Ø150 mm - SXE450	£14.58
624024000	25 Cling-fit"sanding discs P180 Ø150 mm - SXE450	£14.58
624025000	25 Cling-fit"sanding discs P240 Ø150 mm - SXE450	£14.58
624026000	25 Cling-fit"sanding discs P320 Ø150 mm - SXE450	£14.58
624027000	25 Cling-fit"sanding discs P400 Ø150 mm - SXE450	£14.58
624066000	25 assorted sanding discs Ø150 mm - SXE450	£17.25

SRE 4350 Sanding Sheets

624480000	10 Sanding sheets P40	£5.37
624482000	10 Sanding sheets P80	£4.46
624484000	10 Sanding sheets P120	£4.33
624485000	10 Sanding sheets P180	£4.33
624486000	10 Sanding sheets P240	£4.33

SRE 4351 Sanding Sheets

624491000	10 Sanding sheets P40	£7.58
624493000	10 Sanding sheets P80	£5.95
624495000	10 Sanding sheets P120	£5.73
624496000	10 Sanding sheets P180	£5.73
624497000	10 Sanding sheets P240	£5.73

Polishing Accessories

624037000	Velcro-faced intermediate disc 150 mm	£16.29
631233000	Cling-fit polishing sponge Ø160 mm	£15.39
631217000	Cling-fit lambswool polishing bonnet Ø160 mm	£14.22
631168000	Cling-fit felt disc, 5 mm thick Ø150 mm	£15.72
624038000	Cling-fit nylon-web abrasive P100 Ø150 mm	£6.77
624039000	Cling-fit nylon-web abrasive P280 Ø150 mm	£6.77

NEW

Classification of safety vacuum cleaners: Dust class L with AGW value > 1 mg/m^3

ALL-PURPOSE VACUUM CLEANERS

Dust solutions for improved cleanliness and safety at work

- **Mobile, compact vacuum cleaner for liquids and dry solids with commercial registration**
- **Suitable for extracting dusts and chips from power tools as well as for cleaning the construction site, workshop, vehicle and more**
- **Integrated socket with automatic start mechanism (ASA 32 L only)**

AS 20 L Vacuum Cleaner NEW!

The AS20L is the latest addition to the Metabo vacuum range, this mobile and lightweight 20L tank capacity vacuum is ideal for cleaning the construction site, workshop and vehicles. This commercially registered vacuum with a certification for dust class L and a 3,600cm2 filter surface has a dust retention capacity of 99%. The AS20L has a new motor design improving suction from 170mbar to 210mbar and thanks to a Tangential air inlet which catches the larger dust particles before they reach the filters and an integrated air-cooling system allows for longer run time and increased service life. The AS20L also has a automatic shutoff when wet vacuuming, when the maximum filling level in the tank is reached, the float switch automatically switches off the vacuum so to prevent overfilling.

FEATURES
Rated input power (max.) 1200watts
Air output (l/min): 4200
Vacuum (mbar): 210 mbar
Container volume: 20L
Suction hose diameter: 35mm
Weight: 5Kg

Scope of delivery:
- Suction hose 1.75m
- 2 suction pipes
- Cellulose pleated filter
- Grouting nozzle
- Floor nozzle 260mm wide

Order Number	240V - 602012000
SSP (exc. VAT) **SSP** (inc. VAT)	**£89.00** **£106.80**

ASA 32 L Vacuum Cleaner NEW!

The ASA32 L is the latest addition to the Metabo vacuum range, this mobile and lightweight 32L tank capacity vacuum with a 240v auto takeoff is ideal for cleaning the construction site, workshop and vehicles. This commercially registered vacuum with a certification for dust class L and a 3,600cm2 filter surface has a dust retention capacity of 99%. The ASA32 L has a new motor design improving suction from 170mbar to 210mbar and thanks to a Tangential air inlet which catches the larger dust particles before they reach the filters and an integrated air-cooling system allows for longer run time and increased service life. The ASA32 L also has a automatic shutoff when wet vacuuming, when the maximum filling level in the tank is reached, the float switch automatically switches off the vacuum so to prevent overfilling.

FEATURES
Rated input power (max.) 1200watts
Air output (l/min): 4200
Vacuum (mbar): 210 mbar
Container volume: 32L
Suction hose diameter: 35mm
Weight: 5Kg

Auto take-off

Order Number	240V - 602013000
SSP (exc. VAT) **SSP** (inc. VAT)	**£129.00** **£154.80**

Scope of delivery:
- Suction hose 3.2m
- 2 suction pipes
- Cellulose pleated filter
- Grouting nozzle
- Floor nozzle\260mm wide)
- Suction nozzle\120mm wide)

ASR 35 M All Purpose Vacuum Cleaner Wet & Dry with Auto Filter Cleaning

The ASR 35 M is Metabo's new M-Class rated vacuum cleaner. Designed specifically to cope with dust emissions from stone & concrete processing machines. Twin filters with automatic cleaning function helps ensure you never loose loss of suction (even when working), this also helps for a longer service life. Automatic take-off included as standard. This is a high performance vacuum cleaner for the professional user requiring high spec dust filtration to M-Class levels.



FEATURES
Rated input power 1,400W
Container volume 35 litres
Air output (at fan) 3,660 l/min
Vacuum 248 HPA (mbar)
Filter surface 8,600 cm²
Suction hose - L x 3.5 m Ø 35 mm, handle adapter, 2 suction pipes, 2 polyester filter cassettes M class, PE filter bag, Grouting nozzle, Floor nozzle
Weight 15 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£579.00** **£694.80**
Order Number	110V - 602056390



!

M Class dust rating with OEL values ≥ 0.1 mg/m³ with transmittance <0.1% / 99.99%.
The M-Class rating covers 'middle hazardous dusts' like concrete, plaster, stone, cement, wood, paint, varnish (mineral or other fine dusts).

ASR 2025 Vacuum Cleaner With Twin Filters & Auto Take Off

1,200W vacuum cleaner with especially high suction rate. The professional's choice for use during the job with the power tool or cleaning up debris after the job is done. Suitable for extracting dust, solid particles and non-flammable fluids (bag removed). Comes as standard with two pleated filters for maximum filter rates. Auto-filter clean function through use of magnetic filter vibration device. Run your power tool directly through the vac via the auto take-off plug – auto-start. Soft start for longer motor service life. Optimum nose dampening. A large range of optional accessories are available for this machine.

FEATURES
Rated input power 1,200W
Container volume 25 litres
Air output (at fan) 61 litres/sec
Vacuum 248 HPA (mbar)
Filter surface 8,600 cm²
Suction hose - L x 2.5 m Ø 35 mm (631752000), handle adapter, 2 suction pipes, crevice nozzle, universal nozzle, paper filter bag (631935000)

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£255.00** **£306.00**
Order Number	110V - 602022390 240V - 602022380

NEW!

!

HEPA Filter cassettes can be beneficial for asthma and other allergy sufferers. Due to their very fine filtration levels, they trap particles such as pollen and many carcinogenic substances found in hard woods, etc.

With a Filtration rate of only 0.3 Microns and dust removal of 99.995%
(Available as an accessory only)

Order No. 630326000
List Price ex VAT: £220.10

WITH TWIN FILTERS!

› Paper filter bags		Suitable for	Packing Unit	Order No	List *(exc. VAT)*
	Paper filter bag, 20-litre	AS 1200, ASA 1201, AS 20 L	5	631754000	£17.66
	Paper filter bag, 50-litre *For connecting filter bag 31349 to the multi-purpose vacuum cleaner ASR 1250, you require the filter bag holder 31347*	ASA 9050, ASR 1250, SHO 1150	5	631349000	£21.53
	Paper filter bag, 25-litre	ASA 2025, ASR 2025, ASR 35 L AutoClean, ASR 35 M AutoClean	5	631935000	£34.06
	Paper filter bag, 50-litre	ASR 2050, SHR 2050 M	5	631936000	£40.20
	Paper filter bag, 32-litre	ASA 1202, ASA 32 L	5	631757000	£31.32
	Paper filter bag, 27 litre	ASA 9011	5	631348000	£14.97

› Filter bags		Order No	List *(exc. VAT)*
NEW!	**PE filter bags – M 20 litre** (Packing unit: 5) • 20 times the volume of paper filter bags. PE filter bags cannot become blocked with fine dust (quartz dust in particular) like paper filter bags • Especially suitable for stone dusts • Meet the requirements for M and H class vacuums • Clean, simple and fast removal and disposal suitable for: ASR 35 L AutoClean, ASR • 35 M AutoClean	630325000	£64.30
NEW!	**Fleece filter bags – M 15 litre** (Packing unit: 5) • Fleece filter bags are better and easy to open out than paper ones • Improved mechanical stability • Suitable for all all-purpose and special suction units with a maximum container volume of 25 litres	630343000	£48.09

TURNING UP THE HEAT.



Stainless steel nozzle
High quality stainless steel nozzles with long life coil elements.

LCD digital temperature control
(HE 23-650 only.)

Thumb wheel variable temperature control
(HE 20-600 only.)

2-Step switch
2 / 3 Stage switch.

Removable protection sleeve
For ease of access into tight spaces.

Can be used in the upright position
allowing for two-handed use.

Comfortable soft grip handle

Applications	H 16-500 300°C or 500°C	HE 20-600 50°C to 600°C	HE 23-650 50°C to 650°C
Shrinking wire wrap	✓	✓	✓
Roofing. Lap welding PVC sheet	✓	✓	✓
Carrying out plastic seem welding, e.g. floor tiles, automotive repair, orthotics and prosthetics	✓	✓	✓
Vinyl & leather repair (removing creases / adhering patches)	✓	✓	✓
Activating and deactivating adhesives	✓	✓	✓
Butt welding plastic pipes	✓	✓	✓
Welding plastic tarpaulin sheet together for the transport and outdoor leisure industries	✓	✓	✓
Forming plastic tubes to radius and shaping general plastics	✓	✓	✓
Paint and varnish stripping of all kinds	●	✓	✓
Steel automotive part maintenance, repair and overhaul jobs	●	✓	✓
De-soldering circuit boards	X	✓	✓
Copper pipe soldering	X	✓	✓
Thumb wheel variable temperature control	X	✓	N/A
Electronically set variable temperature control	X	N/A	✓

✓	Very well suited
●	Only suitable under certain circumstances
X	Not suitable for this application

! *All Metabo heat guns are supported with a wide range of adaptable accessories.*

Shrinking Cable Sleeves

Soldering Copper

Welding Sheeting

Welding Plastic Tiles

H 16-500 Hot Air Gun *Inc 50mm wide jet nozzle & 20mm reducing nozzle*

The H 16-500 starts off the impressive range of Metabo professional level heat guns. The machine stats up with a 1,600 watt motor, delivering a thermal output of 300ºC or 500ºC. With these performance characteristics the H 16-500 is suitable for paint stripping, forming plastic tubes to radius, welding plastic tarpaulin sheet together for the transport and outdoor leisure industries, shrinking wire wrap, activating and deactivating adhesives, carrying out plastic seem welding, e.g. floor tiles, automotive repair, orthotics and prosthetics. With thermal fuse to protect in case of overheating.

FEATURES
Input Power 1,600W
Switch position (1) 240 l/min at 300°C (2) 450 l/min at 500°C
Cable length 2.2 m
Weight 0.7 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£42.00** **£50.40**
Order Number	240V - 601650500

All Metabo heat guns are supported with a wide range of adaptable accessories.

The H16-500 has a self supporting base for table top hands free work.

HE 20-600 Hot Air Gun *Inc 50mm wide jet nozzle & 20mm reducing nozzle*

The HE 20-600 offers you variable temperature adjustment for tasks where more accurate temperature selection is required. The machine has a 2,000 watt motor, delivering a maximum output temperature of 600ºC through a variable temperature dial. This means the HE 20-600 is capable of handling almost any task. The HE 20-600 is suitable for all paint and varnish stripping, de-soldering circuit boards, forming plastic tubes to radius, welding plastic tarpaulin sheet together for the transport and outdoor leisure industries, shrinking wire wrap, activating and deactivating adhesives, carrying out plastic seem welding, e.g. floor tiles, automotive repair, orthotics and prosthetics. With thermal fuse to protect in case of overheating.

FEATURES
Input Power 2,000W
Switch position (1) 150 l/min at 50°C (2) 300 l/min at 50-600°C (3) 500 l/min at 50-600°C
Variable temperature control: Stages 1-9
Cable length 2.2 m
Weight 0.85 kg

Temperature dial settings

Stage 1: 50 °C
Stage 2: 90 °C
Stage 3: 140 °C
Stage 4: 220 °C
Stage 5: 310 °C
Stage 6: 390 °C
Stage 7: 470 °C
Stage 8: 550 °C
Stage 9: 600 °C

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£79.00** **£94.80**	**£87.00** **£104.40**
Order Number	240V - 602060500	110V - 602060420

All Metabo heat guns are supported with a wide range of adaptable accessories.

The H20-600 has a self supporting base for table top hands free work.

HE 23-650 Hot Air Gun *Inc 50mm wide jet nozzle, 9mm reducing nozzle & wrap nozzle*

The HE 23-650 'CONTROL' is the top class offering within the Metabo heat gun range. Via an electronically controlled LCD screen it enables you to set and maintain the exact working temperature to suit your required application. This gives you complete control over the job in hand. The HE 23-650 is suitable for copper pipe soldering, steel automotive part maintenance, repair and overhaul jobs, all paint and varnish stripping, de-soldering circuit boards, forming plastic tubes to radius, welding plastic tarpaulin sheet together for the transport and outdoor leisure industries, shrinking wire wrap, activating and deactivating adhesives, carrying out plastic seem welding, e.g. floor tiles, automotive repair, orthotics and prosthetics. With thermal fuse to protect from overheating and thermal sensor to de-activate before overheating.

FEATURES
Input Power 2,300W
Switch position (1) 150-250 l/min at 50°C (2) 150-500 l/min adjustable in 10°C increments up to 650°C
Temperature control: LCD in 10°C steps
Cable length 4 m
Weight 0.94 kg

The H23-650 has a self supporting base for table top hands free work.

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£99.00** **£118.80**
Order Number	240V - 602365500

Program 1: 250 °C, approx. 350 l/min, e.g. Forming plastic pipes
Program 2: 350 °C, approx. 400 l/min, e.g. Welding plastic pipes
Program 3: 450 °C, approx. 500 l/min, e.g. Removing paint
Program 4: 550 °C, approx. 400 l/min, e.g. Soft soldering

These presets can be changed via LCD screen to suit your requirements.

Accessories Hot Air Guns

METABO FACT! Metabo heat guns are supported with a wide range of adaptable accessories.

Description	Application	Image	Item No.	**List** *(exc. VAT)*
Wide jet nozzle (50 mm)	Drying, stripping old coats of paint		630001000	£8.24
Wide jet nozzle (75 mm)	Drying, stripping old coats of paint from larger surfaces		630002000	£8.96
Deflector nozzle (75 mm)	Stripping old coats of paint from window frames, waxing and de-waxing skis		630003000	£8.96
Wrap nozzle	For warming plastic tubes etc. prior to bending and shaping; shrinking on shrink-fit plastic sleeves (e.g. on cable ends)		630004000	£8.03
Slit nozzle	• For overlap-welding of PVC tarpaulins and sheeting • To fit the nozzle, the reducing nozzle 630005000 is needed		630006000	£8.54
Welding nozzle	• For working with plastic welding wire (up to Ø 5 mm!) • To fit the nozzle, the reducing nozzle 630005000 is needed.		630007000	£13.49
Reducing nozzle (Ø 9 mm)	• For fitting slit nozzle 630006, & welding nozzle 630007 • Suitable for spot-heating e.g. when removing solders		630005000	£7.73
Reducing nozzle (Ø 20 mm)	• For fitting slit nozzle 630006, & welding nozzle 630007 • Suitable for spot-heating e.g. when removing solders		630022000	£7.73
Plastic welding wire	For welding on HDPE (e.g. tubs & baskets) Ø 4 mm		630014000	£9.04
Plastic welding wire	For welding on rigid PVD (e.g. pipes & boards) Ø 4 mm		630015000	£9.04
Plastic welding wire	• For welding on plasticised PVC (e.g. hoses & boards) • Welding together PVC floor tiles - Ø 4 mm		630019000	£9.04
Plastic welding wire	For welding on objects made of LDPE (e.g. household and electrical items) - Ø 4 mm		630021000	£9.04

EXTREMELY TOUGH.

ABSOLUTE PRECISION.

Metabo are a leading manufacturer of compound mitre saws. Today we would like to introduce to you our latest top end PRO range of KGS Plus machines. Due to the sliding function and the speed control, these saws are particularly versatile. We have taken particular care to provide market leading dust collection capabilities when connected to a vacuum. This makes the KGS Plus models particularly suitable for use in workshops and interior construction. Don't just take our word for it, see for yourself!

① **(VC) Variable speed control dial:** Speed remains constant even under load giving you smooth, clean, safe cuts. Soft start increases control and reduces start up forces on the motor and gearing delivering much longer service life than standard machines.

② **Speed control:** Material specific. For cutting wood (5-6) with Metabo Power, Precision or Multi-Cut blades. Plastics (3-4) with Metabo Precision or Multi-Cut blades. Metal (1-2) with Metabo Multi-Cut blades. See pages 108-109 for details.

③ **Metabo "Quick" saw blade change:** Quick, simple and tool free saw blade change in record time - thanks to the spindle lock and the tool-free Metabo Quick flange nut.

④ **Impressive cutting capacity:** Even the smaller KGS 216 Plus can cut an impressive 305 mm in width, 70 mm deep. The top model KGS 315 Plus can manage a staggering 320 mm in width, 120 mm deep. These machines really are prepared for anything.

⑤ **Line laser:** The display of the cutting line by the adjustable laser allows precise cutting right away, time and time again.

⑥ **Trenching facility:** This machine is operated by a 'quick flick' design meaning you can change from cutting to trenching mode in seconds while still retaining your depth setting.

⑦ **Superb dust extraction:** The 2 extraction points are positioned in just the right areas. One next to the saw blade extracts the dust immediately, and the second at the rear of the sliding rails allowing for accumulating dust at the end of each cut to be removed.

⑧ **Flexible LED work light (0910065173):** Makes work easier when light conditions are poor. It is available as an accessory along with many other useful items.

⑨ **Double bevel:** Common mitre and bevel angles are easy to set via common stop points. All control elements have a user-friendly location and are purposely designed to be easy to reach. Even on KGS 254 i PLUS Induction machine.

⑩ **Transport made easy:** The KGS 254 Plus is the optimal solution for all mounting jobs. In transport mode the saw head and the sliding function can be locked. The side handles provide easy access lifting points.

Metabo induction motor with motor brake (KGS 254 i Plus)
Low operating noise and maintenance free for long service life.



KS 216 M Laser Cut Mitre Saw

The Metabo KS 216 Single Bevel Mitre Saw is a compact, lightweight saw which is ideal for mobile use. It is suitable for sawing wood, coated panels and plastics. The non-slip rubber surface on the handle and upper carry handle ensure a firm and comfortable grip. The freely adjustable table extension on both sides has a practical support surface and integrated crosscut fence.

The Mitre Saw has a transport lock and lateral handles for easy and safe transportation. The turntable enables precise angle adjustment and a laser enables exact display of the cut. All scales are visible from the working position.

The Metabo KS 216 Mitre Saw has a die-cast aluminium work bench and an integrated working light to improve visibility of the workpiece. For safe and easy blade changing, it features a saw blade stop. To keep the workplace neat and tidy and to keep the air clean, it has a chip collection bag.

FEATURES
Compact light-weight saw, ideal for mobile use
For sawing wood, coated panels and plastics
Non-slip rubber surface on handle and upper carry handle
Lateral handles and transport lock
Turntable with precise angle adjustment
Die-cast aluminium work bench
Laser for exact display of the cut
Freely adjustable table extension on both sides with a practical support surface and integrated crosscut fence
Integrated working light
All scales visible from the working position
Saw blade stop for easy saw blade change
Chip collection bag for clean air at the workplace

SPECIFICATIONS	
1,350 Watts	
Blade	Ø 216 x 30 mm
Cutting Depth	90° - 60 mm, 45° - 45 mm
Cutting Width	90° - 120 mm, 45° - 80 mm
Mitre Left to right	47°-47°
Bevel Left	45°
Weight	9 kg

	MACHINE ONLY
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£99.00** **£118.80**
Order Number	240V - 0102160300

KGS 216 M Sliding Mitre Saw

The KGS 216 M is a slide mitre saw designed for the woodworking enthusiast as well as the semi-professional. This is a well designed, well thought through machine that offers tremendous value. With precision bearings on the support rails the KGS 216 M will give clean, smooth cuts up to an impressive 305 mm in width and 65 mm in depth. As with the KS 216 it comes supplied with an impressive array of standard equipment that you would normally have to pay extra for. These include strong cast aluminium table with left and right side extension rails inc length stops, work clamp, mains powered line laser, in built work lamp and high adjustable rear fences. Ideal for laminate floor work, cutting 2″x 3″, outdoor decking, floor boards etc.

FEATURES
Improved ergonomics
Slide Function
Single bevel
Built in laser guide
Integrated Work Lamp
Twin telescopic support side arms
Heavy duty work clamp
Dust bag
40 tooth 'Precision' cut blade and blade changing tool

SPECIFICATIONS	
1,500 Watts	
Blade Diameter	216 x 30 mm
Cutting Depth	90° - 65 mm 45° - 36 mm
Cutting Width	90° - 305 mm 45° - 205 mm
Mitre Left to right	47°-47°
Bevel Left	45°
Weight	14.0 kg

	MACHINE ONLY
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£179.00** **£214.80**
Order Number	240V - 0102160438

KGS 254 M Sliding Mitre Saw

The KGS 254 M is a slide mitre saw designed for the woodworking enthusiast as well as the semi-professional. This is a well designed, well thought through machine that offers tremendous value and capacity. With precision bearings on the support rails the KGS 254 M will give clean, smooth cuts up to an impressive 305 mm in width and 90 mm in depth. It comes supplied with an impressive array of standard equipment that you would normally have to pay extra for. These include strong cast aluminium table with left and right side extension rails inc length stops, work clamp, mains powered line laser, in built work lamp and high adjustable rear fences. Ideal for laminate floor work, outdoor decking, cutting 3”x 3” post, floor boards etc.

FEATURES
Improved ergonomics
Slide Function
Single bevel
Built in laser guide
Integrated Work Lamp
Twin telescopic support side arms
Heavy duty work clamp
Dust bag
48 tooth 'Precision' cut blade and blade changing tool

SPECIFICATIONS	
1,800 Watts	
Blade Diameter	254 x 30 mm
Cutting Depth	90° - 90 mm 45° - 47 mm
Cutting Width	90° - 305 mm 45° - 205 mm
Mitre Left to right	47°-47°
Bevel Left	45°
Weight	17.5 kg

	MACHINE ONLY
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£249.00** **£298.80**
Order Number	240V - 0102540438

KGS 216 PLUS Mitre Saw

The KGS 216 Plus represents the absolute latest in 8 inch cross cut mitre saw technology. The smallest in the top end pro range, it still delivers a very impressive 305 mm width by 70 mm deep cutting capacity. Born through precision engineering this sliding compound mitre saw emphasises on an extremely tough interlocking frame, absolute precision cutting, incredible cutting capacities and superb two-part dust control.

For details on inherent features please see pages 112–113.

" I really enjoyed using this saw. It's so smooth in operation. All the controls work well, and you feel that the settings are both accurate and reliable. The capacity is enormous for a relatively small-bladed saw, and it would be a dependable companion for both workshop and site work."

Alan Holtham, The Woodworker, July 2011

! *Superb dust extraction capability when used with vacuum. Recommended for use with the ASR 2025 See page 88.*

SUPERB TWIN-PORT EXTRACTION!

QUICK BLADE CHANGE

FEATURES
Slide Function
Double bevel
Extremely tough all metal construction
Built in adjustable laser guide
Superb dust extraction capability
Twin telescopic support side arms
Heavy duty work clamp
Adjustable rear fences
QUICK Saw blade change
48 tooth 'Precision' cut blade and blade changing tool

SPECIFICATIONS	
1,600 Watts	
Blade Diameter	216 x 30 mm
Cutting Depth	90° - 70 mm 45° - 41 mm
Cutting Width	90° - 305 mm 45° - 214 mm
Mitre left to right	47° to 55°
Bevel left to right	46° to 46°
Weight	21 kg

	MACHINE ONLY
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£369.00** **£442.80**
Order Number	110V - 0102160239 240V - 0102160238

KGS 254 PLUS Mitre Saw

The KGS 254 PLUS represents the absolute latest in 10 inch cross cut mitre saw technology. With its large capacities this machine can handle the vast majority of common cutting requirements. Born through precision engineering this sliding compound mitre saw emphasises on an extremely tough interlocking frame, absolute precision cutting, incredible cutting capacities and superb two-part dust control.

For details on inherent features please see pages 112–113.



! *Superb dust extraction capability when used with vacuum. Recommended for use with the ASR 2025 See page 88.*

SUPERB TWIN-PORT EXTRACTION!

QUICK BLADE CHANGE

FEATURES
Slide Function
Double bevel
Extremely tough all metal construction
Built in adjustable laser guide
Superb dust extraction capability
Twin telescopic support side arms
Heavy duty work clamp
Adjustable rear fences
QUICK Saw blade change
60 tooth 'Precision' cut blade and blade changing tool

SPECIFICATIONS	
2,000 Watts	
Blade Diameter	254 x 30 mm
Cutting Depth	90° - 90 mm 45° - 54 mm
Cutting Width	90° - 305 mm 45° - 214 mm
Mitre left to right	47 to 60°
Bevel left to right	46° to 46°
Weight	24 kg

	MACHINE ONLY
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£499.00** **£598.80**
Order Number	110V - 0102540339 240V - 0102540338

KGS 254 i PLUS Mitre Saw

The KGS 254 i PLUS represents the absolute latest in 10 inch Induction motored cross cut mitre saw technology. With its powerful induction motor this machine is of particular advantage when used as a stationary device in workshop/production related facilities. The braked motor provides smooth, maintenance free quiet running power delivery. Born through precision engineering this sliding compound mitre saw emphasises on an extremely tough interlocking frame, absolute precision cutting, incredible cutting capacities and superb two-part dust control.

For details on inherent features please see pages 112–113.



! *Superb dust extraction capability when used with vacuum. Recommended for use with the ASR 2025 See page 88.*

SUPERB TWIN-PORT EXTRACTION!

QUICK BLADE CHANGE

FEATURES
Slide Function
Extremely tough all metal construction
Built in adjustable laser guide
Superb dust extraction capability
Twin telescopic support side arms
Heavy duty work clamp
Adjustable rear fences
QUICK Saw blade change
60 tooth 'Precision' cut blade and blade changing tool

SPECIFICATIONS	
1,800 Watts	
Blade Diameter	254 x 30 mm
Cutting Depth	90° - 90 mm 45° - 54 mm
Cutting Width	90° - 305 mm 45° - 214 mm
Mitre left to right	47 to 60°
Bevel left to right	46° to 22.5°
Weight	32.5 kg

	MACHINE ONLY
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£599.00** **£718.80**
Order Number	240V - 0102540200

KGS 315 PLUS Mitre Saw

The KGS 315 PLUS represents the absolute latest in 12 inch cross cut mitre saw technology. Huge cutting capacities are possible with this machine - the widest possible range on the market today! Not only that but it is extremely fast too with a cutting speed of 67 m/s. Born through precision engineering this sliding compound mitre saw emphasises on an extremely tough interlocking frame, absolute precision cutting, incredible cutting capacities and superb two-part dust control.

For details on inherent features please see pages 112–113.

"The massive blade, with 84 teeth cuts beautifully and our resident craftsman, Steve Prescott, was amazed by its ability to cut huge oak boards he's processing for a bench to length with ease."

British Woodworking, May 2011

! *Superb dust extraction capability when used with vacuum. Recommended for use with the ASR 2025 See page 88.*

SUPERB TWIN-PORT EXTRACTION!

QUICK BLADE CHANGE

FEATURES
Slide Function
Double bevel
Extremely tough all metal construction
Built in adjustable laser guide
Superb dust extraction capability
Twin telescopic support side arms
Heavy duty work clamp
Adjustable rear fences
QUICK Saw blade change
84 tooth 'Precision' cut blade and blade changing tool

SPECIFICATIONS	
2,200 Watts	
Blade Diameter	315 x 30 mm
Cutting Depth	90° - 120 mm 45° - 76 mm
Cutting Width	90° - 320 mm 45° - 223 mm
Mitre left to right	47 to 60°
Bevel left to right	46° to 46°
Weight	26 kg

	MACHINE ONLY
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£529.00** **£634.80**
Order Number	110V - 0103150039 240V - 0103150038

UMS Universal Stand Mitre / Table Saws

The UMS Universal stand from Metabo is a robust stand that folds shut for easy storage. Great for the workshop or on-site use when you want to use your machine at a comfortable waste height.

- KS 216 M
- KGS 216 M
- KGS 254 M
- KS 305 PLUS
- KGS 216 PLUS
- KGS 254 PLUS
- KGS 254 i PLUS
- KGS 315 PLUS
- KS 254 PLUS
- KS 305 PLUS
- KGT 300
- BAS 260 SWIFT (Bandsaw)
- DH 330 (Thicknesser)

FEATURES
For ideal working height
Sturdy and secure design with strong base
Carrying handles
Collapsible for ease of storage
Level adjustment for uneven surfaces

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£73.00** **£87.60**
Order Number	631317000

KSU 400 Stand Mitre / Table Saws

FEATURES
Fits all mitre saws from any brand
The telescopic arms extend on both sides
Overall width of cut - 4 metres
High-quality steel and aluminium design
Lightweight stand, easy to transport weighing just 25 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£164.00** **£196.80**
Order Number	0910066110

Sturdy side supports
The side supports are height adjustable, so they can be readily adapted to match the different crosscut saw types. Can also be used as a stop block for repeat cutting to length.



Mounting Rails
Long, laterally adjustable rails can be adjusted to take virtually any make and model of cross cut saws

Carrying Handle
A large carrying handle is mounted centrally under the stand, ensuring perfect balance and ease of transport. There are also handles at both ends, allowing the stand to be easily carried by two people.

Built-in table width extensions
The left and right extensions, running in steel telescopic guides, extend to give an overall width of 4 metres.

Height adjustable legs
The robust aluminium legs fold up quickly and conveniently. With height adjustment to compensate for uneven ground.

ROLLER CARRIER

List *(exc. VAT)*	**£37.30**
Order Number	0910064592

For long, wide boards. Easily transports and supports cut material on rollers.

WHEEL SET

List *(exc. VAT)*	**£24.13**
Order Number	0910064584

Moves the stand with the attached crosscut saw quickly and conveniently. Can also be used when the stands legs have been folded up.

SUPPORT LEG

List *(exc. VAT)*	**£70.15**
Order Number	0910064606

Provides additional support under table width extensions when cutting heavy work pieces. Ensures that the extension arms do not sag below the height of the crosscut saw support.

KSU 250 Mobile Stand Mitre / Table Saws

So you want true on/off site mobility? Do you want to support long work pieces? Do you want the option to work at floor height or at waste height in one easy step? The KSU 250 Mobile has been designed to offer you a professional stand solution for you and your mitre saw. Made from a light yet strong aluminium frame the stand is easy to transport in either trolley mode or as a two man lift. Complete with extendible side arms inc one side with a leg support for extra stability. The stand can easily accommodate work pieces of 2.5 m in length. Twin height adjustable side supports / length stops are included to help support heavy work pieces and guarantee level positioning for square cuts.

FEATURES
Fits all mitre saws from any brand
The telescopic arms extend on both sides - left side with additional leg support
Overall width of cut - 2.5 metres
High-quality steel and aluminium design
Lightweight and mobile stand, easy to store and transport



SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£239.00** **£286.80**
Order Number	631318000

CONSTRUCTION IS OUR PASSION



Universal mount for any mitre saw

Adjustable end stop and length support

Left and right length supports

Comfortable and manoeuvrable foam rolling handle bar

Leg support for extra stability (left only)

Hard tyres will not deflate and run flat whilst on the job

Adjustable feet for uneven surfaces

metabo
TKHS 315 C

TKHS 315 C Portable Table Saw

Built with simplicity in mind the TKHS 315 C is capable of quickly cutting timbers up to 85 mm in depth. This machine has been designed to be a basic workshop saw with generous cutting capacities. 24 tooth TCT blade and table rear extension supplied as standard.

FEATURES
Dimensions L x W x H 1.650 x 650 x 1.000 mm
Table size 550 x 800 mm
Cutting height 90/45° 85 mm/60 mm
Cutting speed 50 m/s
Saw blade Ø 315 x 30 mm
Mains voltage 230 V
Rated input power 2 kW
Output power 1,5 kW
Weight 62 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£229.00** **£274.80**
Order Number	240V - 0103152038

TKHS 315 M Site Saw

Available in 240V and 110V the TKHS 315 M is the market leading site saw. With an 85 mm depth of cut this saw is built to withstand the demands of the trade and hire industry. In the form of the PRO PACK the saw comes with a precise sliding table on bearing carrier and a side table extension capable of cross cutting panels up to 1,240 mm in width. 24 tooth TCT blade and table rear extension supplied as standard.

Please Note - The following site saw is part pre-assembled: 30 - 60 minutes set up time is required.



Pro Package

Large rear table extension supplied as standard.
Length: 800 mm
Width: 550 mm

Sturdy rip fence

Table side extension
Length:1,000 mm
Width: 660 mm

Precision sliding carriage, smooth roller bearing design.
*Standard sliding carriage supplied with the machine.

Easy access rise & fall mechanism,
Simple to maintain.

Strong, smooth running induction motor

Wheel Kit supplied as standard.

Lift handles

110V does NOT come with plug.

SPECIFICATIONS	
2,500 Watts	
Table size	600 x 800 mm
Cutting height	90° - 85 mm / 45° - 53 mm
Saw blade	ø 315 x 30 mm
L x W x H	1,700 x 700 x 1,000 mm
Weight	75 Kg

FEATURES
Smooth induction motor - maintenance free use
24 tooth carbide saw blade
Wheel set | Rip fence
Rear table length extension (600 x 800 mm)
Chip extraction connections
Table side extension (PRO PACKAGE ONLY)
Precision left hand sliding carriage on roller bearings (PRO PACKAGE ONLY)

SUPERB TWIN-PORT EXTRACTION!

Machine only

MACHINE ONLY

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£429.00** **£514.80**
Order Number	110V - 0103153039
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£379.00** **£454.80**
Order Number	240V - 0103153038

PRO PACKAGE

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£609.00** **£730.80**
Order Number	110V - UK0103153039
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£550.00** **£660.00**
Order Number	240V - UK0103153038

NEW

THE MOST COMPACT OF ITS CLASS

The new table saw TS 254 with integrated foldable stand

The new TS 254 makes it even easier for you as a professional to have a table saw on site. Its stand is completely integrated into the saw housing and can be extended and stowed away in a matter of seconds. This doesn't make it only uniquely compact, but it is also by far the lightest table saw of its kind. Furthermore, all attachments can be stowed away in a compartment on the casing. Thanks to the hard rubber tyres, the TS 254 can be pulled easily, thus setting a new benchmark for mobility in compact table saws.



The lightest mobile table saw

With 33.4 kg including stand, the TS 254 is up to 50% lighter when compared to other mobile table saws in its class (including stand with wheels)!

Integrated foldable stand

Compact and extremely stable at the same time!

Second working height

allowing you to work near ground level



More highlights

For your safety:

- Fast motor brake brings the saw blade to a standstill in just 3 seconds
- No-volt release switch – prevents accidental startup of the machine after a power cut
- Dual port dust extraction for low dust working

For your productivity:

- High torque 2,200 Watt motor with electronic overload protection
- Riving knife that can be lowered without needing tools for short setup times
- Automatic resetting to 0 – 45 ° after undercuts

Setup in 15 seconds only!

FEATURES	
Dimensions L x W x H	740 x 750 x 355 mm
Table size L x W (min./max.)	670 / 970 x 715 / 995 mm
Working height	850 / 355 mm
Maximum cutting height (90°/45°)	87/ 50 mm
Max. cutting width at parallel guide	630 mm
No-load speed	4.200 /min
Max. cutting speed	56 m/s
Saw blade	Ø 254 x 30 mm
Rated input power	2 kW
Saw blade swivel range	– 1,5 ° bis 46,5 °
Weight including stand	33.4 kg

Order Number	240V - 600668380
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£499.00** **£598.80**

Saw Blades

WZ = Alternating bevel ground teeth

FZ/TR = Flat trapezoid tooth

Pos rake angle / Neg rake angle, e.g. 5° neg

DZ/HZ = Roof-hollow tooth

FZ/FA = Flat tooth/chamfered flat tooth

2NL = Secondary pin hole holder e.g. for new KGS PLUS machines

Metabo Blade Groups

Power Cut

- For fast, coarse and semi-fine cuts with continuous feed rates
- Good cutting results for straight cuts in solid wood
- Partly usable for construction wood with nails and concrete residue
- With coated wood or other composites only coarse cut quality is possible



Precision Cut

- Very wide range of uses in woodworking
- For very good, clean results with straight or cross cutting in softwood and hardwood
- Well suited for solid and plywoods, chipboards, untreated, coated or veneered, MDF, composite materials
- The circular saw must have a high performance motor



Multi Cut

- Universal use for demanding materials
- For the highest standards in cutting quality e.g. laminate, plastic, aluminium, copper and bronze materials
- Ideally suited for many applications in interior work
- Perfect cutting results, also when crosscutting in solid wood, coarse, coated or veneered chipboards, MDF
- The circular saw must have a very high performance motor
- Requires steady and relatively slow feed rates



Order No.	Description				Suitable for Machine	List Price (exc. VAT)
	Material	Dia x bore	teeth	Type		
Power Cut						
628025000	HW/CT	254 x 30	24	WZ	TS254	£30.89
628008000	HW/CT	210 x 30	24	WZ	KS210 / KGS255	£37.49
628009000	HW/CT	216 x 30	24	WZ 5° neg. 2NL	KGS216 / KGS216 PLUS	£57.95
628013000	HW/CT	250 x 30	24	WZ 3° neg.	KS250 / KGS301, 303, 331	£36.79
628012000	HW/CT	250 x 30	24	WZ	PK255 / PKU250 / PKF255 (V8) / Optal26 / Maxi26 / CB310 /MF310	£34.75
628014000	HW/CT	300 x 30	28	WZ 2NL	PK300	£44.37
628015000	HW/CT	315 x 30	20	FZ 22°	TKHS315 / KGT300	£46.18
628016000	HW/CT	315 x 30	24	WZ 20°	TKHS315	£48.33
628100000	CV	315 x 30	56	KV	TKHS315	£31.00
628101000	CV	315 x 30	80	NV	TKHS315	£31.00
Precision Cut						
628036000	HW/CT	210 x 30	30	WZ	UK220 / PK200	£36.79
628037000	HW/CT	210 x 30	40	WZ 0°	KS210 / KGS255 / UK220 / PK200	£44.37
628039000	HW/CT	210 x 30	42	WZ	UK220 / PK200	£46.35
628038000	HW/CT	210 x 30	42	FZ/TR	KS210 / KGS255 / UK220 / PK200	£49.79
628041000	HW/CT	216 x 30	48	WZ 5° neg. 2NL	KGS216 / KGS216 PLUS	£84.58
628045000	HW/CT	250 x 30	34	WZ 2NL	KGT500, 501, 550 / TS250 / PK255 / PKU250 / PKF255 / PKF255 (V8) / Optal26 / Maxi26 / CB310 / MF310	£38.58
628046000	HW/CT	250 x 30	42	WZ 2NL	KGT500, 501, 550 / PK255 / PKU250 / PKF255 / PKF255 (V8) / Optal26 / Maxi26 / CB310 / MF310	£52.17
628047000	HW/CT	250 x 30	48	WZ 5° neg.	KS250 / KGS301, 303, 331	£53.41
628059000	HW/CT	254 x 30	40	WZ	TS254	£45.80
628048000	HW/CT	250 x 30	60	WZ 5° neg.	KS250 / KGS301, 303, 331	£57.95
628049000	HW/CT	250 x 30	60	WZ 2NL	KGT500, 501, 550 / TS250 / PK255 / PKU250 / PKF255 / PKF255 (V8) / Optal26 / Maxi26 / CB310 / MF310	£57.95
628221000	HW/CT	254 x 30	48	WZ 5° neg. 2NL	KGS254 / KGS254 PLUS / KGS254 i PLUS	£38.19
628222000	HW/CT	254 x 30	60	WZ 5° neg. 2NL	KGS254 / KGS254 PLUS / KGS254 i PLUS	£41.63
628051000	HW/CT	300 x 30	48	WZ 2NL	PK300	£52.17
628052000	HW/CT	300 x 30	60	DZ/HZ 2NL	PK300	£85.47
628053000	HW/CT	300 x 30	72	WZ 2NL	PK300	£61.22
628054000	HW/CT	305 x 30	60	WZ	KGS305	£81.49
628055000	HW/CT	305 x 30	80	WZ	KGS305	£95.08
628228000	HW/CT	305 x 30	60	WZ 5° neg.	KS305 PLUS	£78.90
628229000	HW/CT	305 x 30	84	WZ 5° neg.	KS305 PLUS	£92.43
628056000	HW/CT	315 x 30	48	WZ 15°	TKHS315	£56.14
628057000	HW/CT	315 x 30	48	WZ 0°	KGS305 / KGT300 / TKHS315	£56.14
628058000	HW/CT	315 x 30	84	WZ 10°	KGS305 / KGT300 / TKHS315	£95.08
628224000	HW/CT	315 x 30	48	WZ 5° neg. 2NL	KGS315 PLUS	£53.89
628225000	HW/CT	315 x 30	84	WZ 5° neg. 2NL	KGS315 PLUS	£95.56
Multi Cut						
628078000	HW/CT	210 x 30	54	FZ/TR	KGS255 / Ks E 1678 S-Signal	£57.02
628080000	HW/CT	210 x 30	60	FZ/TR	KGS255 / Ks E 1678 S-Signal	£63.02
628079000	HW/CT	210 x 30	60	WZ	KGS255 / Ks E 1678 S-Signal	£51.42
628081000	HW/CT	210 x 30	64	WZ	UK 220 / PK200	£51.42
628082000	HW/CT	210 x 30	64	FZ/TR 5° neg.	KGS255 / KS210	£63.02
628083000	HW/CT	216 x 30	60	FZ/TR 5° neg. 2NL	KGS216 / KGS216 PLUS	£90.54
628087000	HW/CT	250 x 30	80	WZ 2NL	KGT500, 501, 550 / TS250 / PK255 / PKU250 / PKF255 / PKF255 (V8) / Optal26 / Maxi26 / CB310 / MF310	£65.75
628088000	HW/CT	250 x 30	80	FZ/TR 5° neg. 2NL	KGS301, 303, 331 / KGT500, 501, 550 / TS250 / PK255 / PKU250 / PKF255 / PKF255 (V8) / Optal26 / Maxi26 / CB310 / MF310	£65.75
628223000	HW/CT	254 x 30	80	FZ/TR 5° neg. 2NL	KGS254 / KGS254 PLUS / KGS254 i PLUS	£58.30
628089000	HW/CT	300 x 30	96	WZ KNL	PK300	£79.51
628090000	HW/CT	300 x 30	96	FZ/TR 6° neg. 2NL	PK300	£89.09
628091000	HW/CT	305 x 30	96	FZ/TR 5° neg.	KGS305 / KS305 PLUS	£114.09
628092000	HW/CT	315 x 30	96	FZ/TR 5° neg.	KGS305	£114.09
628226000	HW/CT	315 x 30	96	FZ/TR 5° neg. 2NL	KGS315 PLUS	£101.43
628093000	HW/CT	254 x 30	80	FZ/TZ	TS254	£62.84

Accessories Saws

Order No.	Description	List Price (exc. VAT)
0911001071	Waxilit 70g - anti seize paste for beds and tables	£9.35
0911018691	Silicon Spray Can: Spray for maintenance and care	£7.54
0910057553	Work clamp for KGS 255 / KGS 303 / KGT 300 / KGT 501 / KS 210 C / KS 210 Lasercut	£41.54
1010665805	Work clamp for all KGS / KS PLUS machines and KGS 305 (this is a spare part not an accessory)	£29.76
0910065173	LED Work Light for all KGS PLUS machines and KS 305	£31.44
0910061127	Chip and dust extractor unit TS 250 / KGS 305 / UK 333	£59.37
0910058010	Suction adapter multi	£11.64
	for KGT 300 & 501	
0910057553	Workpiece clamping device KGS 255 / 303 / 305 / KGT 300 / 501/ KS 210C	£41.54
0910058010	Suction adapter multi	£11.64
	for NEW KS / KGS PLUS Models	
0910065173	LED Work Light for all KGS PLUS machines and KS 305	£31.44
0910058010	Adapter for 100mm suction port	£11.64
0910061127	Chip and dust extractor unit TS 250 / KGS 305 / UK 333	£59.37

BAS 260 SWIFT Bandsaw

The BAS 260 Swift is a small compact bandsaw with many features normally found on much larger bandsaws. The 100 mm depth of cut and 245 mm throat make it ideal for handling most small projects, ideal for where space or budget is limited. With a solid cast iron table that can tilt to 45°, top mount brass thrust roller bearings, bottom mount blade guides, rack and pinion guard depth adjustment, cam lock rip fence and a torsion-free welded all steel construction. The top and bottom doors come micro switched for user safety.

> *"Micro switching on the doors as well as a quick-to-remove fence rail makes blade changing painless, and with a maximum of ½ Inch blade width you can make decent cuts for straight work as well as intricate curved work."*
>
> *Good Woodworking*

SPECIFICATIONS	
350 Watts	
Saw Table Tilt Range	0 - 45°
Cutting Depth	100 mm
Throat Capacity	245 mm
Cutting Speed	690 m/min
Saw Blade Length	1,712 mm
Support Surface	340 x 335 mm
Weight	32.5 kg

FEATURES
A6 universal bandsaw blade
Support base
Parallel guide/ripping fence
Mitre guide
Precision three-pulley guide
Suction adapter

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£199.00** **£238.80**
Order Number	240V - 0090025138

BAS 317 PRECISION PACKAGE Bandsaw

The popular BAS 317 bandsaw is built to meet the demands of the woodworking enthusiast / small workshop. The 165 mm depth of cut and 305 mm throat capacity make the machine capable of handling everyday materials. Features include; a cast iron table that can bevel from -2° to 45°, brass thrust roller bearings, rack and pinion guard depth adjustment, cam lock rip fence with front and back lock on, mitre fence, stand and two cutting speeds.

! *Includes 4 blade set worth £52.36 List*

! *Excellent workshop machine. Band Saw set up is one key area to accurate cutting. Take extra care and attention here.*

SPECIFICATIONS	
900 Watts	
Saw Table Tilt Range	-2 - 45°
Cutting Depth	165 mm
Throat Capacity	305 mm
Cutting Speed	370/800 m/min
Saw Blade Length	2,240 mm
Support surface	548 x 400 mm
Weight	70.5 kg

FEATURES
A6 universal bandsaw blade & stand
Parallel guide/ripping fence
Precision three-pulley guide
Mitre fence
Set of 4 extra blades

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£379.99** **£455.99**
Order Number	240V - UK903170381

Bandsaw Blades

Bandsaw Blade Information

	Suitable for Material	Tooth Pitch, Type	Finish of Cut	Cut
A2 (3)	Wood, Plastic	2 mm, Helical Tooth	Fine	Curved Cuts
A2 (15)	Aluminium, Copper, Brass, Foam	2 mm, Rake Tooth	Fine	Straight Cuts
A4 (6)	Wood, Plastic	4 mm, Helical Tooth,	Rough	Curved Cuts
A6 (12)	Wood, Plastic	6 mm, Peg Tooth	Rough	Straight Cuts
A6 (25)	Wood, Plastic	6 mm, Peg Tooth	Rough	Straight Cuts
A18 (25)	Wood, Fire Wood	18 mm, Peg Tooth	Very Rough	Straight Cuts
14/1" (13)	Aluminium, Copper, Brass, Steel	1 mm, Rake Tooth	Fine	Straight Cuts

Description	Part Number	List Price *(exc. VAT)*
Saw blades for BAS 250 and BAS 260 Swift		
Belt blade Ind.hardened 1712x6x0.36 A4 (6)	0909057175	£16.56
Belt blade Ind.hardened 1712x12x0.36 A6 (12)	0909057183	£16.56
Belt blade Ind.hardened 1712x12x0.36 A2 (12)	0909057191	£16.56
Saw blades for BAS 316 and BAS 317 Precision		
Belt blade Ind.hardened 2240x12x0.5 A6 (12)	0909029244	£14.84
Belt blade Ind.hardened 2240x6x0.5 A4 (6)	0909029252	£14.26
Belt blade Ind.hardened 2240x15x0.5 A6 (15)	0909029260	£17.42
Belt blade Ind.hardened 2240x15x0.5 A2 (15)	0909029279	£17.47
BAS 317 set. 4 blade set	UKSAWBLADESET	£52.36
Saw blades for BAS 500, BAS 600 and BAS 505		
Belt blade Ind.hardened 3380x25x0.5 A6 (25)	0909000416	£36.37
Belt blade Ind.hardened 3380x25x0.5 A18 (25)	0909000424	£30.40
Belt blade Ind.hardened 3380x15x0.5 A6 (15)	0909029171	£26.81
Belt blade Ind.hardened 3380x6x0.5 A4 (6)	0909029180	£19.38
Belt blade Ind.hardened 3380x15x0.5 A2 (15)	0909029210	£26.81
Belt blade Ind.hardened 3380x13x0.65 A2 (13) not recommended for NEW BAS 505 PRECISION)	0909029228	£23.16
Additional Accessories		
Wheel set BAS 317	0910063570	£49.60
Wheel set BAS 450 / BAS 500 / BAS 505	0909000505	£85.03
Circle cutting attachment BAS 250 / BAS 260 / BAS 315 / BAS 316 / BAS 317 / BAS 450 / BAS 500 / BAS 505 / BAS 600	0909031249	£35.86

DH 330 Thicknesser

This bench top planer is perfect for cleaning up old timbers up to 330 mm wide and 152 mm thick. The machine has a feed rate of 7 meters per minute. The two blade cutter block is capable of removing up to 3 mm of material at a time.

FEATURES
L x W x H 579 x 857 x 574 mm
Chip removal
Thickness table L x W 840 x 330 mm Thickness table material: cast aluminium / special steel aluminium
Passage height/width 152 mm/330 mm
Feed rate 7 m/min
Blade shaft Ø 47 mm
2 blades
Blade shaft speed 9.800 /min
Rated input power 1,8 kW
Fuse protection T 16 A
Weight 35 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£379.00** **£454.80**
Order Number	240V - 0200033000





HC 260 C Planer / Thicknesser

Metabo were one of the first companies to develop a planer thicknesser of this size. With over 20 years of experience in this field you can trust that Metabo planer thicknessers are amongst the best in the market. The planer has a cutting width of 260 mm and total table length of 1,090 mm. Cutting depth is 3 mm max. The thicknessing height is an impressive 160 mm with a 3 mm stock removal capacity. The thicknessing bed is cast iron, the planing tables are cast aluminium. The machine comes fully equipped with three micro-switches as well as kick stop on/off switch and quick release cable for machine and operator safety.

SPECIFICATIONS	
2,200 Watts	
Planing table L x W	1,040 x 260 mm
Thickness table L x W	400 x 260 mm
Chip removal	3 mm
Passage height/width	160/260 mm
Feed Rate	5 m/min

FEATURES
Disposable reversible planer blades
Short, swivelling jointing fence
Chip ejection hood
Extraction nozzle



> *"I was impressed with this compact planer. The build quality was great, as was the finish on the component parts. It's quiet for a planer too, and very user friendly. A neat and well put together machine - ideal for small home workshops and light work, but also quite capable of bigger work undertaken with care. A very pleasing buy."*
>
> *Router and Power Woodworking*

! *Need help with set up? Watch this video*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£519.00** **£622.80**
Order Number	240V - 0114026038

Planer / Thicknesser Accessories

Accessories: Planer Thicknessers

Description	Part Number	List Price *(exc. VAT)*
Universal Adapter	0913031288	£12.11
for HC 260 M, HC 260 K and HC 260 C		
Wheel set for HC 260 C / M	0911003783	£67.23
Eccentric clamping device	0910009680	£64.57
Clamp stand HC 260 M / K	0911009811	£18.98

Planer Blades

Description	Part Number	List Price *(exc. VAT)*
Saw blades for HC 260 C, HC 260 M, HC 260 K and multi 260		
HC 260 C/E/M, planer blade, disposable, 260 x 18.6 x 1 mm, 2 units	0911030713	£30.95
HC 260 C/M/K, planer blade HSS-18%W, 260 x 20 x 3 mm / 2-Einstellnuten, 2 units	0911030721	£62.68
HC 260 C/M/K, carbide-tipped planer blade 260 x 20 x 3 mm / 2-Einstellnuten, 2 units	0911030730	£271.40
Cutter block conversion kit HC 260 C / M / K, 2 piece	0911030845	£55.89
DH 330 334 x 16 x 2 mm reversable (before 2005)	0911062119	£62.33
DH 330 332 x 12 x 1.5 mm reversable (2006 to date)	0911063549	£62.33

SPA 1200 Chip & Dust Extractor

The new SPA 1200 replaces the SPA 1101 and features an increased air volume flow and an increased air pressure, thanks to its new powerful 550 Watt motor. It can be connected to a variety of stationary machines, and should definitely not be missed in any workshop.

> **!** *Add the fine filter as an accessory to help protect you from harmful dust debris from hard woods or MDF.*
> *Info: Fine Filter - 0920016529*

SPECIFICATIONS	
Bag Volume	65 Litres
Dimensions	L x W x H: 830 x 450 x 1.600 mm
Max. vacuum	1.600 Pa
Max. volume flow	900 m³/h
Rated input power	550 Watts
Weight	22 kg

FEATURES
230 V induction motor
High user safety
Suction hose connection Ø 100mm
Stable frame

> **!** ***Why is it important to have a dust extractor?***
>
> *- Wood dust can cause asthma. Carpenters and joiners are 4 times more likely to get asthma compared with the UK working population.*
> *- Hardwood and man made board dust is a carcinogenic.*
> *- Both hardwood and softwood dusts have a Workplace Exposure Limit (WEL) of 5mg/m3 which must not be exceeded. WEL's are limits on concentrations of dust in the air, averaged over 8 hours. But because wood dust is an asthmagen, exposure must be reduced as low as is reasonably practicable.*
> *www.hse.gov.uk/woodworking/dust.htm*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£159.00** **£190.80**
Order Number	240V: 601205380

SPA 2002 Chip & Dust Extractor

The SPA 2002 is the range leading dust and chip extractor. With the dust contained within the extractor the machine has been awarded with a GS H3 safety certificate, the machine has a filtration value of 0.2 mg/m³. The machine has a flow rate of 1,038 m³/h and a 135 Litre bag capacity.

SPECIFICATIONS	
1,400 Watts	
Bag Volume	135 Litres
Cloth Bag Surface area	3.45 m²
Airflow Capacity	1,038 m³/h
Filtration Level	0.2 Micron
Weight	95 kg

FEATURES
Low noise
Plastic chip bag
2.5 m hose
100 mm outlet

> **!** ***How to control dust.***
>
> *- Provide dust extraction at woodworking machines to remove dust before it can get breathed in.*
> *- Keep the extraction and collection system maintained to make sure it continues to work efficiently.*
> *- It is a legal requirement to have dust extraction equipment examined by a competent person at least every 14 months. (Your insurers or LEV supplier may have competent persons who can do this for you).*
> *- Use a vacuum system to clear up wood dust – either a free standing vacuum cleaner or preferably a vacuum pipe attached to your extraction system. Using fine filters/twin filter systems with dust bags can help considerably.*
>
> *www.hse.gov.uk/woodworking/dust.htm*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£1,750.00** **£2,100.00**
Order Number	240V - 0130200100

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£1,835.00** **£2,202.00**
Order Number	400V - 0130200110

Accessories Chip & Dust Extractors

Description	Part Number	List Price *(exc. VAT)*
Fine Filter for SPA 1000 / SPA 1100 / SPA 1101 (0.2 Micron)	0913005058	£177.99
Fine Filter for SPA 1700 D / SPA 1701 W / SPA 1702 W / SPA 1200	0920016529	£237.07
Fine Filter for SPA 2001 W / SPA 2001 D / SPA 2002 W / SPA 2002 D	0913059441	£562.17
Cleaning Nozzle	0913031270	£33.20
Transition Ring	0913031300	£10.01
Suction Adapter Nozzles	0910031260	£9.59
Universal Adapter	0913031288	£12.11
Diversion (two-way Splitter)	0913031296	£12.78
Y-Piece	0910060090	£115.46
Suction Hose Kit 2.5m 100 mm Ø With 100 mm Transition ring & Universal adapter ring	0913010779	£45.57

Submersible Pumps Clear Water

	TP 6600	TP 8000 S	TPF 7000 S *Flat Suction*
SPECIFICATIONS	Supplied with carry handle and angle connection with multi-adapter for fitting to different hose sizes.	Supplied with carry handle and angle connection with multi-adapter for fitting to different hose sizes, float switch and float switch level adjustment catch.	Supplied with carry handle and angle connection with multi-adapter for fitting to different hose sizes, float on/off switch and float switch level adjustment catch.
Input Power	250 Watts	350 Watts	450 Watts
Max. Delivery rate	6600 l/h	8000 l/h	7000 l/h
Max. Delivery height	6 m	7 m	6 m
Max. Submersible depth	5 m	5 m	5 m
Max. Pressure	0.6 bar	0.7 bar	0.7 bar
Flat suction down to	n/a	n/a	2-3 mm
Discharge Port	1$^{1/4}$" female thread	1$^{1/4}$" female thread	1$^{1/4}$" female thread
Pump housing	Tough plastic	Tough plastic	Tough plastic
Power Cable	10 m	10 m	10 m
Weight	4.3 kg	4.3 kg	4.6 kg
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£57.00** **£68.40**	**£65.00** **£78.00**	**£99.00** **£118.80**
Order Number	240V - 0250660000	240V - 0250800000	240V - 0250800002

Submersible Pumps
Clear Water

	TP 7500 SI *Flat Suction*	**TPF 6600 SN** *Flat Suction*	**TP 12000 SI** *Flat Suction*
SPECIFICATIONS	Purpose built for pumping out clear water from ponds, water butts etc. In-built automatic float on/off switch makes it impossible for the float switch to catch on surrounding debris.	Supplied with carry handle and angle connection with multi-adapter for fitting to different hose sizes, float on/off switch and float switch level adjustment catch.	In-built automatic float on/off switch makes it impossible for the float switch to catch on surrounding debris.
Input Power	300 Watts	450 Watts	600 Watts
Max. Delivery rate	7500 l/h	6600 l/h	11,700 l/h
Max. Delivery height	6.5 m	6 m	9 m
Max. Submersible depth	7 m	5 m	7 m
Max. Pressure	0.65 bar	0.7 bar	0.9 bar
Flat suction down to	2-3 mm	2-3 mm	2-3 mm
Discharge Port	$1^{1/4}$" female thread	$1^{1/4}$" female thread	$1^{1/4}$" female thread
Pump housing	Tough plastic	Stainless Steel	Tough plastic
Power Cable	10 m	10 m	10 m
Weight	7.7 kg	4.6 kg	5.1 kg
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£109.00** **£130.80**	**£109.00** **£130.80**	**£115.00** **£138.00**
Order Number	240V - 0250750013	240V - 0250660006	240V - 0251200009

Submersible Pumps
High Pressure / Dirty Water

	TDP 7501 S *High Pressure*	**PS 7500 S** *Dirty Water*	**PS 18000 SN** *Dirty Water*
SPECIFICATIONS	3 impellers, float on/off switch with level adjustment and multi-adapter. Specialist high pressure pump designed for use with sprinkler and irrigation systems. Can handle up to 3 sprinklers at a time.	Supplied with carry handle and angle connection with multi-adapter for fitting to different hose sizes, float on/off switch and float switch level adjustment catch.	Supplied with carry handle and angle connection with multi-adapter for fitting to different hose sizes, float on/off switch and float switch level adjustment catch.
Input Power	1,000 Watts	450 Watts	1,100 Watts
Max. Delivery rate	7500 l/h	7500 l/h	18,000 l/h
Max. Delivery height	34 m	5 m	11 m
Max. Submersible depth	7 m	5 m	7 m
Max. Pressure	3.4 bar	0.5 bar	1.1 bar
Max. Particle size	n/a	30 mm	35 mm
Discharge Port	1" female thread	$1^{1/4}$" female thread	$1^{1/2}$" female thread
Pump housing	Tough plastic	Tough plastic	Stainless Steel
Power Cable	10 m	10 m	10 m
Weight	9.1 kg	4.8 kg	7.8 kg
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£189.00** **£226.80**	**£90.00** **£108.00**	**£199.00** **£238.80**
Order Number	240V - 0250750100	240V - 0250750000	240V - 0251800000

SSP - Suggested selling price ■ 110V Wattage may vary from those specified

Submersible Pumps
For Clean & Dirty Water

	PS 24000 SG *Storm Pump*	**TPS 16000 S** *Flat Suction Combi Pump*
SPECIFICATIONS	Storm pump with extremely fast discharge rate of 24,000 l/h. Supplied with carry handle and angle connection with multi-adapter, float on/off switch and float switch level adjustment catch.	Innovative Combi sub pump for clear water and dirty water. Supplied with carry handle and angle connection with multi-adapter, float on/off switch and float switch level adjustment catch.
Input Power	1,100 Watts	970 Watts
Max. Delivery rate	24,000 l/h	16,000 l/h
Max. Delivery height	11 m	9.5 m
Max. Submersible depth	10 m	7 m
Max. Pressure	1.1 bar	0.95 bar
Flat suction down to	n/a	1 mm
Max. Particle size	10 mm	30 mm
Discharge Port	Storz coupling	1$^{1/2}$" female thread
Pump housing	Cast Iron	Tough plastic
Power Cable	10 m	10 m
Weight	18 kg	7.8 kg
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£289.00** **£346.80**	**£124.00** **£148.80**
Order Number	240V - 0250240000	240V - 0251600000

Bore Hole Pumps
For Clean Water



	TBP 4000 M *Deep Well Pump*	**TBP 5000 M** *Deep Well Pump*
SPECIFICATIONS	Especially suitable for great depths. With an integrated check valve so the water cannot flow back to the pump.	Especially suitable for great depths. With an integrated check valve so the water cannot flow back to the pump.
Input Power	750 Watts	1,000 Watts
Max. Delivery rate	3,800 l/h	5,000 l/h
Max. Delivery height	55 m	60 m
Max. Submersible depth	20 m	20 m
Max. Pressure	5.5 bar	6 bar
Discharge Port	1"	1"
Pump housing	Stainless Steel / Tough plastic	Stainless Steel
Power Cable (3 core	22 m	22 m
Pump Diameter	Ø 98 mm	Ø 98 mm
SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£219.00** **£262.80**	**£249.00** **£298.80**
Order Number	240V - 0250400055	240V - 0250500050

ClassicAir 255 Compressor 24 Litre

The ClassicAir 255 is a 24 litre oil lubricated piston compressor, ideal for DIY use. Features include a pressure reducer with manometer for the exact adjustment of the working pressure, an additional manometer for tank pressure and universal coupling for fast and simple connection with all known European plug-in nipples. Ideally suited for nailing, stapling, tyre inflation, and spraying.

SPECIFICATIONS	
Rated input power	1.5 kW
Tank capacity	24 l
Free air delivery	140 l/min (4.9 cfm)
Effective delivery volume (at 8 bar working pressure)	120 l/min (4.2cfm)
Max. Pressure	8 bar (116 psi)
Suction Rate	240 l/min
Sound pressure level (LpA)	87 dB (A)
Weight	27 kg

! *All Metabo compressors come with a 10 year tank warranty against rust!*

! *For a list of suitable tasks please refer to page 143.*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£139.00** **£166.80**
Order Number	240V - 0230025500

BasicAir 250 Compressor 24 Litre

The BasicAir 250 is a light and manoeuvrable, oil filled piston compressor - suitable for small DIY & trade task such as stapling and nailing. Features include: Thermal overload protection for long motor service life. A good cold start ability thanks to push button starting valve, pressure reducers and manometers to help ensure a good level of working pressure and a manometer for displaying the tank pressure.

! *All Metabo compressors come with a 10 year tank warranty against rust!*

! *For a list of suitable tasks please refer to page 143.*

! *Use the Free Air Delivery rating figure to judge compressor & air-tool suitability.*

SPECIFICATIONS	
Rated input power	1.5 Kw
Tank capacity	24 l
Suction capacity / Air displacement	240 l/min (8.5 cfm)
Free air delivery	120 l/min (4.2 cfm)
Max. Pressure	8 bar (116 psi)
Sound pressure level (LpA)	87 dB(A)
Weight	28 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£149.00** **£178.80**
Order Number	240V - 0230125000

BasicAir 350 Compressor 50 Litre

The BasicAir 350 is a mid sized 50 litre oil filled compressor delivering 10 bar of pressure. This compressor is ideal for the professional user who requires a machine suitable for paint spraying and use with impact ratchets. Features include: Thermal overload protection for long motor service life. A good cold start ability thanks to push button starting valve, pressure reducers and manometers to help ensure a good level of working pressure.

! *All Metabo compressors come with a 10 year tank warranty against rust!*

! *For a list of suitable tasks please refer to page 143.*

! *Use the Free Air Delivery rating figure to judge compressor & air-tool suitability.*

SPECIFICATIONS	
Rated input power	1.8 kW
Tank capacity	50 l
Suction capacity / Air displacement	290 l/min (10.2 cfm)
Free air delivery	150 l/min (5.3 cfm)
Max. Pressure	10 bar (145 psi)
Sound pressure level (LpA)	84 dB(A)
Weight	33.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£265.00** **£318.00**
Order Number	240V - 0230135000

PowerAir 350 Compressor 23 Litre

The PowerAir 350 is a special, compact oil filled piston compressor designed for the professional who requires performance and mobility. This compressor is ideal for the professional user who requires a machine suitable for stapling, nailing, paint spraying and use with impact ratchets. Features include: Thermal overload protection for long motor service life. A good cold start ability thanks to push button starting valve, pressure reducers and manometers to help ensure a good level of working pressure.

! *All Metabo compressors come with a 10 year tank warranty against rust!*

! *For a list of suitable tasks please refer to page 143.*

! *Use the Free Air Delivery rating figure to judge compressor & air-tool suitability.*

SPECIFICATIONS	
Rated input power	1.8 kW
Tank capacity	23 l
Suction capacity / Air displacement	290 l/min (10.2 cfm)
Free air delivery	150 l/min (5.3 cfm)
Max. Pressure	10 bar (145 psi)
Sound pressure level (LpA)	84 dB(A)
Weight	34.5 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£349.00** **£418.80**
Order Number	240V - 0230135100

PowerAir V400 Compressor 24 Litre

The PowerAir V400 is a very high powered compact oil filled piston compressor designed for the professional who requires high performance and mobility. This compressor is ideal for the professional user who requires a machine suitable for tough tasks such as use with impact wrenches, ratchets, drills and saws (for short periods). Features include: Thermal overload protection for long motor service life. A good cold start ability thanks to push button starting valve, pressure reducers and manometers to help ensure a good level of working pressure and powerful 'V' cylinders delivering high pressure and high flow rates of up to 1,800 litres per minute.

! *All Metabo compressors come with a 10 year tank warranty against rust!*

! *For a list of suitable tasks please refer to page 143.*

! *Use the Free Air Delivery rating figure to judge compressor & air-tool suitability.*

SPECIFICATIONS	
Rated input power	2.2 kW
Tank capacity	24 l
Suction capacity / Air displacement	340 l/min (12.0 cfm)
Free air delivery	180 l/min (6.4 cfm)
Max. Pressure	10 bar (145 psi)
Sound pressure level (LpA)	87 dB(A)
Weight	47 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£669.00** **£802.80**
Order Number	240V - 0230140000

Mega 370 Compressor 90 Litre

The Mega 370 is an extremely powerful oil filled V-belt compressor - proven for demanding professional applications. This compressor is ideal for the professional user who requires a machine suitable for tough tasks such as use with impact wrenches, ratchets and drills. This robust, quiet and durable compressor feature: 2-cylinder condenser with sturdy belt safety guard, 2 manometers for controlled working and tank pressure, thermal motor protection up to 3 brand quick-action couplings, pressure switch with start-up valve, rubberised wheels and handle for high mobility.

! *All Metabo compressors come with a 10 year tank warranty against rust!*

! *For a list of suitable tasks please refer to page 143.*

! *Use the Free Air Delivery rating figure to judge compressor & air-tool suitability.*

SPECIFICATIONS	
Rated input power	1.7 kW
Tank capacity	90 l
Suction capacity / Air displacement	250 l/min (8.8 cfm)
Free air delivery	150 l/min (5.3 cfm)
Max. Pressure	10 bar (145 psi)
Sound pressure level (LpA)	87 dB (A)
Weight	56 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£529.00** **£634.80**
Order Number	240V (W) - 0230137000 400V (D) - 0230137100

Mega 490 Compressor 90 Litre

The Mega 490 is an extremely powerful oil filled V-belt compressor - proven for demanding professional applications. This compressor is ideal for the professional user who requires a machine suitable for tough tasks such as use with impact wrenches, ratchets, drills and saws. This robust, quiet and durable compressors features include: 2-cylinder condenser with sturdy belt safety guard, 2 manometers for controlled working and tank pressure, thermal motor protection up to 3 brand quick-action couplings, pressure switch with start-up valve for good cold start and large, rubberised wheels and handle for high mobility.

! *All Metabo compressors come with a 10 year tank warranty against rust!*

! *For a list of suitable tasks please refer to page 143.*

! *Use the Free Air Delivery rating figure to judge compressor & air-tool suitability.*

SPECIFICATIONS	
Rated input power	2.4 kW
Tank capacity	90 l
Suction capacity / Air displacement	320 l/min (11.3 cfm)
Free air delivery	220 l/min (7.8 cfm)
Max. Pressure	10 bar (145 psi)
Sound pressure level (LpA)	87 dB (A)
Weight	56 kg

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£625.00** **£750.00**
Order Number	240V (W) - 0230145200 400V (D) - 0230145300

Mega 490 Compressor 50 Litre

The Mega 490 is an extremely powerful oil filled V-belt compressor - proven for demanding professional applications. This compressor is ideal for the professional user who requires a machine suitable for tough tasks such as use with impact wrenches, ratchets, drills and saws. This robust, quiet and durable compressors features include: 2-cylinder condenser with sturdy belt safety guard, 2 manometers for controlled working and tank pressure, thermal motor protection up to 3 brand quick-action couplings, pressure switch with start-up valve for good cold start and large, rubberised wheels and handle for high mobility.

! *All Metabo compressors come with a 10 year tank warranty against rust!*

! *For a list of suitable tasks please refer to page 143.*

SPECIFICATIONS	
Rated input power	2.4 kW
Tank capacity	50 l
Suction capacity / Air displacement	320 l/min (11.3 cfm)
Free air delivery	220 l/min (7.8 cfm)
Max. Pressure	10 bar (145 psi)
Sound pressure level (LpA)	87 dB (A)
Weight	56 kg

! *Use the Free Air Delivery rating figure to judge compressor & air-tool suitability.*

SSP *(exc. VAT)* **SSP** *(inc. VAT)*	**£569.00** **£682.80**
Order Number	240V (W) - 0230145000 400V (D) - 0230145100

Compressor Chart

Model	**Stapling / Nailing**	**Spraying** water/oil	**Seal / lubricating**	**Inflating tyres**	**Blow guns**	**Drilling**	**Paint spraying**	**Impact ratchet**	**Impact wrench**	**Chiselling**	**Sawing**	**Sand blasting**	**Grinding / Sanding**
ClassicAir 255, *24 l / 8 bar*	✓	✓	✓	✓	●	●	●	×	×	×	×	×	×
BasicAir 250, *24 l / 8 bar*	✓	✓	✓	✓	●	●	●	×	×	×	×	×	×
BasicAir 350, *50 l / 10 bar*	✓	✓	✓	✓	✓	●	✓	✓	●	●	×	×	×
PowerAir 350, *23 l / 10 bar*	✓	✓	✓	✓	✓	●	✓	✓	●	●	×	×	×
PowerAir V400, *24 l / 10 bar*	✓	✓	✓	✓	✓	✓	✓	✓	✓	●	●	×	×
Mega 370, *90 l / 10 bar*	✓	✓	✓	✓	✓	✓	✓	✓	✓	●	●	×	×
Mega 490, *50 l / 10 bar*	✓	✓	✓	✓	✓	✓	✓	✓	✓	●	✓	×	×
Mega 490, *90 l / 10 bar*	✓	✓	✓	✓	✓	✓	✓	✓	✓	●	✓	●	●

✓	Very well suited
●	Only suitable under certain circumstances
×	Not suitable for this application

IF YOU WANT A PERFECT FINISH, YOU NEED PERFECT MACHINES: THE METABO STAINLESS STEEL RANGE.

The life blood of a Metabo flows from over 80 years of experience in the metal sector. The high quality demands that Metabo place on these specialist metal processing machines result in technically excellent tools. Be it when finishing surfaces, pipes or weld seams, from coarse grinding through to burnishing and high-gloss polishing perfection can be achieved with a Metabo.


Tube Belt Sander
RBE 12-180
Burnisher
SE 12-115
Angle grinder
WE 14-125 Inox
Cordless Pipe Belt Sander
RB 18 LTX
Cordless Fillet weld grinder
KNS 18 LTX 150
Inox
Fillet weld grinder
KNSE 12-150
Cordless Band File
BF 18 LTX
Cordless Angle Grinder
W 18 LTX 125 Inox
Band File
BFE 9-90
Cordless Burnishing Machine
S 18 LTX 115

On-line registration required for extended warranty to take effect

KHA36 LTX & 36v 4.0Ah battery are class 9 dangerous goods and are not suitable for air freight as delivered. Should you need to arrange collection of faulty goods please contact Metabo UK Ltd for details.

The Metabo 3-year Tool Warranty

At Metabo we design our power tools for a long service life, but to give you additional peace of mind for your investment we are now offering the XXL warranty. After registration, your normal warranty is simply extended to 3 years from the date of purchase.

What is the XXL warranty?
The XXL warranty extends Metabo's normal one year power tool warranty to three years, and is acquired free of charge by registering online at **www.metabo.com/xxl**. The XXL warranty is available only for tools purchased from April 1, 2004.

What is covered by the XXL warranty?
The XXL warranty covers defects in materials and workmanship. Simply return the tool to your point of sale or your nearest Metabo Repair Centre. See Metabo's warranty statement for full details.

Will all machines purchased come with the XXL warranty?
The XXL warranty is a warranty extension that you receive free of cost only after online registration provided you purchased your machine anytime from April 1, 2004 onwards.

How does the registration work?
On our home page, complete the XXL warranty form and print out the receipt and you will receive a confirmation via E-mail. Then, should you make a warranty claim, send this receipt along with the original sales receipt and the faulty machine to your point of sale or warranty agent.

Am I entitled to a warranty claim without an online receipt?
Yes, you are entitled to the normal one year warranty period. The online receipt is meant exclusively for extension of the warranty period to the XXL warranty (three years). If your tool is not registered, the normal one year warranty applies.

How can I register if I have no Internet connection?
You can register your machine at **www.metabo.com/xxl** from any place with access to the Internet. On purchasing a new machine, your dealer can also register your machine online immediately, as long as the dealer has an Internet connection.

How soon after the purchase date must I complete the registration?
The machine must be registered within four weeks after the purchase date. For more information, visit the Metabo XXL web site: **www.metabo.com/xxl**

3
Years
warranty
Li-POWER

3-year Battery and Charger Warranty

Metabo's 14.4V, 18V Lithium-Ion Extreme, Plus and Compact battery packs and ASC30/ASC15 Charger are warranted to the original purchaser for 3 years from the date of purchase against defects in materials and workmanship.

If a listed battery fails to take a charge, or if the charger fails, due to a defect in the first 3 years of ownership, return the battery or charger, along with proof of purchase to your dealer or warranty agent.

IF YOU WANT A PERFECT FINISH, YOU NEED PERFECT MACHINES: THE METABO STAINLESS STEEL PROCESSING RANGE.

Ask your dealer for more details

www.metabo.co.uk

You Tube **Metabo**

@MetaboUK

3
Years
warranty
Li-POWER

Metabo offers a

3 YEAR WARRANTY

ON ALL MACHINES, ALL CHUCKS, ALL CHARGERS &

ALL BATTERIES!

SIMPLY REGISTER YOUR MACHINE ONLINE WITHIN 4 WEEKS OF PURCHASE TO QUALIFY*

www.metabo.com/xxl

*Warranty only covers part failure due to faulty assembly or manufacture. It does not cover wear and tear or miss-use.
All machines come with a 1 year warranty as standard.

Metabo (UK) Ltd
25 Majestic Road
Nursling Industrial Estate
Southampton, SO16 0YT
Tel: (02380) 732 000
Fax: (02380) 747 500
www.metabo.co.uk

This catalogue is available online at www.metabo.co.uk

Prices at 20% VAT

Metabo reserve the right to change details or product specifications without notice. Prices are subject to change. Photographs are for illustration purposes only. Offers are available at selected dealers whilst stocks last. E&OE.

PROFESSIONAL POWER TOOLS

metabo®
work. don't play.